



S76 Preowned



2002 SIKORSKY S-76C+
SERIAL NUMBER: 760522



Equipment List

- VHF – 22
- VIR – 32
- Transponder TDR – 94
- Garmin GX 200
- Tcas
- DME – 42
- Davron clock
- Or 7000 moving map
- Weather radar PRI – 880
- Cabin briefing system
- UNS1D
- Radar altimeter
- Cockpit voice recorder, CD R – 30A
- Dual boarding steps

*This is a partial equipment list subject to buyer inspection and confirmation

LIFT HANDLE
TO OPEN



S76 Preowned



S76 Preowned

N98



S76 Preowned



DOOR EJECTION
PROCEDURE
* LEFT DOOR LOCK
PULL DOWN
* LEFT SIDE HANDLE
PULL DOWN
* RIGHT DOOR LOCK
PULL DOWN
TO EXIT
* LEFT DOOR LOCK
PULL DOWN HANDLE



S76 Preowned





S76 Preowned





S76 Preowned



S76 Preowned



OWNER: SOUTHERN COMPANY
 SERVICES, INC.

 OPERATOR: SOUTHERN COMPANY
 SERVICES, INC.

 ADDRESS: 3188 CORSAIR DRIVE
 CHAMBLEE GA 30341

 ADDRESS: 3188 CORSAIR DRIVE
 CHAMBLEE GA 30341

OFFICE: 4045065071

OFFICE: 4045065071

FAX:

FAX:

 ANALYST: HELO ANALYST
 EMAIL: RBUTLER@CAMPSYSTEMS.COM

 316-462-2469 (DIRECT)
 +1-631-588-3200 (MAIN)
 WWW.CAMPSYSTEMS.COM

 800-787-9749 (EFAX-CARDS)
 631-980-4222 (EFAX-CARDS)

 PLEASE REACH OUT TO YOUR ANALYST TO
 RECORD CHANGES TO ADDRESS, LAST ACTUALS
 (IF ANY).

FILTER CRITERIA : Spl. Reqs:INCLUDE;Task Type:PACKAGE, COMPONENT, SERVICE;PN/SN-UNKNOWN Components:INCLUDE

AIRCRAFT	SERIAL/REGNO: 760522/N98PC	MODEL: S-76C+	MANUFACTURER: SIKORSKY AIRCRAFT
----------	----------------------------	---------------	---------------------------------

CERTIFICATION DATE: 13-MAR-2002

LAST ACTUALS:		
3253	A/C HRS	as of 17-MAR-2026
5222	AFL	as of 17-MAR-2026
3022.9	ACH	as of 05-MAR-2026
3721.3	EMH	as of 05-MAR-2026

ENGINE NO. 1	SERIAL/PART: 20592TEC/0292005310	MODEL: ARRIEL 2S1	MANUFACTURER: SAFRAN HELICOPTER ENGINES
--------------	----------------------------------	-------------------	---

INSTALLED ON: 09-SEP-2016

2105.1	ENG. HRS	2183.6	A/C HRS
2727	ENC		

LAST ACTUALS:		
3172.5	ENG. HRS	as of 17-MAR-2026
3913	ENC	as of 11-MAR-2026
3913	C1C	as of 11-MAR-2026
3664	C2C	as of 11-MAR-2026

ENGINE NO. 2	SERIAL/PART: 20561TEC/0292005400	MODEL: ARRIEL 2S1	MANUFACTURER: SAFRAN HELICOPTER ENGINES
--------------	----------------------------------	-------------------	---

INSTALLED ON: 12-DEC-2025

5773.5	ENG. HRS	3239.4	A/C HRS
	ENC		

LAST ACTUALS:		
5787.1	ENG. HRS	as of 17-MAR-2026
10386	ENC	as of 11-MAR-2026
10386	C1C	as of 11-MAR-2026
7861	C2C	as of 11-MAR-2026

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA GENERAL									
1076-SERIES-ICA-1-A	U	VISUALLY INSPECT FILTER ELEMENTS (SEE RFMS) IN ACCORDING WITH THE MOST CURRENT REVISION						Service	ATA:--
	MOS/MSC		PR/C					ICA	
	HRS								
	AFL								
1076-SERIES-ICA-1-H	U	INSPECT ELECTRICAL WIRING AND CONNECTIONS (7.4) IN ACCORDING WITH THE MOST CURRENT REVISION						Service	ATA:--
	MOS	01-Jun-17						ICA	
	HRS	2254.7	1500		3754.7		501.7		
	AFL	3734							
94256350	U	HEATED LIQUID CONTAINER						Component	ATA:--
PN:33776-52200-118	MOS/MSC	22-Apr-08	O/C						
SN:015	HRS								
	AFL								
9429100A	U	#1 HYDRAULIC MODULE DRAIN LINE						Component	ATA:--
PN:76651-03002-186	MOS/MSC	24-Feb-11	O/C						
SN:NSN	HRS	1551.7							
	AFL	2667							
943030001A	U	RELAY-PILOT PITOT TUBE WARN - K32 HEATER						Component	ATA:--
PN:11HSX295	MOS/MSC	15-Sep-11	O/C						
SN:NSN	HRS	1628.2							
	AFL	2776							
943030001B	U	RELAY-PILOT PITOT TUBE WARN - K33 HEATER						Component	ATA:--
PN:11HSX295	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA GENERAL								
9431601^U IDS WIRING Component ATA:--								
PN:9431601	MOS/MSC	11-May-10	O/C					
SN:NSN	HRS	1466.8						
	AFL	2514						
94323301B^U MLG LIGHT ELEC. CABLE ASSY Component ATA:--								
PN:76552-00191-103	MOS/MSC	25-Oct-07	O/C					
SN:NSN	HRS	1132.6						
	AFL	1938						
943301A^U MLG LIGHT BULB Component ATA:--								
PN:4580	MOS/MSC	20-Sep-19	O/C	TSN 0				
SN:UNKNOWN	HRS	2479.8		TSN 0				
	AFL			TSN 0				
943301AB^U LH MLG LIGHT BULB Component ATA:--								
PN:4580	MOS/MSC	18-Sep-07	O/C					
SN:UNKNOWN	HRS	1097.9						
	AFL	1870						
943302B^U LOWER ANTI-COLLISION RED LENS Component ATA:--								
PN:A402A	MOS/MSC	19-Jan-07	O/C					
SN:NSN	HRS	949.1						
	AFL	1617						
9433105^U BACK PLATE LIGHT ASSEMBLY Component ATA:--								
PN:ETS400630-0001	MOS/MSC	07-Oct-08	O/C					
SN:NSN	HRS	1311.6						
	AFL	2246						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA GENERAL									
945501 ^U	REMOVAL AND INSTALLTION S76C AMM 55-10-00 STATIC WICK							Component	ATA:--
PN:2-15SCY	MOS/MSC	23-May-11	O/C						
SN:UNKNOWN	HRS	1581.6							
	AFL	2708							
<hr/>									
94672004 ^U	YAW PEDALS AND SHAFT ASSEMBLY - DISASSEMBLY							Component	ATA:--
PN:PN	MOS	02-Jul-01		TSN 0					
SN:UNKNOWN	HRS	0	5000	TSN 0	5000		1747		
	AFL	0		TSN 0					
<hr/>									
94726100 ^U	AIR / OIL MAG SEAL REPLACEMENT							Component	ATA:--
PN:71075-1	MOS/MSC	07-Jan-11	O/C						
SN:NSN	HRS	1533.6							
	AFL	2637							
<hr/>									
947801B ^U	EXHAUST PROLONGATOR							Component	ATA:--
PN:0401277860	MOS/MSC	15-Sep-11	O/C						
SN:NSN	HRS	1628.2							
	AFL	2776							
<hr/>									
94792901 ^U	PACKING ON THE OIL SCAVANGE TUBE OF THE REAR BEARING REPLACEMENT							Component	ATA:--
PN:9794410075	MOS/MSC	07-Nov-11	O/C						
SN:UNKNOWN	HRS	1639.7							
	AFL	2794							
<hr/>									
94792902 ^U	REPLACEMENT OF THE OIL STRAINER							Component	ATA:--
PN:0292727040	MOS/MSC	07-Nov-11	O/C						
SN:UNKNOWN	HRS	1639.7							
	AFL	2794							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
000001 ^U	TORQUES CHECK THE BLUE AND BLACK UPPER MR PITCH CONTROL RODS ATTACHMENT POINTS							Service	ATA:00
	MOS/MSC	09-Aug-23	A/R						
	HRS	2950.6							
	AFL	4820							
2631-180417								Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL, RCF 2631PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL, RCF 2631									
2631-180716								Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	AFL								
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL, RCF 2631PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL, RCF 2631									
2631-190403A	REVIEW S-76C+/C++ TR 5-206							Service	ATA:00
	MOS/MSC	24-Jun-19	-						
	HRS	2450.3							
	AFL	4088							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL, RCF 2631PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL, RCF 2631									
2631-190715	REVIEW S-76C+/C++ AWL TEMPORARY REVISION 5-208							Service	ATA:00
	MOS/MSC	06-Aug-19	-					REQUIREMENT CHANGE FORMS	
	HRS	2463.4							
	AFL	4106							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 00 - INFORMATION								
2631-190725A								Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL, RCF 2631PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL, RCF 2631								
2631-190725B								Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL, RCF 2631PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL, RCF 2631								
2631-190926								Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL, RCF 2631, RCF 2631, RCF 2631PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL, RCF 2631, RCF 2631, RCF 2631								
2631-190926B								Service ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS
	HRS							
	AFL							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL, RCF 2631PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL, RCF 2631								
2631-250228	REVIEW ATTACHED AUDIT SUMMARY CHANGE FORM							Service ATA:00
	MOS/MSC	EFF	-					AUDIT SUMMARY CHANGE FORM
	HRS							
	AFL							
PROC. REF: RCF 2631PROC. REF: RCF 2631								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 00 - INFORMATION									
E051-160530	NO. 1 ENGINE - REVIEW ARRIEL 2S1 MM REV 38							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
PROC. REF: RCF E051PROC. REF: RCF E051									
E051-180630	NO. 1 ENGINE - REVIEW ARRIEL 2S1 MM REV 42							Service	ATA:00
	MOS/MSC		-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
PROC. REF: RCF E051PROC. REF: RCF E051									
E051-190615	NO. 1 ENGINE - REVIEW ARRIEL 2S1 MM REV 44							Service	ATA:00
	MOS/MSC	28-Aug-19	-					REQUIREMENT CHANGE FORMS	
	HRS	2391.6							
	ENC	3066							
PROC. REF: RCF E051PROC. REF: RCF E051									
E051-221230	NO. 1 ENGINE - REVIEW ARRIEL 2S1 MM UPDATE 51							Service	ATA:00
	MOS/MSC	EFF	-					REQUIREMENT CHANGE FORMS	
	HRS								
	ENC								
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-10-02-200-801	NO. 1 ENGINE - CALCULATE AND RECORD IN SECTION E OF THE ENGINE LOG BOOK THE ACCUMULATED TIME 2 MIN. OEI PERFORMED DURING THE DAY, THE ACCUMULATED TIME 2 MIN. OEI PERFORMED SINCE THE ENGINE WAS NEW, THE ACCUMULATED TIME 2 MIN. OEI PERFORMED SINCE THE LAST AVAILABLE STATE							Service	ATA:05
	MOS/MSC	02-Jul-01	A/R						
	HRS	0							
	ENC	0							
PROC. REF: MM 05-10-02-200-801-A01PROC. REF: MM 05-10-02-200-801-A01									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-10-02-200-801	NO. 1 ENGINE - CALCULATE AND RECORD IN SECTION E OF THE ENGINE LOG BOOK THE ACCUMULATED TIME 30 SEC. OEI PERFORMED DURING THE DAY, THE ACCUMULATED TIME 30 SEC. OEI PERFORMED SINCE THE ENGINE WAS NEW, THE ACCUMULATED TIME 30 SEC. OEI PERFORMED SINCE THE LAST AVAILABILITY STATE							Service	ATA:05
	MOS/MSC	02-Jul-01	A/R						
	HRS	0							
	ENC	0							
PROC. REF: MM 05-10-02-200-801-A01 PROC. REF: MM 05-10-02-200-801-A01									
05-10-02-200-801	NO. 1 ENGINE - CHECK USE OF HIP/SARM RATING: RECORD THE NUMBER OF OCCURRENCES OF HIP/SARM RATING ON THE ENGINE LOGBOOK, CALCULATE THE NUMBER OF USES OF THE RATING SINCE THE LAST INSPECTION (E1), CALCULATE THE E1 X 20 OPERATING HOURS , ADD THE RESULT REACHED ON THE ENGINE LOGBOOK							Service	ATA:05
	MOS/MSC	02-Jul-01	A/R						
	HRS	0							
	ENC	0							
PROC. REF: MM 05-10-02-200-801-A01 PROC. REF: MM 05-10-02-200-801-A01									
05-10-02-200-801	NO. 1 ENGINE - IN THE ENGINE LOG BOOK, RECORD THE NUMBER OF C1 AND C2 CYCLES							Service	ATA:05
	MOS/MSC	12-Dec-25	BF/F						
	HRS	3158.9							
	ENC								
PROC. REF: MM 05-10-02-200-801-A01 PROC. REF: MM 05-10-02-200-801-A01									
05-10-02-200-801	NO. 1 ENGINE - IN THE ENGINE LOG BOOK, RECORD THE TOTAL NUMBER OF C1 AND C2 CYCLES CONSUMED AS COUNTED BY THE DECU							Service	ATA:05
	MOS/MSC	12-Dec-25	ALF						
	HRS	3158.9							
	ENC								
PROC. REF: MM 05-10-02-200-801-A01 PROC. REF: MM 05-10-02-200-801-A01									
05-10-02-200-801	NO. 2 ENGINE - CALCULATE AND RECORD IN SECTION E OF THE ENGINE LOG BOOK THE ACCUMULATED TIME 2 MIN. OEI PERFORMED DURING THE DAY, THE ACCUMULATED TIME 2 MIN. OEI PERFORMED SINCE THE ENGINE WAS NEW, THE ACCUMULATED TIME 2 MIN. OEI PERFORMED SINCE THE LAST AVAILABLE STATE							Service	ATA:05
	MOS/MSC	01-Dec-02	A/R						
	HRS	0							
	ENC	0							
PROC. REF: MM 05-10-02-200-801-A01 PROC. REF: MM 05-10-02-200-801-A01									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-10-02-200-801	NO. 2 ENGINE - CALCULATE AND RECORD IN SECTION E OF THE ENGINE LOG BOOK THE ACCUMULATED TIME 30 SEC. OEI PERFORMED DURING THE DAY, THE ACCUMULATED TIME 30 SEC. OEI PERFORMED SINCE THE ENGINE WAS NEW, THE ACCUMULATED TIME 30 SEC. OEI PERFORMED SINCE THE LAST AVAILABILITY STATE							Service	ATA:05
	MOS/MSC	01-Dec-02	A/R						
	HRS	0							
	ENC	0							
PROC. REF: MM 05-10-02-200-801-A01PROC. REF: MM 05-10-02-200-801-A01									
05-10-02-200-801	NO. 2 ENGINE - CHECK USE OF HIP/SARM RATING: RECORD THE NUMBER OF OCCURRENCES OF HIP/SARM RATING ON THE ENGINE LOGBOOK, CALCULATE THE NUMBER OF USES OF THE RATING SINCE THE LAST INSPECTION (E1), CALCULATE THE E1 X 20 OPERATING HOURS , ADD THE RESULT REACHED ON THE ENGINE LOGBOOK							Service	ATA:05
	MOS/MSC	01-Dec-02	A/R						
	HRS	0							
	ENC	0							
PROC. REF: MM 05-10-02-200-801-A01PROC. REF: MM 05-10-02-200-801-A01									
05-10-02-200-801	NO. 2 ENGINE - IN THE ENGINE LOG BOOK, RECORD THE NUMBER OF C1 AND C2 CYCLES							Service	ATA:05
	MOS/MSC		BF/F						
	HRS								
	ENC								
PROC. REF: MM 05-10-02-200-801-A01PROC. REF: MM 05-10-02-200-801-A01									
05-10-02-200-801	NO. 2 ENGINE - IN THE ENGINE LOG BOOK, RECORD THE TOTAL NUMBER OF C1 AND C2 CYCLES CONSUMED AS COUNTED BY THE DECU							Service	ATA:05
	MOS/MSC	01-Dec-02	ALF						
	HRS	0							
	ENC	0							
PROC. REF: MM 05-10-02-200-801-A01PROC. REF: MM 05-10-02-200-801-A01									
05-14DAY ^U	RECORDED FLIGHT OR GROUND OPERATIONAL RUN WITHIN 14 CALENDAR DAYS							Service	ATA:05
	DAYS	10-Mar-26	14		24-Mar-26		7 d	CUSTOMER CODE	
	HRS								
	AFL								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-20-10-201-815-A01	NO. 2 ENGINE - INSPECTION AT 30 FLIGHT HOURS							Package	ATA:05
	MOS	15-Dec-25							
	HRS	5773.5	30 (+10%)		(5803.5) 3269.4	5806.5	16.4 (+3)		
	ENC								
PROC. REF: MM 05-20-10-201-815-A01PROC. REF: MM 05-20-10-201-815-A01								PKG:4	
05-20-10-201-835-A01	NO. 2 ENGINE - INSPECTION AT 300 FLIGHT HOURS							Package	ATA:05
	MOS	15-Dec-25							
	HRS	5773.5	300		(6073.5) 3539.4		286.4		
	ENC								
PROC. REF: MM 05-20-10-201-835-A01PROC. REF: MM 05-20-10-201-835-A01								PKG:5	
05-20-10-201-850-A01	NO. 2 ENGINE - 600 HOUR INSPECTION							Package	ATA:05
	MOS	15-Dec-25						MANDATORY	
	HRS	5773.5	600 (+10%)		(6373.5) 3839.4	6433.5	586.4 (+60)		
	ENC								
PROC. REF: MM 05-20-10-201-850-A01PROC. REF: MM 05-20-10-201-850-A01								PKG:1	
05-50-00 651115 U	CONDITIONAL MX CHECK: WHENEVER MAIN ROTOR TIP CAP IS REMOVED INSPECTION							Service	ATA:05
	MOS/MSC	12-Dec-25	O/C						
	HRS	3239.4							
	AFL	5193							
050001	50 HOUR INSPECTION CHECKLIST							Package	ATA:05
	MOS	12-Dec-25							
	HRS	3239.4	50 (+10%)		3289.4	3294.4	36.4 (+5)		
	AFL	5193							
PROC. REF: AWL 5-20-00PROC. REF: AWL 5-20-00								PKG:2	

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
050006M ^U	6 MONTH INSPECTION CHECKLIST							Package	ATA:05
	MOS	12-Dec-25	6 (+10%)		12-Jun-26	30-Jun-26	87 d (+18)		
	HRS	3239.4							
	AFL	5193							
								PKG:19	
050025	25 HOUR INSPECTION CHECKLIST							Package	ATA:05
	MOS	12-Dec-25							
	HRS	3239.4	25 (+10%)		3264.4	3266.9	11.4 (+2.5)		
	AFL	5193							
PROC. REF: AWL 5-20-00PROC. REF: AWL 5-20-00								PKG:1	
050050E ^U	NO. 1 ENGINE - 50 HOUR ENGINE PERIODIC INSPECTION							Package	ATA:05
	MOS	12-Dec-25							
	HRS	3159.9	50		(3209.9) 3290.4		37.4		
	ENC								
								PKG:1	
050100	100 HOUR INSPECTION CHECKLIST							Package	ATA:05
	MOS	08-Jul-25							
	HRS	3218.7	100 (+10/-10)		3318.7	3328.7	65.7 (+10)		
	AFL	5176							
PROC. REF: AWL 5-20-00PROC. REF: AWL 5-20-00								PKG:3	
050300	300 HOUR INSPECTION CHECKLIST							Package	ATA:05
	MOS	12-Dec-25							
	HRS	3239.4	300 (+10%)		3539.4	3569.4	286.4 (+30)		
	AFL	5193							
PROC. REF: AWL 5-20-00PROC. REF: AWL 5-20-00								PKG:5	

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS								
050300E ^U	NO. 1 ENGINE - 300 HOUR ENGINE PERIODIC INSPECTION							
	MOS	08-Jul-25						Package ATA:05
	HRS	3138.2	300 (+10%)		(3438.2) 3518.7	3468.2	265.7 (+30)	
	ENC	3871						PKG:4
050500	500 HOUR INSPECTION CHECKLIST							
	MOS	10-Oct-24						Package ATA:05
	HRS	3133.3	500 (+10%)		3633.3	3683.3	380.3 (+50)	
	AFL	5084						PKG:7
PROC. REF: AWL 5-20-00PROC. REF: AWL 5-20-00								
050600E ^U	NO. 1 ENGINE - 600 HOUR ENGINE PERIODIC INSPECTION							
	MOS	10-Feb-25						Package ATA:05
	HRS	3068.5	600		(3668.5) 3749		496	
	ENC	3816						PKG:2
050600H ^U	600 HOUR INSPECTION CHECKLIST							
	MOS	10-Feb-25						Package ATA:05
	HRS	3149	600		3749		496	
	AFL	5104						PKG:8
050900H ^U	900 HOUR INSPECTION CHECKLIST							
	MOS	12-Dec-25						Package ATA:05
	HRS	3239.4	900		4139.4		886.4	
	AFL	5193						PKG:10

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
051000E ^U	NO. 1 ENGINE - 1000 HOUR ENGINE PERIODIC INSPECTION							Package	ATA:05
	MOS	28-Apr-22							
	HRS	2717.8	1000		(3717.8) 3798.3		545.3		
	ENC	3400						PKG:3	
051250H ^U	1250 HOUR INSPECTION CHECKLIST							Package	ATA:05
	MOS	12-Dec-25							
	HRS	3239.4	1250		4489.4		1236.4		
	AFL	5193						PKG:11	
051501H ^U	1500 HOUR INSPECTION CHELIST ZONE 1							Package	ATA:05
	MOS	15-Jun-21							
	HRS	2651.1	1500		4151.1		898.1		
	AFL	4363						PKG:12	
051502H ^U	1500 HOUR INSPECTION CHELIST ZONE 2							Package	ATA:05
	MOS	15-Jun-21							
	HRS	2651.1	1500		4151.1		898.1		
	AFL	4363						PKG:13	
051503H ^U	1500 HOUR INSPECTION CHELIST ZONE 3							Package	ATA:05
	MOS	15-Jun-21							
	HRS	2651.1	1500		4151.1		898.1		
	AFL	4363						PKG:14	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
051504H ^U	1500 HOUR INSPECTION CHELIST ZONE 4							Package	ATA:05
	MOS	15-Jun-21							
	HRS	2651.1	1500		4151.1		898.1		
	AFL	4363						PKG:15	
051505H ^U	1500 HOUR INSPECTION CHELIST ZONE 5							Package	ATA:05
	MOS	15-Jun-21							
	HRS	2651.1	1500		4151.1		898.1		
	AFL	4363						PKG:16	
053000	3000 HOUR INSPECTION CHECKLIST							Package	ATA:05
	MOS	29-Jun-23							
	HRS	2938.4	3000 (+10%)		5938.4	6238.4	2685.4 (+300)		
	AFL	4802						PKG:13	
PROC. REF: AWL 5-20-00PROC. REF: AWL 5-20-00									
053000H ^U	3000 HOUR INSPECTION CHECKLIST							Package	ATA:05
	MOS	27-Jun-23							
	HRS	2938.4	3000		5938.4		2685.4		
	AFL	4802						PKG:18	
053001M ^U	12 MONTH INSPECTION CHECKLIST							Package	ATA:05
	MOS	12-Dec-25	12		12-Dec-26		270 d		
	HRS								
	AFL							PKG:20	

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
053002M ^U	24 MONTH INSPECTION CHECKLIST							Package	ATA:05
	MOS	12-Dec-25	24		12-Dec-27		635 d		
	HRS	3239.4							
	AFL	5193							
PKG:20									
053003M ^U	36 MONTH INSPECTION CHECKLIST							Package	ATA:05
	MOS	12-Dec-25	36		12-Dec-28		1001 d		
	HRS	3239.4							
	AFL	5193							
PKG:22									
053004M ^U	48 MONTH INSPECTION CHECKLIST							Package	ATA:05
	MOS	29-Jun-23	48		29-Jun-27		469 d		
	HRS	2938.4							
	AFL	4802							
PKG:23									
055099 ^U	NUMEROUS RETORQUE INSPECTIONS DUE AFTER INSPECTION.							Service	ATA:05
	MOS/MSC	11-Dec-25	DUE						
	HRS	3239.4							
	AFL	5193							
282001A05 ^U	MX CONDITION CHECK: WHENEVER MAINTENANCE HAS BEEN PERFORMED ON FUEL SUPPLY LINES.							Service	ATA:05
	MOS	12-Dec-25	0						
	HRS	3239.4							
	AFL	5193							
5-50-00 652104 ^U	CONDITION CHECK FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF TAIL ROTOR BLADES.CHECK TAIL ROTOR ATTACHMENT NUTS AND PITCH BEAM NUT FOR SPECIFIED TORQUE.							Service	ATA:05
	MOS/MSC	03-Feb-26	-						
	HRS	3247.6							
	AFL	5207							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
5-50-00 710002	U ^S	ACCOMPLISH WHENEVER MAIN GEAR BOX, ENGINE, ENGINE SUPPORT, OR ENGINE DRIVE SHAFT IS REMOVED/REPLACED/REINSTALLED. CHECK THE ENGINE DRIVE SHAFT FLEXIBLE COUPLINGS FOR ALIGNMENT.						Service	ATA:05
	MOS/MSC	12-Dec-25	A/R						
	HRS	3239.4							
	AFL								
531007	U	CONDITIONAL MX CHECK: WHENEVER MGB IS REMOVED INSPECTION						Service	ATA:05
	MOS/MSC	12-Dec-25	O/C						
	HRS	3239.4							
	AFL	5193							
550005	U	INSPECT TUB INSPECTION						Service	ATA:05
	MOS	12-Dec-25	12		12-Dec-26		270 d		
	HRS	3239.4							
	AFL	5193							
651218	9 U	WHENEVER MAIN ROTOR FLIGHT CONTROL RIGGING IS DISTURBED OR AFTER ANY COMPONENT OF MAIN ROTOR CONTROL SYSTEM IS REMOVED AND REPLACED.						Service	ATA:05
	MOS/MSC	12-Dec-25	A/R						
	HRS	3239.4							
	AFL	5193							
651222	U	CONDITIONAL MAINTENANCE CHECK: WHENEVER A MAIN ROTOR SPINDLE, SPINDLEBEARING INNER RACE, OR SPINDLE BEARING OUTERRACE IS REMOVED OR REPLACED.						Service	ATA:05
	MOS/MSC	12-Dec-25	O/C						
	HRS	3239.4							
	AFL	5193							

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
652110 ^U	CONDITIONAL MAINTENANCE CHECK: WHENEVER A TAIL ROTOR PITCH CONTROL ROD IS REMOVED FOR ANY REASON OR ANYTIME A TAIL ROTOR PITCH CONTROL ROD BEARING IS REPLACED.							Service	ATA:05
	MOS/MSC	13-Oct-23	O/C						
	HRS	2982							
	AFL	4859							
652117 ^U	CONDITIONAL MAINTENANCE CHECK: AFTER ANY DISCONNECTION AND ADJUSTMENT, OR REPLACEMENT OF TAIL ROTOR PITCH CONTROL LINK/BEARING; LOOSENING OF ANY TAIL ROTOR RETENTION PLATE HARDWARE.							Service	ATA:05
	MOS/MSC	13-Oct-23	A/R						
	HRS	2982							
	AFL	4859							
671401 ^U	CONDITIONAL MAINTENANCE CHECK WHENEVER MAINTENANCE OR MODIFICATIONS TO CB PANELS, WIRE BUNDLES, ETC. IN CONTROLS CLOSET BETWEEN PILOT AND COPILOT SEATS IS PERFORMED.							Service	ATA:05
	MOS/MSC	-							
	HRS								
	AFL								
6714014 ^U	CONDITIONAL MAINTENANCE CHECK WHENEVER MAINTENANCE OR MODIFICATIONS TO CB PANELS, WIRE BUNDLES, ETC. IN CONTROLS CLOSET BETWEEN PILOT AND COPILOT SEATS IS PERFORMED.							Service	ATA:05
	MOS/MSC	27-Feb-23	-						
	HRS	2897.1							
	AFL	4739							
671508 ^U	CONDITIONAL MX CHECK: WHENEVER MAIN ROTOR SERVO ACTUATORS ARE REMOVED.							Service	ATA:05
	MOS/MSC	12-Dec-25	O/C						
	HRS	3239.4							
	AFL	5193							
791031A/B ^U	LUBRICATE (ROUTINE) COMPLY WITH THE 300 HOUR/12 MONTH LUBRICATION AND SERVICING SCHEDULE.							Service	ATA:05
	MOS	12-Dec-25	12		12-Dec-26		270 d		
	HRS	3239.4	300		3539.4		286.4		
	AFL	5193							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
ATA 11 - PLACARDS AND MARKINGS									
113050	NO. 1 REPLACE T-LIGHT SIGN							Service	ATA:11
PN:PN	MOS/MSC		N/A						
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
113051A ^U	CABIN EMERGENCY EXIT SIGN (LEFT). MINIMUM LUMINICENCE RATING IS 115 MICRO LAMBERTS.							Service	ATA:11
	MOS	12-Dec-25	12		12-Dec-26		270 d		
	HRS	3239.4							
	AFL	5193							
113051B ^U	INSPECT CABIN EMERGENCY EXIT SIGN (RIGHT). MINIMUM LUMINICENCE RATING IS 115 MICRO LAMBERTS.							Service	ATA:11
	MOS	12-Dec-25	12		12-Dec-26		270 d		
	HRS	3239.4							
	AFL	5193							

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 12 - SERVICING									
120000 ^S	CHECK LUBRICATION/SERVICING SCHEDULE FOR ANY REQUIREMENTS THAT ARE DUE							Service	ATA:12
	MOS	12-Dec-25							
	HRS	3239.4	25 (+10%)						
	AFL	5193							
PKG:1									
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
120612	LUBRICATE/SERVICE (600 HOURS/12 MONTHS)							Service	ATA:12
	MOS	12-Dec-25	12		12-Dec-26		270 d		
	HRS	3239.4	600		3839.4		586.4		
	AFL	5193							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
120900	LUBRICATE/SERVICE (900 HOURS)							Service	ATA:12
	MOS	12-Dec-25							
	HRS	3239.4	900		4139.4		886.4		
	AFL								
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
120912	LUBRICATE/SERVICE (900 HOURS/12 MONTHS)							Service	ATA:12
	MOS	12-Dec-25	12		12-Dec-26		270 d		
	HRS	3239.4	900		4139.4		886.4		
	AFL	5193							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 18 - VIBRATION AND NOISE ANALYSIS (HELIS ONLY)								
181000 TAIL ROTOR - GROUND BALANCE Service ATA:18								
	MOS/MSC	12-Dec-25	A/R					
	HRS							
	AFL							
PROC. REF: AMM 18-10-00PROC. REF: AMM 18-10-00								
182000 MAIN ROTOR - GROUND TRACKING Service ATA:18								
	MOS/MSC	13-Mar-02	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 18-20-00PROC. REF: AMM 18-20-00								
183000 MAIN ROTOR - GROUND BALANCE Service ATA:18								
	MOS/MSC	13-Mar-02	A/R					
	HRS	0						
	AFL	0						
PROC. REF: AMM 18-30-00PROC. REF: AMM 18-30-00								
ATA 21 - AIR CONDITIONING								
212002 EVAPORATOR BLOWER Component ATA:21								
PN:85-02-205-1	MOS/MSC	09-Mar-22	A/R	TSR 0				
SN:K28736	HRS	2789.5		TSR 0				
	AFL	4554		TSR 0				
PROC. REF: AMM 21-53-01PROC. REF: AMM 21-53-01								
212003 AIR CONDITIONER BLOWER Component ATA:21								
PN:ES73103-1	MOS/MSC	22-Jan-04	O/C					
SN:UNKNOWN	HRS							
	AFL							
PROC. REF: AMM 21-53-01PROC. REF: AMM 21-53-01								
212004 COMPRESSOR ASSEMBLY Component ATA:21								
PN:ES61100-1	MOS/MSC	10-Feb-25	O/C					
SN:623	HRS	3149						
	AFL	5104						
PROC. REF: AMM 21-53-02PROC. REF: AMM 21-53-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
212010A AIRCOMM AIR CONDITIONING SYSTEM COMPRESSORMOTOR BRUSHES AND EVAPORATOR BLOWER MOTOR BRUSHES FOR WEAR Service ATA:21								
	MOS	10-Feb-25						
	HRS	3149						
	AFL	5104						
	ACH	2947.3	600 (+10%)		3547.3	3607.3	524.4 (+60)	
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
212010A1 EVAPORATOR BLOWER MOTOR BRUSHES - INSPECT FOR WEAR Service ATA:21								
	MOS	10-Feb-25						
	HRS	3149						
	AFL	5104						
	EMH	3621.4	600 (+10%)		4221.4	4281.4	500.1 (+60)	
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
212081^U HEATING AND VENTALATION K36 RELAY Component ATA:21								
PN:MS24166D1	MOS/MSC	13-Mar-02	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
	AFL	0			TSN 0			
212084^U ACT FLOW LIMITING VENTURI Component ATA:21								
PN:33776-84663-011	MOS/MSC	13-Mar-02	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
	AFL	0			TSN 0			
212085^U ECS RECIRCULATION EJECTOR Component ATA:21								
PN:765391-1	MOS/MSC	13-Mar-02	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
	AFL	0			TSN 0			
212085A^U ACT RECIRCULATION EJECTOR Component ATA:21								
PN:JBS883-1	MOS/MSC	13-Mar-02	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
	AFL	0			TSN 0			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
212085B ^U ACT RECIRCULATION EJECTOR Component ATA:21								
PN:JBS883-1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
212085C ^U ACT RECIRCULATION EJECTOR Component ATA:21								
PN:JBS883-1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
212085D ^U ACT RECIRCULATION EJECTOR Component ATA:21								
PN:JBS883-1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
212086 ^U ECS MUFFLER Component ATA:21								
PN:769190-1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
212087 ^U DEFOG HEAT VSO VALVE Component ATA:21								
PN:JBS885-4	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
212088 ^U CABIN HEAT VSO VALVE Component ATA:21								
PN:JBS885-4	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
212088A ^U CABIN HEAT VSO VALVE Component ATA:21								
PN:JBS885-4	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
212089 ^U COCKPIT HEAT VSO VALVE Component ATA:21								
PN:JBS885-4	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
212090 ^U COCKPIT WINDOW DEFROST VSO VALVE Component ATA:21								
PN:JBS885-3	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
212091 ^U AIR CONDITIONING PRESSURE REGULATING VALVE Component ATA:21								
PN:JBS889-1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
212092 ^U AIR CONDITIONING PRESSURE REGULATING VALVE Component ATA:21								
PN:JBS889-1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
212093 ^U AIR CONDITIONING PRESSURE REGULATING VALVE Component ATA:21								
PN:JBS889-1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
212095 ^U		WINDOW DEFROST PRESSURE REGULATING VALVE					Component	ATA:21	
PN:JBS889-1	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
212095A ^U		ACT FAN (PILOT) BLOWER MOTOR					Component	ATA:21	
PN:19A2501	MOS/MSC	11-Oct-23	O/C						
SN:29306	HRS	2982							
	AFL	4859							
212095B ^U		ACT FAN (CO-PILOT) BLOWER MOTOR					Component	ATA:21	
PN:19A2501	MOS/MSC	19-Jul-23	O/C						
SN:29307	HRS	2947.7		TSN 0					
	AFL	4815							
214001 ^S		INSPECT HEAT VENT SYSTEM					Service	ATA:21	
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)						
	AFL	4363							
PKG:15									
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
214003		HEAT AND VENTILATION BLOWER					Component	ATA:21	
PN:76500-07905-101	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
214006		NO. 1 ENGINE BLEED AIR SHUTOFF VALVE					Component	ATA:21	
PN:76500-07903-103	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:1747	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 21-40-01PROC. REF: AMM 21-40-01									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 21 - AIR CONDITIONING								
214011 NO. 2 ENGINE BLEED AIR SHUTOFF VALVE Component ATA:21								
PN:76500-07903-102	MOS/MSC	30-Sep-03	O/C					
SN:1668	HRS	241.5						
	AFL	389						
PROC. REF: AMM 21-40-01PROC. REF: AMM 21-40-01								
214080A ^U BLEED AIR MIXING VALVE Component ATA:21								
PN:76500-07900-103	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
214080B ^U BLEED AIR MIXING VALVE Component ATA:21								
PN:76500-07900-103	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
214081 ^U BLEED AIR PRESSURE REGULATOR Component ATA:21								
PN:3214102-2	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
214082A ^U NO.1 ENGINE BLEED AIR LOW PRESSURE SWITCH Component ATA:21								
PN:76500-07904-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
214082B ^U NO.2 ENGINE BLEED AIR LOW PRESSURE SWITCH Component ATA:21								
PN:76500-07904-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
214083 ^U		HEATING AND VENTALATION LOW PRESSURE SWITCH					Component	ATA:21	
PN:76500-07904-101	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
214084 ^U		TIME DELAY K24 RELAY					Component	ATA:21	
PN:TDH1551-5001	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
215001		CABIN HEAT AIR CONDITIONING AUXILIARY CONTROL					Component	ATA:21	
PN:460-1-4	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
<hr/>									
215004		REMOVE BLEED AIR CONDENSATION					Service	ATA:21	
	MOS	25-Feb-26	1		25-Mar-26		8 d		
	HRS	3250.7							
	AFL	5219							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
<hr/>									
215012 ^S		INSPECT VAPOR CYCLE A/C SYS REFRIGERATION PACKAGE					Service	ATA:21	
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
PKG:8									
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
<hr/>									
215015 ^U		INSPECT THE AIR CONDITIONING SYSTEM COMPONENTS FOR DIRT DAMAGE					Service	ATA:21	
	MOS	21-Mar-23							
	HRS	2902.5							
	AFL	4758							
	ACH	2697.3	600		3297.3		274.4		

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
215017	AIR CONDITIONING SYSTEM COMPRESSOR BELT - TENSION AND WEAR CHECK							Service	ATA:21
	MOS	12-Dec-25	6		12-Jun-26		87 d		
	HRS	3239.4	300		3539.4		286.4		
	AFL	5193							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
215017B ^U	PERFORM COMPRESSOR BELT - TENSION AND WEAR CHECK							Service	ATA:21
	MOS	12-Dec-25	6		12-Jun-26		87 d		
	HRS	3239.4	300		3539.4		286.4		
	AFL	5193							
215021A ^U	PERFORM REFRIGERANT HOSES - CHECK FOR CHAFING, WEAR							Service	ATA:21
	MOS	01-Jun-17							
	HRS	2254.7	1200		3454.7		201.7		
	AFL	3734							
215080 ^U	PRESSURE REGULATOR AND SHUTOFF VALVE							Component	ATA:21
PN:76500-17901-101	MOS/MSC	13-Mar-02	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
215081 ^U	OVERPRESSURE SWITCH							Component	ATA:21
PN:7116	MOS/MSC	13-Mar-02	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
215082 ^U	OVERTEMPERATURE SWITCH							Component	ATA:21
PN:76500-07908-101	MOS/MSC	13-Mar-02	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
215086 ^U		RECEIVER/DRYER						Component	ATA:21
PN:ES43030-2	MOS/MSC	02-Dec-11	O/C						
SN:NSN	HRS	1657.1							
	AFL	2816							
215093 ^U		COMPRESSOR FAN BLADE ASSEMBLY						Component	ATA:21
PN:JBS2024-2	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
215094 ^U		EXPANSION VALVE						Component	ATA:21
PN:ES26104-1	MOS/MSC	23-Jun-08	O/C						
SN:NSN	HRS	1262.9							
	AFL	2157							
215300 ^U		INSPECT 5-50-00: ON HELICOPTERS WITH AUTOMATIC CABIN TEMPERATURE SYSTEM, WHENEVER BLEED-AIR LINES ARE SUBJECTED TO POSSIBLE CONTAMINATION AFTER EACH ENGINE WASH; REMOVE BLEED AIR CONTAMINATION.						Service	ATA:21
	MOS/MSC	12-Dec-25	O/C						
	HRS	3239.4							
	AFL								
215305 ^U		AUTO CABIN TEMPERATURE SYSTEM						Component	ATA:21
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
215380 ^U		LOAD SHED						Component	ATA:21
PN:85-02-204-3	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
216065		CABIN AIR TEMPERATURE INDICATOR					Component	ATA:21	
PN:A-1D	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
216080 ^U		CABIN TEMPERATURE SELECTOR					Component	ATA:21	
PN:3214056-5-1	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
216081 ^U		HEATER CONTROL SELECTOR					Component	ATA:21	
PN:3224600-3-1	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
216082 ^U		DUCT TEMPERATURE SENSOR					Component	ATA:21	
PN:129576-4	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
216083 ^U		DUCT TEMPERATURE LIMITER					Component	ATA:21	
PN:129580-1	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
216084 ^U		ECU TEMPERATURE CONTROLLER					Component	ATA:21	
PN:JBS884-2	MOS/MSC	01-Jun-17	O/C	TSN 0					
SN:884000250	HRS	2254.7		TSN 0					
	AFL	3734		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 21 - AIR CONDITIONING									
216085 ^U		ECU DUCT TEMPERATURE SENSOR					Component	ATA:21	
PN:754691-1	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
216086 ^U		ECU DUCT OVERTEMPERATURE SWITCH					Component	ATA:21	
PN:76500-07908-101	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
216087 ^U		CABIN TEMPERATURE SENSOR					Component	ATA:21	
PN:754681-1	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
216090 ^U		AIR CONDITIONING COMPRESSOR PALLET ASSEMBLY					Component	ATA:21	
PN:JBS221-1	MOS/MSC	02-Dec-11	O/C						
SN:K56406	HRS	1657.1							
	AFL	2816							
216093 ^U		ACT CONTROLLER					Component	ATA:21	
PN:JBS884-2	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:20-174	HRS	0		TSN 0					
	AFL	0		TSN 0					
ATA 22 - AUTO FLIGHT									
220001 ^S		INSPECT CYCLIC, COLLECTIVE, AND YAW POSITION TRANSDUCERS, CONNECTORS, AND ELECTRICAL WIRING FOR SECURITY AND CONDITION					Service	ATA:22	
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)						
	AFL	4363							

PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
221001 ^S	INSPECT YAW AFCS ACTUATORS							Service	ATA:22
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								PKG:8	
221002 ^S	INSPECT AFCS PITCH/ROLL ACTUATORS, YAW PEDAL DAMPER/TRIM ACTUATOR AND SFENA TRIM SERVOS (IF INSTALLED)							Service	ATA:22
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								PKG:8	
221004	NO. 1 DAFCS COMPUTER							Component	ATA:22
PN:7015480-903	MOS/MSC	10-Oct-19	O/C						
SN:00121114	HRS	2488.6							
	AFL	4137							
PROC. REF: AMM 22-12-00									
221006	NO. 2 DAFCS COMPUTER							Component	ATA:22
PN:7015480-903	MOS/MSC	10-Oct-19	O/C	TSN 0, TSO 0, TSR 0					
SN:96120625	HRS	2488.6		TSN 0, TSO 0, TSR 0					
	AFL	4137		TSN 0, TSO 0, TSR 0					
PROC. REF: AMM 22-12-00									
2210100 ^U	PITCH TRIM ACTUATOR							Component	ATA:22
PN:L109BBM	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:9927	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
2210101 ^U		ROLL TRIM ACTUATOR					Component	ATA:22	
PN:L109BBM	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:9913	HRS	0		TSN 0					
	AFL	0		TSN 0					
2210102 ^U		COLLECTIVE AUTO/PILOT TRIM ACTUATOR					Component	ATA:22	
PN:L109CBM	MOS/MSC	09-Sep-24	O/C	TSR 0					
SN:9730	HRS	3081.1		TSR 0					
	AFL	5011		TSR 0					
2210105A ^U		AFCS AMPLIFIER PITCH SPLICE					Component	ATA:22	
PN:761112-1	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
2210105B ^U		AFCS AMPLIFIER PITCH SPLICE					Component	ATA:22	
PN:761112-1	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
2210106A ^U		AFCS AMPLIFIER ROLL SPLICE					Component	ATA:22	
PN:761113-1	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
2210106B ^U		AFCS AMPLIFIER ROLL SPLICE					Component	ATA:22	
PN:761113-1	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
2210107A ^U		AFCS AMPLIFIER YAW SPLICE						Component	ATA:22
PN:761111-2	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
2210107B ^U		AFCS AMPLIFIER YAW SPLICE						Component	ATA:22
PN:761111-2	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
221051		AFCS MODE SELECTOR						Component	ATA:22
PN:7000605-902	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:0082208	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
<hr/>									
221054		FLIGHT CONTROLLER						Component	ATA:22
PN:7000299-909	MOS/MSC	10-Oct-19	O/C	TSN 211					
SN:00112232	HRS	2488.6		TSN 2488.6					
	AFL	4137		TSN 4137					
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
<hr/>									
221056		NO. 1 AFCS PITCH ACTUATOR						Component	ATA:22
PN:76900-01802-106	MOS	04-Sep-07						OVERHAUL	
SN:80C2857	HRS	1094.3	4500	TSN 0	5594.3		2341.3		
	AFL	1866							
PROC. REF: AMM 22-10-05PROC. REF: AMM 22-10-05									
<hr/>									
221060		AIR DATA SENSOR						Component	ATA:22
PN:060350MK241105	MOS/MSC	15-Jun-06	O/C						
SN:495014-001	HRS	856.6							
	AFL	1463							
PROC. REF: AMM 22-12-00PROC. REF: AMM 22-12-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
221061		NO. 2 AFCS PITCH ACTUATOR						Component	ATA:22
PN:76900-01802-106	MOS	15-Jun-21		TSO 0				OVERHAUL	
SN:0651251	HRS	2651.1	4500	TSO 0	7151.1		3898.1		
	AFL	4363		TSO 0					
PROC. REF: AMM 22-10-05PROC. REF: AMM 22-10-05									
221066		NO. 1 AFCS ROLL ACTUATOR						Component	ATA:22
PN:76900-01802-106	MOS	13-Mar-02		TSN 0				OVERHAUL	
SN:0101003	HRS	0	4500	TSN 0	4500		1247		
	AFL	0		TSN 0					
PROC. REF: AMM 22-10-05PROC. REF: AMM 22-10-05									
221071		NO. 2 AFCS ROLL ACTUATOR						Component	ATA:22
PN:76900-01802-106	MOS	15-Jun-11						OVERHAUL	
SN:810882102	HRS	1586.2	4500	TSN 0	6086.2		2833.2		
	AFL	2716							
PROC. REF: AMM 22-10-05PROC. REF: AMM 22-10-05									
221076		NO. 1 AFCS YAW ACTUATOR						Component	ATA:22
PN:76900-01802 -106	MOS	01-Jun-17		TSO 0				OVERHAUL	
SN:80C6038	HRS	2254.7	4500	TSO 0	6754.7		3501.7		
	AFL	3734		TSO 0					
PROC. REF: AMM 22-10-05PROC. REF: AMM 22-10-05									
221080 ^U		COLLECTIVE FRICTION LEVER ASSEMBLY						Component	ATA:22
PN:76400-03015-042	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
221081		NO. 2 AFCS YAW ACTUATOR						Component	ATA:22
PN:76900-01802-106	MOS	03-Jan-08						OVERHAUL	
SN:0620097	HRS	1179.4	4500	TSN 0	5679.4		2426.4		
	AFL	2010							
PROC. REF: AMM 22-10-05PROC. REF: AMM 22-10-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
221085A ^U AFCS AMPLIFIER Component ATA:22								
PN:76900-01807-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
221085B ^U AFCS AMPLIFIER Component ATA:22								
PN:76900-01807-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
221088 ^U AFCS INDICATOR PANEL Component ATA:22								
PN:76900-01804-103	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:001047P	HRS	0		TSN 0				
	AFL	0		TSN 0				
221089A ^U NO.1 AIRSPEED SWITCH Component ATA:22								
PN:76900-01805-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
221089B ^U NO.2 AIRSPEED SWITCH Component ATA:22								
PN:76900-01805-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
221090 ^U CYCLIC ROLL TRANSDUCER Component ATA:22								
PN:76900-01821-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
221091 ^U FORCE PITCH SWITCH Component ATA:22								
PN:76900-01806-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
221092 ^U FORCE PITCH SWITCH Component ATA:22								
PN:76900-01806-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
221093 ^U FORCE PITCH SWITCH Component ATA:22								
PN:76900-01806-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
221094 ^U HEADING HOLD AMPLIFIER Component ATA:22								
PN:76900-01815-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
221098 ^U CYCLIC BEEPER TRIM SWITCH Component ATA:22								
PN:PM21216	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
221099 ^U CYCLIC TRIM RELEASE SWITCH Component ATA:22								
PN:PM22569	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
221130 NO. 1 DDAFCS PITCH ACCELEROMETER Component ATA:22								
PN:65610-03031-105	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:007873	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-12-00PROC. REF: AMM 22-12-00								
221131 NO. 2 DDAFCS PITCH ACCELEROMETER Component ATA:22								
PN:65610-03031-105	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:007788	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-12-00PROC. REF: AMM 22-12-00								
221132 NO. 1 DDAFCS YAW ACCELEROMETER Component ATA:22								
PN:65610-03031-105	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:007789	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-12-00PROC. REF: AMM 22-12-00								
221133 NO. 2 DDAFCS YAW ACCELEROMETER Component ATA:22								
PN:65610-03031-105	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:007874	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-12-00PROC. REF: AMM 22-12-00								
221134 NO. 1 DDAFCS ROLL ACCELEROMETER Component ATA:22								
PN:65610-03031-105	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:00787Q	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-12-00PROC. REF: AMM 22-12-00								
221135 NO. 2 DDAFCS ROLL ACCELEROMETER Component ATA:22								
PN:65610-03031-105	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:007790	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 22-12-00PROC. REF: AMM 22-12-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
221145		AUTOPILOT TRIM ROLL ACTUATOR					Component	ATA:22	
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
221150		AUTOPILOT TRIM PITCH ACTUATOR					Component	ATA:22	
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
221155		AUTOPILOT TRIM COLLECTIVE ACTUATOR					Component	ATA:22	
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
221201 ^S		CLEVIS ASSEMBLY (SHEAR PINS)					Service	ATA:22	
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
221280A ^U		LATERAL ACCELEROMETER					Component	ATA:22	
PN:65610-03031-105	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
221280B ^U		LATERAL ACCELEROMETER					Component	ATA:22	
PN:65610-03031-105	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

PKG:8

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 22 - AUTO FLIGHT									
222001	^S	INSPECT PITCH BIAS ACTUATOR AND MOUNTING BRACKET						Service	ATA:22
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
PKG:8									
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
222002	^U	PITCH BIAS ACTUATOR						Component	ATA:22
PN:PN	MOS/MSC	13-Mar-02	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
222081	^U	PITCH BIAS AMPLIFIER						Component	ATA:22
PN:76900-01825-101	MOS/MSC	13-Mar-02	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
222082		DECU COLLECTIVE POSITION TRANSDUCER						Component	ATA:22
PN:76900-01884-101	MOS/MSC	08-Aug-23	O/C		TSN 339				
SN:0020	HRS	2949.6							
	AFL	4818							
PROC. REF: AMM 22-20-02 PROC. REF: AMM 22-20-02									
222083	^U	AIRSPEED TRANSDUCER						Component	ATA:22
PN:76450-02008-041	MOS/MSC	13-Mar-02	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
222084	^U	PITCH BIAS ACTUATOR						Component	ATA:22
PN:70400-02200-106	MOS/MSC	13-Mar-02	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 22 - AUTO FLIGHT								
222085 COLLECTIVE POSITION TRANSDUCER								Component ATA:22
PN:76900-01821-103	MOS/MSC	27-Apr-23	O/C	TSN 0				
SN:491500-1L	HRS	2920.8		TSN 0				
	AFL	4781		TSN 0				
PROC. REF: AMM 22-20-02PROC. REF: AMM 22-20-02								
222086 ^U YAW TRANSDUCER								Component ATA:22
PN:76900-01821-103	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
222087 ^U CYCLIC PITCH TRANSDUCER								Component ATA:22
PN:76900-01821-103	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
ATA 23 - COMMUNICATIONS								
1310140 ^U SAT COMM TONE GENERATOR								Component ATA:23
PN:247	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
2310101 ^U COMMUNICATION CALL MODULE								Component ATA:23
PN:1061-1-1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:0150042	HRS	0		TSN 0				
	AFL	0		TSN 0				
2310104A ^U CTL-22 CONTROL HEAD								Component ATA:23
PN:622-6520-007	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
2310104B ^U CTL-22 CONTROL HEAD Component ATA:23								
PN:622-6520-007	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
2310105 ^U C-2000 ARTU Component ATA:23								
PN:724855	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:MSA2294	HRS	0		TSN 0				
	AFL	0		TSN 0				
2310108A ^U B1045 AUDIO CONTROLLER Component ATA:23								
PN:352-001	MOS/MSC	01-Nov-12	O/C					
SN:235	HRS	1777.6						
	AFL	2995						
2310108B ^U B1045 AUDIO CONTROLLER Component ATA:23								
PN:352-001	MOS/MSC	01-Jun-17	O/C	TSR 0				
SN:257	HRS	2254.7		TSR 0				
	AFL	3734		TSR 0				
2310108C ^U B1045 AUDIO CONTROLLER Component ATA:23								
PN:352-002	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
2310108D ^U B1045 AUDIO CONTROLLER Component ATA:23								
PN:352-002	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
2310108E ^U		B1045 AUDIO CONTROLLER					Component	ATA:23	
PN:352-002	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
2310109 ^U		LOUDHAILER AMPLIFIER					Component	ATA:23	
PN:PA220-010	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
2310110 ^U		AA220-560 LOUDHAILER CONTROL					Component	ATA:23	
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
2310111 ^U		DIGITAL TRUNKING RADIO- RECEIVER/TRANCEIVER					Component	ATA:23	
PN:T990X-181W	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
2310112 ^U		TH-350 3-RADIO CONTROL HEAD					Component	ATA:23	
PN:TH350-14KJF	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
2310113 ^U		RT406F 3-RADIO CONTROL HEAD RECEIVER/TRANCEIVER					Component	ATA:23	
PN:400-012785-00	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
2310114 U TH-360 SLAVE CONTROL HEAD Component ATA:23								
PN:TH360-14ZZZ	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
2310115 U FM COMM TRANSCEIVER Component ATA:23								
PN:70-0375C	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
2310116 U INTERFACE UNIT Component ATA:23								
PN:MI-34-000	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
2310117 U CONVERTER POWER SUPPLY Component ATA:23								
PN:LT-46D	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:220	HRS	0		TSN 0				
	AFL	0		TSN 0				
2310118 U NPX-138 VHF/FM COMM RECEIVER/TRANCEIVER Component ATA:23								
PN:NTX138-000	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
2310119 U VHF POWER SUPPLY Component ATA:23								
PN:0900-3219-12	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
2310120 ^U 4 HOLE ANTENNA Component ATA:23								
PN:902131-2	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
2310121 ^U AUDIO MIXER Component ATA:23								
PN:247	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
2310121A ^U AUDIO MIXING AMP Component ATA:23								
PN:247	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
2310121B ^U AUDIO MIXING AMP Component ATA:23								
PN:247	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
2310121C ^U AUDIO MIXING AMP Component ATA:23								
PN:247	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
2310121D ^U AUDIO MIXING AMP Component ATA:23								
PN:247	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
2310121E ^U AUDIO MIXING AMP Component ATA:23								
PN:247	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
2310121F ^U AUDIO MIXING AMP Component ATA:23								
PN:247	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
2310121G ^U AUDIO MIXING AMP Component ATA:23								
PN:247	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
2310122 ^U ALERT MODULE Component ATA:23								
PN:AA37-212	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:1797	HRS	0		TSN 0				
	AFL	0		TSN 0				
2310124 ^U MAGNASTAR DUPLEXER Component ATA:23								
PN:620317-2	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:2148	HRS	0		TSN 0				
	AFL	0		TSN 0				
2310125 ^U MAGNASTAR ANTENNA Component ATA:23								
PN:C1275-5	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:A623	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
2310126A ^U TONE GENERATOR Component ATA:23								
PN:0874818-284-01	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
2310126B ^U TONE GENERATOR Component ATA:23								
PN:611-004	MOS/MSC	11-Jun-21	O/C	TSN 0				
SN:72748	HRS	2651.1		TSN 0				
	AFL	4363		TSN 0				
2310127 ^U AUDIO INTERFACE Component ATA:23								
PN:AA34-300	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
231041 PILOT RADIO MANAGEMENT UNIT Component ATA:23								
PN:7012100-954	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
231051 COPILOT RADIO MANAGEMENT UNIT Component ATA:23								
PN:7012100-954	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
231061 PILOT COMMUNICATION UNIT Component ATA:23								
PN:622-6152-031	MOS/MSC	10-Oct-19	O/C					
SN:523R	HRS	2488.6						
	AFL	4137						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
231071 COPILOT COMMUNICATION UNIT Component ATA:23								
PN:622-6152-031	MOS/MSC	10-Oct-19	O/C					
SN:26K7X	HRS	2488.6						
	AFL	4137						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
231086A ^U VHF COMMUNICATION ANTENNA Component ATA:23								
PN:VFS10-90-1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
231086B ^U VHF COMMUNICATION ANTENNA Component ATA:23								
PN:VFS10-90-1	MOS/MSC	15-Oct-12	O/C					
SN:8904	HRS	1774.2						
	AFL	2988						
231088 ^U AFIS ANTENNA Component ATA:23								
PN:CI211-1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
231089 ^U C-118E CONTROL WITH CHIME FLIGHTPHONE Component ATA:23								
PN:400-0138-005	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
231089A ^U FLIGHTPHONE CHIME Component ATA:23								
PN:358-1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
231093 ^U		COCKPIT AUDIO AMPLIFIER						Component	ATA:23
PN:V2045D-7	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
231096A ^U		RCZ-850 COMMUNICATION CLUSTER						Component	ATA:23
PN:751084-901	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
231096B ^U		RCZ-850 COMMUNICATION CLUSTER						Component	ATA:23
PN:751084-901	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
231097 ^U		PAGING AMPLIFIER						Component	ATA:23
PN:M1050-B449-01	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
231098 ^U		PAGE CHIME AMPLIFIER						Component	ATA:23
PN:M7950-26	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
231098A1 ^U		PAGE CHIME AMPLIFIER						Component	ATA:23
PN:251	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:168	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
231099^U TONE GENERATOR Component ATA:23								
PN:M7851	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
231099A^U MI285AH TONE GENERATOR Component ATA:23								
PN:990-1579-010	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
231166 COCKPIT FLITEPHONE CONTROL Component ATA:23								
PN:400-0138-002	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
231167 FLITEPHONE TRANSCEIVER Component ATA:23								
PN:400-0125-2000	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
231171 CABIN FLITEPHONE CONTROL Component ATA:23								
PN:400-0123-210	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
233082^U AM/FM CD PLAYER Component ATA:23								
PN:CDX-5460	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:0373	HRS	0		TSN 0				
	AFL	0		TSN 0				

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
233087 ^U PASSENGER BRIEFER Component ATA:23								
PN:PBS250-85	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:47705974	HRS	0		TSN 0				
	AFL	0		TSN 0				
233092 ^U GA55 XM-RADIO ANTENNA Component ATA:23								
PN:C1402-460	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
233093 ^U GA55A XM-RADIO ANTENNA Component ATA:23								
PN:010-10600-01	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:87505290	HRS	0		TSN 0				
	AFL	0		TSN 0				
233184 ^U PBS REMOTE COMPUTER Component ATA:23								
PN:PBS250-1-55	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:0334	HRS	0		TSN 0				
	AFL	0		TSN 0				
233185 ^U PBS CONTROL PANEL Component ATA:23								
PN:PBS250-2-B5	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
234001 NO.1 ICS CONTROL PANEL Component ATA:23								
PN:A301-61A	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 23-40-01PROC. REF: AMM 23-40-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
234005		PAGE CHIME AMPLIFIER					Component	ATA:23	
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-31-00PROC. REF: AMM 23-31-00									
234011		NO.2 ICS CONTROL PANEL					Component	ATA:23	
PN:A301-61A	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-40-01PROC. REF: AMM 23-40-01									
234061		ICS AMPLIFIER					Component	ATA:23	
PN:M4000	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
234063		BRIEFER CONTROL					Component	ATA:23	
PN:S4000-3	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 23-31-00PROC. REF: AMM 23-31-00									
234065		CABIN AMPLIFIER					Component	ATA:23	
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
234067		CABIN ICS CONTROL PANEL					Component	ATA:23	
PN:A301-61A	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
234083 ^U ICS AMPLIFIER Component ATA:23								
PN:M1042M	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
234084A ^U WH-6 CONTROL WITH HANDSET Component ATA:23								
PN:400-0122-202	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
234084B ^U WH-6 CONTROL WITH HANDSET Component ATA:23								
PN:400-0122-202	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
234085 ^U WH-10 FLIGHTPHONE CONTROL PANEL Component ATA:23								
PN:400-0122-202	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
234086 ^U HANDSET Component ATA:23								
PN:JTH-500-SK(X)1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
234087A ^U ICS AMPLIFIER Component ATA:23								
PN:M1042BH	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
234087B ^U ICS AMPLIFIER Component ATA:23								
PN:M1042BH	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
234087C ^U ICS AMPLIFIER Component ATA:23								
PN:M1042BH	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
234087D ^U ICS AMPLIFIER Component ATA:23								
PN:M1042BH	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
234088 ^U ICS CONTROL PANEL Component ATA:23								
PN:33776-46096-041	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
234089 ^U ICS HEADSET PANEL Component ATA:23								
PN:33776-46096-041	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
234090 ^U ICS JACK Component ATA:23								
PN:33776-46246-042	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
234091 ^U ICS W/A CORD Component ATA:23								
PN:33776-62978-047	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
234092 ^U ICS AUDIO POWER SUPPLY Component ATA:23								
PN:33776-64533-013	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
235080A ^U CDBR-1 CABIN DATA BUS REPEATER Component ATA:23								
PN:724864-801	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
235080B ^U CDBR-2 CABIN DATA BUS REPEATER Component ATA:23								
PN:902205-803	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
235081 ^U FDE UNIT Component ATA:23								
PN:724855	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
235082 ^U MACH 1 BLK HEADSET Component ATA:23								
PN:725729-815BK	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
237001 COCKPIT VOICE RECORDER Component ATA:23								
PN:1602-01-03	MOS/MSC	13-Aug-03	O/C					
SN:618	HRS	208.4						
	AFL	333						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
237008 REPLACE CVR ULB BATTERY Service ATA:23								
	MOS	22-Jun-20	72		31-Jul-26 (M)		136 d	CMR
	HRS	2527.2						
	AFL	4206						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL, CMM SECTION VI PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL, CMM SECTION VI								
237009 CLEAN CVR ULB SWITCH Service ATA:23								
	MOS	24-Oct-24	24		24-Oct-26		221 d	CMR
	HRS	3133.3						
	AFL	5084						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL, CMM SECTION IV,V,VIPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL, CMM SECTION IV,V,VI								
237010 TEST CVR ULB BATTERY Service ATA:23								
	MOS	24-Oct-24	24		24-Oct-26		221 d	CMR
	HRS	3133.3						
	AFL	5084						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL, CMM SECTION IV,V,VIPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL, CMM SECTION IV,V,VI								
237080 ^U COCKPIT VOICE RECORDER CONTROL Component ATA:23								
PN:1614-02	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:1004	HRS	0		TSN 0				
	AFL	0		TSN 0				
237085 ^U FC-50 LOGIC CONVERTER Component ATA:23								
PN:153-016586-01	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
237086 ^U C-5000 COMM MANAGEMENT CONTROLLER Component ATA:23								
PN:31300-0101-1200	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
237087 ^U AT-35 FLEX COMM ANTENNA Component ATA:23								
PN:121-014378-01	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
237088 ^U RT-5000 HORIZONTAL MOUNT TRAY Component ATA:23								
PN:300-316835-01	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
237089 ^U AT-400 ANTENNA Component ATA:23								
PN:C1285-5	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
237090 ^U AT-51 ANTENNA Component ATA:23								
PN:121-06796-01	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
237091 ^U AFIS DTU Component ATA:23								
PN:400-015655-0201	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 23 - COMMUNICATIONS								
237092 ^U AFIS DMU Component ATA:23								
PN:400-0455000-0003	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
237094 ^U HEADSET INTERFACE CONTROL Component ATA:23								
PN:726029	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:M551071	HRS	0		TSN 0				
	AFL	0		TSN 0				
237094A ^U HEADSET INTERFACE CONTROL Component ATA:23								
PN:145788	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
237094B ^U HEADSET INTERFACE CONTROL Component ATA:23								
PN:145788	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
237097 ^U VOICE CHECKLIST CONTROL Component ATA:23								
PN:CMS400-1-85	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
237098 ^U CVR TEST SET Component ATA:23								
PN:1623-01	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 23 - COMMUNICATIONS									
23C005 ^U		(CVR-30A) CVR						Component	ATA:23
PN:1602-01-03	MOS/MSC	08-Jan-21	O/C						
SN:618	HRS								
	AFL								
23C010 ^U		ULB (DUKANE) UNIT						Component	ATA:23
PN:DK120/90	MOS	08-Jul-20	72	TSN 0	08-Jul-26		113 d		
SN:AT140176	HRS	2527.2		TSN 0					
	AFL	4206		TSN 0					
23C015 ^U		PERFORM ULB BEACON TEST						Service	ATA:23
	MOS	24-Oct-24	24		24-Oct-26		221 d		
	HRS	3133.3							
	AFL	5084							
23C030 ^U		PILOT BOSE HEADSET						Component	ATA:23
PN:324843-R040	MOS/MSC		O/C						
SN:070416C52580010	HRS								
	AFL								
23C035 ^U		COPILOT BOSE HEADSET						Component	ATA:23
PN:324843-R040	MOS/MSC		O/C						
SN:070416C52570011	HRS								
	AFL								
ATA 24 - ELECTRICAL POWER									
240001A ^S		INSPECT BATTERY COMPARTMENT ELECTRICAL WIRING AND CONNECTORS						Service	ATA:24
	MOS	12-Dec-25	24 (+10%)						
	HRS	3239.4	1500 (+10%)						
	AFL	5193							

PKG:13,20

PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
240002 ^S FUNCTIONAL CHECK OF ELECTRICAL SYSTEMS Service ATA:24								
	MOS	08-Jul-25						
	HRS	3218.7	100 (+10%)					
	AFL	5176						
PROC. REF: AMM 24-00-00PROC. REF: AMM 24-00-00								
240003 ^S INSPECT PYLON WIRING HARNESSSES Service ATA:24								
	MOS	15-Jun-21						
	HRS	2651.1	1500 (+10%)					
	AFL	4363						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
240020 LUBRICATE AC GENERATOR SPLINES Service ATA:24								
	MOS	12-Dec-25	12 (+10%)		12-Dec-26	18-Jan-27	270 d (+37)	
	HRS	3239.4	600 (+10%)		3839.4	3899.4	586.4 (+60)	
	AFL	5193						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
242001 NO.1 DUAL INVERTER Component ATA:24								
PN:SPC-38G	MOS/MSC	07-Feb-13	O/C		TSR 59			
SN:366	HRS	1781.6			TSR 831.12			
	AFL	3004			TSR 1329			
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
242006 NO.2 DUAL INVERTER Component ATA:24								
PN:SPC-38G	MOS/MSC	07-Feb-13	O/C		TSR 3			
SN:265	HRS	1781.6			TSR 30.65			
	AFL	3004			TSR 56			
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
242031 AC GENERATOR Component ATA:24								
PN:90320-2	MOS/MSC	12-Dec-25	O/C		TSO 77			
SN:052	HRS	3239.4			TSO 784.3			
	AFL	5193			TSO 1095			

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: AMM 24-22-01PROC. REF: AMM 24-22-01								
242041 CONTROL UNIT AC GENERATOR Component ATA:24								
PN:90403-1	MOS/MSC	01-Sep-17	O/C					
SN:141A	HRS	2298.6						
	AFL	3798						
PROC. REF: AMM 24-22-02PROC. REF: AMM 24-22-02								
242081 ^U AC PRIMARY BUS K2/AC CONTACTOR Component ATA:24								
PN:DH-7BC	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
242082 ^U K7 BUS WARNING RELAY Component ATA:24								
PN:MS27401-3	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
242085 ^U AC GENERATOR BEARING K22 WARNING RELAY Component ATA:24								
PN:65901-02458-103	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
242086 ^U STANDBY STATIC INVERTER Component ATA:24								
PN:33776-67130-011	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
242087A ^U PRIMARY 26VAC TRANSFORMER Component ATA:24								
PN:TW50G26X	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
242087B ^U		PRIMARY 26VAC TRANSFORMER					Component	ATA:24	
PN:TW50G26X	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
242088 ^U		DIFFERENTIAL CURRENT CT1/AC TRANSFORMER					Component	ATA:24	
PN:76550-09005-102	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
242089 ^U		AC GENERATOR K1/AC CONTACTOR					Component	ATA:24	
PN:DH-148BA	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
242090 ^U		INVERTER WARNING K3/AC RELAY					Component	ATA:24	
PN:MS27401-3	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
242091A ^U		SPC75B AC 750VA INVERTER					Component	ATA:24	
PN:76550-03007-105	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
242091B ^U		SPC75B AC 750VA INVERTER					Component	ATA:24	
PN:76550-03007-105	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
242092^U INSTRUMENT PANEL GENERATOR INVERTER Component ATA:24								
PN:9053-3019	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
242093A^U PC17-3 750VA STATIC INVERTER Component ATA:24								
PN:76550-03007-105	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
242093B^U PC17-3 750VA STATIC INVERTER Component ATA:24								
PN:76550-03007-105	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
242201^S INSPECT AC GENERATOR Service ATA:24								
	MOS	12-Dec-25						
	HRS	3239.4	300 (+10%)					
	AFL	5193						
PKG:5								
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
242202 CONDITION CHECK FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF AC GENERATOR. CHECK QAD MOUNTING CLAMP BOLT FOR SPECIFIED TORQUE. Service ATA:24								
	MOS/MSC	23-Dec-25	A/R					
	HRS	3245						
	AFL	5198						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
243001^S OPERATIONAL TEST DC GENERATOR HOT WARNING SYSTEM Service ATA:24								
	MOS	15-Jun-21						
	HRS	2651.1	1500 (+10%)					
	AFL	4363						
PKG:15								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
PROC. REF: AMM 24-31-00PROC. REF: AMM 24-31-00								
243002A NO.1 ENG STARTER/GENERATOR INSPECTION Service ATA:24								
PN:200SGL144Q	MOS		12-Dec-25					
SN:5112XL2	HRS		3239.4	250 (+10%)	3489.4	3514.4	236.4 (+25)	
AFL								
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
243002B NO. 2 ENG STARTER/GENERATOR INSPECTION Service ATA:24								
PN:200SGL144Q-1	MOS		12-Dec-25					
SN:9510	HRS		3239.4	250 (+10%)	3489.4	3514.4	236.4 (+25)	
AFL								
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
243008 NO. 1 ENGINE STARTER/GENERATOR Component ATA:24								
PN:200SGL144Q	MOS		10-Feb-25	TSO 45				OVERHAUL
SN:5112XL2	HRS		3149	1000	TSO 0	4149	896	
AFL								
PROC. REF: AMM 24-31-01PROC. REF: AMM 24-31-01								
2430103 ^U POWER CONVERTER Component ATA:24								
PN:LT-71	MOS/MSC		13-Mar-02	O/C	TSN 0			
SN:UNKNOWN	HRS		0		TSN 0			
AFL								
PROC. REF: AMM 24-31-01PROC. REF: AMM 24-31-01								
2430105 ^U POWER CONVERTER Component ATA:24								
PN:LT-71A	MOS/MSC		13-Mar-02	O/C	TSN 0			
SN:UNKNOWN	HRS		0		TSN 0			
AFL								
PROC. REF: AMM 24-31-01PROC. REF: AMM 24-31-01								
243016 NO. 2 ENGINE STARTER/GENERATOR Component ATA:24								
PN:200SGL144Q-1	MOS		16-Jul-25	TSO 6				OVERHAUL
SN:9510	HRS		3230.1	1000	TSO 0	4230.1	977.1	
AFL								
PROC. REF: AMM 24-31-01PROC. REF: AMM 24-31-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
PROC. REF: AMM 24-31-01PROC. REF: AMM 24-31-01									
243031	NO.1 DC GENERATOR CONTROL PANEL							Component	ATA:24
PN:76550-09006-106	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:1141A	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-31-02PROC. REF: AMM 24-31-02									
243036	NO.2 DC GENERATOR CONTROL PANEL							Component	ATA:24
PN:76550-09006-106	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:1139A	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 24-31-02PROC. REF: AMM 24-31-02									
243071	BATTERY							Component	ATA:24
PN:RG-380E/44	MOS/MSC	12-Dec-25	O/C					STC-SUPPLEMENTAL TYPE CERTIFICATE	
SN:41097047	HRS	3239.4							
	AFL	5193							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
243078	BATTERY TEMPERATURE INDICATOR							Component	ATA:24
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
243081A ^U	K5/DC ENGINE STARTER CONTROL							Component	ATA:24
PN:76550-00902-102	MOS/MSC	07-Feb-06	O/C						
SN:CP-05147A	HRS	758.6							
	AFL	1285							
243081B ^U	K6/DC ENGINE STARTER CONTROL							Component	ATA:24
PN:A1077D	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 24 - ELECTRICAL POWER									
<hr/>									
243082A ^U	K1/DC ENGINE GENERATOR CONTROL							Component	ATA:24
PN:A1077W	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
243082B ^U	K2/DC ENGINE GENERATOR CONTROL							Component	ATA:24
PN:A1077B	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
243083 ^U	K3/DC BUS TIE CONTACTOR							Component	ATA:24
PN:A1077F	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
243084A ^U	K4/DC MASTER STARTER CONTROL							Component	ATA:24
PN:76550-00902-103	MOS/MSC	11-Jun-22	O/C	TSR 0					
SN:CP-76376A	HRS	2809		TSR 0					
	AFL	4588		TSR 0					
<hr/>									
243084B ^U	K4/DC MASTER STARTER CONTROL							Component	ATA:24
PN:A1077D	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
243087 ^U	K7/DC BATTERY CONTACTOR							Component	ATA:24
PN:A1077F	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 24 - ELECTRICAL POWER								
243089^U STATIC JET CONVERTER Component ATA:24								
PN:501-1318-01	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
243091^U BATTERY CONTROL UNIT Component ATA:24								
PN:76550-03018-041	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
243094^U MAIN BATTERY CONNECTOR Component ATA:24								
PN:BD16-1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
243101^S OPERATIONAL TEST RADIO MASTER SYSTEM BYPASS SWITCHES (IF INSTALLED) Service ATA:24								
	MOS	12-Dec-25	12 (+10%)					
	HRS							
	AFL							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								PKG:20
243101A^S INSPECT STARTER/GENERATORS Service ATA:24								
	MOS	12-Dec-25						
	HRS	3239.4	300 (+10%)					
	AFL	5193						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								PKG:5
243104^S OPERATIONAL TEST ESSENTIAL BUS RECOVERY SYSTEM Service ATA:24								
	MOS	12-Dec-25	12 (+10%)					
	HRS	3239.3						
	AFL	5193						
								PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 24 - ELECTRICAL POWER

PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL

243107 ^S	INSPECT AND VERIFY THAT TERMINAL STUDS ARE FREE OF CORROSION, CRACKING, LOOSENESS OR EVIDENCE OF ARCING. CHECK INBOARD STUDS FOR PROPER TORQUE PER PARAGRAPH 11, 20-10-00. DO THIS INSPECTION / CHECK ON: NO. 1 AND 2 STARTER/GENERATOR FEED THRU CONNECTIONS AT STA 260 AND STA 255 AND NO. 2 STARTER/GENERATOR STA 246, STA 255, AND STA 282						Service	ATA:24
	MOS	12-Dec-25	24 (+10%)					
	HRS	3239.4	1500 (+10%)					
	AFL	5193						

PKG:15,20

PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL

244080 ^U	EXTERNAL POWER K8 CONTACTOR						Component	ATA:24
PN:A1077F	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

244081 ^U	EXTERNAL POWER K10 INTERLOCK RELAY						Component	ATA:24
PN:MS27401-1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

244082 ^U	CIRCUIT CONTROLLER						Component	ATA:24
PN:371-1-4	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

ATA 25 - EQUIPMENT/FURNISHINGS

250080 ^U	CABIN DISPLAY UNIT						Component	ATA:25
PN:15000-003	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
250081^U CABIN DISPLAY DR AIR DATA								Component ATA:25
PN:90001-003	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
<hr/>								
251001^S INSPECT SEATS, SEAT BELTS, SHOULDER HARNESSSES								Service ATA:25
	MOS	10-Feb-25						
	HRS	3149	600 (+10%)					
	AFL	5104						
<hr/>								
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
<hr/>								
251002A REPLACE PILOT MARTIN BAKER SEAT HARNESS (SERVICE LIFE)								Service ATA:25
PN:MBCS3304-2	MOS	12-Dec-25	72 (+10%)		12-Dec-31	18-Jul-32	2096 d (+219)	SERVICE LIFE LIMIT
SN:UNKNOWN	HRS	3239.4						
	AFL	5193						
PROC. REF: AMM 25-10-02PROC. REF: AMM 25-10-02								
<hr/>								
251002B REPLACE COPILOT MARTIN BAKER SEAT HARNESS (SERVICE LIFE)								Service ATA:25
PN:MBCS3304-2	MOS	12-Dec-25	72 (+10%)		12-Dec-31	18-Jul-32	2096 d (+219)	SERVICE LIFE LIMIT
SN:UNKNOWN	HRS	3239.4						
	AFL	5193						
PROC. REF: AMM 25-10-02PROC. REF: AMM 25-10-02								
<hr/>								
251002C PILOTS MARTIN-BAKER SEAT HARNESS								Component ATA:25
PN:MBCS3304-2	MOS/MSC	12-Dec-25	H/T	TSN 0				
SN:UNKNOWN	HRS	3239.4		TSN 0				
	AFL	5193		TSN 0				
PROC. REF: AMM 25-10-02PROC. REF: AMM 25-10-02								
<hr/>								
251002D COPILOT MARTIN-BAKER SEAT HARNESS								Component ATA:25
PN:MBCS3304-2	MOS/MSC	12-Dec-25	H/T	TSN 0				
SN:UNKNOWN	HRS	3239.4		TSN 0				
	AFL	5193		TSN 0				
PROC. REF: AMM 25-10-02PROC. REF: AMM 25-10-02								

PKG:8

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
251002E REPLACE PILOT MARTIN BAKER SEAT HARNESS (TOTAL LIFE) Service ATA:25								
PN:MBCS3304-2	MOS	12-Dec-25	180 (+10%)		11-Nov-40	11-May-42	5353 d (+546)	LIFE LIMIT
SN:UNKNOWN	HRS	3239.4						
	AFL	5193						
Manufacture Date:: 11-Nov-25								
PROC. REF: AMM 25-10-02PROC. REF: AMM 25-10-02								
251002F REPLACE COPILOT MARTIN BAKER SEAT HARNESS (TOTAL LIFE) Service ATA:25								
PN:MBCS3304-2	MOS	12-Dec-25	180 (+10%)		11-Nov-40	11-May-42	5353 d (+546)	LIFE LIMIT
SN:UNKNOWN	HRS	3239.4						
	AFL	5193						
Manufacture Date:: 11-Nov-25								
PROC. REF: AMM 25-10-02PROC. REF: AMM 25-10-02								
251080A ^U CREW SEAT Component ATA:25								
PN:76210-02000-102	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
251080B ^U CREW SEAT Component ATA:25								
PN:76210-02000-102	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
251081A ^U CREW INERTIA HARNESS Component ATA:25								
PN:1S20B25A4-27	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
251081B ^U CREW INERTIA HARNESS Component ATA:25								
PN:1S20B25A4-27	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
251082A ^U CREW SEAT BELT Component ATA:25								
PN:1101756-01	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
251082B ^U CREW SEAT BELT Component ATA:25								
PN:1101756-01	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
252085 ^U DIVAN CABIN 5 MAN SEAT ASSEMBLY Component ATA:25								
PN:76210-02002-102	MOS/MSC	20-Aug-02	O/C					
SN:UNKNOWN	HRS	6.5						
	AFL	12						
252086A ^U CABIN EXECUTIVE SWIVEL SEAT ASSEMBLY Component ATA:25								
PN:76213-03011-041	MOS/MSC	20-Aug-02	O/C					
SN:UNKNOWN	HRS	6.5						
	AFL	12						
252086B ^U CABIN EXECUTIVE SWIVEL SEAT ASSEMBLY Component ATA:25								
PN:76213-03011-042	MOS/MSC	20-Aug-02	O/C					
SN:UNKNOWN	HRS	6.5						
	AFL	12						
252501A ^U REPLACE AED BATTERIES Service ATA:25								
	MOS/MSC	20-Jun-22	DUE		30-Sep-27 (M)		562 d	REPLACE
	HRS	2812.2						
	AFL	4596						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
252501B ^U REPLACE AED PADS Service ATA:25								
	MOS/MSC	18-Dec-25	DUE		15-Mar-28 (M)		729 d	
	HRS	3245						
	AFL	5198						
252501C ^U PERFORM SIX MONTH AED INSPECTION Service ATA:25								
	MOS	03-Feb-26	6		03-Aug-26		139 d	INSPECT
	HRS	3247.6						
	AFL	5207						
256000 ^U INSPECT - COMPLY WITH THE 14 CFR PART 91.207 12 MONTH INSPECTION OF THE EMERGENCY LOCATOR TRANSMITTER C406-NHM Service ATA:25 INSTALLED UNDER STC SR01605NY-D PER .								
	MOS	12-Dec-25	12		12-Dec-26		270 d	FAR
	HRS	3239.4						
	AFL	5193						
256001 ^U FIRST AID KIT AFAK-RX Component ATA:25								
PN:500142	MOS/MSC	12-Dec-25	DUE		31-Oct-26 (M)		228 d	
SN:032822020	HRS	3239.4						
	AFL	5193						
					Expiry Date: : 31-Oct-26			
256003 ^U INSPECT FIRST AID KIT AFAK-RX Service ATA:25								
PN:500142	MOS	12-Dec-25	12		12-Dec-26		270 d	
SN:032822020	HRS	3239.4						
	AFL	5193						
256004 ^U PERFORM ELT - REGISTRATION Service ATA:25								
	MOS	07-Nov-25	24		07-Nov-27		600 d	
	HRS	3239.4						
	AFL	5193						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 25 - EQUIPMENT/FURNISHINGS								
256006 EMERGENCY LOCATOR TRANSMITTER C406-NHM INSTALLED PER STC SR01605NY-D Component ATA:25								
PN:453-5061	MOS/MSC	17-Jun-20	O/C	TSN 48, TSR 0				
SN:14271	HRS	2527.2		TSN 366.4, TSR 0				
	AFL	4206		TSN 630, TSR 0				
PROC. REF: AMM 25-62-00PROC. REF: AMM 25-62-00								
256082 ^U EMERGENCY LOCATOR TRANSMITTER ANTENNA Component ATA:25								
PN:110-338	MOS/MSC	28-Aug-20	O/C	TSN 0				
SN:615661	HRS	2537		TSN 0				
	AFL	4218		TSN 0				
256085 ^U EMERGENCY LOCATOR TRANSMITTER ANTENNA Component ATA:25								
PN:DMQ18-1/A	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
256086 ^U ELT NAV INTERFACE Component ATA:25								
PN:453-6500	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
256111A FIRST AID KIT - INSPECT AND VERIFY FIRST AID KIT SEAL SERIAL NUMBER WITH HELICOPTER LOGBOOK ENTRY. SEAL NUMBER 184129. Service ATA:25								
	DAYS	02-Mar-26	30 (+10%)	01-Apr-26	04-Apr-26	15 d (+3)		
	HRS	3250.7						
	AFL	5219						
PROC. REF: AMM 25-61-01PROC. REF: AMM 25-61-01								
256201 ^S OPERATIONAL TEST EMERGENCY LOCATOR TRANSMITTER Service ATA:25								
	MOS	12-Dec-25	12 (+10%)					
	HRS							
	AFL							
PROC. REF: AMM 25-64-00PKG:20								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
256230	EMERGENCY LOCATOR TRANSMITTER (ELT) BATTERY							Component	ATA:25
PN:PN	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
257001	NO.1 VIP SEAT							Component	ATA:25
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
257002	NO.2 VIP SEAT							Component	ATA:25
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0	TSN 0						
	AFL	0	TSN 0						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
2590000 ^U	GSS/LIDAR EQUIPMENT CABINET IN CABIN RH VIP SEAT							Component	ATA:25
PN:PN	MOS/MSC	24-Feb-25	-						
SN:UNKNOWN	HRS	3155.5							
	AFL	5115							
259900 ^U	GSS/LIDAR EQUIPMENT CABINET OUT, RH VIP SEAT INSTALLATION							Component	ATA:25
PN:PN	MOS/MSC	23-Jul-25	O/C						
SN:UNKNOWN	HRS	3234.2							
	AFL	5187							
259901 ^U	GSS/LIDAR EQUIPMENT CABINET IN CABIN RH VIP SEAT REMOVAL							Component	ATA:25
PN:PN-UNKNOWN	MOS/MSC	08-Oct-24	O/C						
SN:UNKNOWN	HRS	3131.3							
	AFL	5082							

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 25 - EQUIPMENT/FURNISHINGS									
259904 ^U		LIDAR CAMERA INSTALLATION						Component	ATA:25
PN:NA	MOS/MSC	27-Feb-25	O/C						
SN:NA	HRS	3158.7							
	AFL	5126							
<hr/>									
259905 ^U		LIDAR CAMERAL REMOVAL						Component	ATA:25
PN:PN	MOS/MSC	03-Sep-24	O/C						
SN:UNKNOWN	HRS	3080.4							
	AFL	5009							
<hr/>									
ATA 26 - FIRE PROTECTION									
261080A ^U		NO.1 ENGINE FLAME DETECTOR						Component	ATA:26
PN:76306-07902-103	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
261080A1 ^U		NO.1 ENGINE FLAME DETECTOR						Component	ATA:26
PN:76306-07902-101	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
261080B ^U		NO.1 ENGINE FLAME DETECTOR						Component	ATA:26
PN:76306-07902-103	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
261080B1 ^U		NO.1 ENGINE FLAME DETECTOR						Component	ATA:26
PN:76306-07902-101	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
261081A ^U		NO.1 ENGINE FLAME DETECTOR					Component	ATA:26	
PN:76306-07902-103	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
261081A1 ^U		NO.2 ENGINE FLAME DETECTOR					Component	ATA:26	
PN:76306-07902-101	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
261081B ^U		NO.2 ENGINE FLAME DETECTOR					Component	ATA:26	
PN:76306-07902-103	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
261081B1 ^U		NO.2 ENGINE FLAME DETECTOR					Component	ATA:26	
PN:76306-07902-101	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
261082A ^U		ENGINE FIRE DETECTION CONTROL AMPLIFIER					Component	ATA:26	
PN:65550-04023-103	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
261082B ^U		ENGINE FIRE DETECTION CONTROL AMPLIFIER					Component	ATA:26	
PN:65550-04023-103	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
261083 ^U		SMOKE DETECTOR						Component	ATA:26
PN:30-231-R7B	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
261084 ^U		SMOKE DETECTOR AMPLIFIER						Component	ATA:26
PN:30-326E7	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
261101 ^S		INSPECT ENGINE FIRE DETECTION SYSTEM FLAME DETECTORS						Service	ATA:26
	MOS	12-Dec-25							
	HRS	3239.4	300 (+10%)						
	AFL	5193							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
261102 ^S		OPERATIONAL TEST ENGINE FIRE DETECTION SYSTEM						Service	ATA:26
	MOS	12-Dec-25							
	HRS	3239.4	300 (+10%)						
	AFL	5193							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
262001 ^U		INSPECT PORTABLE FIRE EXTINGUISHERS						Service	ATA:26
	DAYS	02-Mar-26	30		01-Apr-26		15 d		
	HRS	3250.7							
WC#: 26.080	AFL	5219							
262004		NO. 1 ENGINE FIRE EXTINGUISHER CONTAINER						Component	ATA:26
PN:76306-07901-101	MOS/MSC	12-Dec-25	O/C	TSO 0					
SN:0224	HRS	3239.4		TSO 0					
	AFL	5193		TSO 0					
PROC. REF: AMM 26-21-01 PROC. REF: AMM 26-21-01									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
262010		NO. 1 ENGINE MAIN FIRE EXTINGUISHER CARTRIDGE					Component	ATA:26	
PN:30600-31	MOS/MSC	24-Jun-19	H/T						
SN:02332	HRS	2450.3		TSN 0					
	AFL	4088		TSN 0					
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01									
262020		NO. 1 ENGINE RESERVE FIRE EXTINGUISHER CARTRIDGE					Component	ATA:26	
PN:30600-31	MOS/MSC	24-Jun-19	H/T		TSN 0				
SN:02334	HRS	2450.3		TSN 0					
	AFL	4088		TSN 0					
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01									
262031		NO. 2 ENGINE FIRE EXTINGUISHER CONTAINER					Component	ATA:26	
PN:51900-1	MOS/MSC	29-Oct-25	O/C		TSO 21				
SN:0101	HRS			TSO 237.3					
	AFL			TSO 296					
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01									
262040		NO. 2 ENGINE MAIN FIRE EXTINGUISHER CARTRIDGE					Component	ATA:26	
PN:30600-31	MOS/MSC	04-Jan-24	H/T		TSN 0				
SN:03140	HRS	3002		TSN 0					
	AFL	4897		TSN 0					
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01									
262050		NO. 2 ENGINE RESERVE FIRE EXTINGUISHER CARTRIDGE					Component	ATA:26	
PN:30600-31	MOS/MSC	04-Jan-24	H/T		TSN 0				
SN:03141	HRS	3002		TSN 0					
	AFL	4897		TSN 0					
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01									
262071		COCKPIT PORTABLE FIRE EXTINGUISHER					Component	ATA:26	
PN:898052	MOS/MSC	19-Jan-24	O/C		TSO 0				
SN:Y-172516	HRS	3002		TSO 0					
	AFL	4897		TSO 0					
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
262074 ^{U S}	INSPECT NO.1 COCKPIT PORTABLE FIRE EXTINGUISHER							Service	ATA:26
	DAYS	09-Jan-26	30 (+10%)				FAR		
	HRS	3247.5							
	AFL	5206							
262081	CABIN PORTABLE FIRE EXTINGUISHER							Component	ATA:26
PN:898052	MOS/MSC	19-Jan-24	O/C	TSO 0					
SN:Y-172515	HRS	3002		TSO 0					
	AFL	4897		TSO 0					
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
262082 ^U	FIRE EXTINGUISHER OVERBOARD DISCHARGE INDICATOR							Component	ATA:26
PN:76306-07903-101	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
262084 ^{U S}	INSPECT CABIN FIRE EXTINGUISHER							Service	ATA:26
	DAYS	09-Jan-26	30 (+10%)				FAR		
	HRS	3247.5							
	AFL	5206							
262101 ^S	INSPECT FIRE EXTINGUISHER CONTAINERS, PLUMBING AND WIRING							Service	ATA:26
	MOS	12-Dec-25							
	HRS	3239.4	300 (+10%)						
	AFL	5193							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPKG:5									
262102 ^S	OPERATIONAL TEST ENGINE FIRE EXTINGUISHING SYSTEM							Service	ATA:26
	MOS	12-Dec-25							
	HRS	3239.4	300 (+10%)						
	AFL	5193							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPKG:5									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262103A NO. 1 ENGINE FIRE EXTINGUISHER CONTAINER - WEIGHT CHECK Service ATA:26								
	MOS	12-Dec-25	12 (+10%)		29-Oct-26	05-Dec-26	226 d (+37)	
	HRS	3239.4						
	AFL	5193						
WeightCheck Date : : 29-Oct-25								PKG:20
PROC. REF: AMM 26-21-00PROC. REF: AMM 26-21-00								
262103B NO. 2 ENGINE FIRE EXTINGUISHER CONTAINER - WEIGHT CHECK Service ATA:26								
	MOS	29-Oct-25	12 (+10%)		29-Oct-26	05-Dec-26	226 d (+37)	
	HRS							
	AFL							
WeightCheck Date : : 29-Oct-25								PKG:20
PROC. REF: AMM 26-21-00PROC. REF: AMM 26-21-00								
262104A NO. 1 ENGINE FIRE EXTINGUISHER CONTAINER - HYDROSTATIC TEST Service ATA:26								
PN:76306-07901-101	MOS	12-Dec-25	60 (+10%)		12-Nov-30	12-May-31	1701 d (+181)	MANDATORY
SN:0224	HRS	3239.4						
	AFL	5193						
HydroCheck Date: : 12-Nov-25								
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
262104B NO. 2 ENGINE FIRE EXTINGUISHER CONTAINER - HYDROSTATIC TEST Service ATA:26								
PN:51900-1	MOS	29-Oct-25	60 (+10%)		29-Oct-30	29-Apr-31	1687 d (+182)	MANDATORY
SN:0101	HRS							
	AFL							
HydroCheck Date: : 29-Oct-25								
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
262140A1 NO. 1 ENGINE MAIN FIRE EXTINGUISHER CARTRIDGE - TOTAL LIFE Service ATA:26								
PN:30600-31	MOS	01-Aug-16	144		01-Aug-28		868 d	LIFE LIMIT
SN:02332	HRS							
	AFL							
Manufacture Date:: 01-Aug-16								
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 26 - FIRE PROTECTION									
262140A2		NO. 1 ENGINE RESERVE FIRE EXTINGUISHER CARTRIDGE - REPLACE						Service	ATA:26
PN:30600-31	MOS	01-Aug-16	144		01-Aug-28		868 d	LIFE LIMIT	
SN:02334	HRS								
	AFL								
Manufacture Date:: 01-Aug-16									
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
262140B1		NO. 2 ENGINE MAIN FIRE EXTINGUISHER CARTRIDGE - TOTAL LIFE						Service	ATA:26
PN:30600-31	MOS	01-Nov-23	144		01-Nov-35		3516 d	LIFE LIMIT	
SN:03140	HRS								
	AFL								
Manufacture Date:: 01-Nov-23									
PROC. REF: AMM 26-21-01PROC. REF: AMM 26-21-01									
262140B2		NO. 2 ENGINE RESERVE FIRE EXTINGUISHER CARTRIDGE - REPLACE						Service	ATA:26
PN:30600-31	MOS	01-Nov-23	144		01-Nov-35		3516 d	LIFE LIMIT	
SN:03141	HRS								
	AFL								
Manufacture Date:: 01-Nov-23									
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
262201A ^S		COCKPIT PORTABLE FIRE EXTINGUISHER - WEIGHT CHECK						Service	ATA:26
PN:898052	MOS	10-Feb-25	12 (+10%)						
SN:Y-172516	HRS	3149							
	AFL	5104							
WeightCheck Date : : 10-Feb-25									
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
PKG:20									
262201B ^S		CABIN PORTABLE FIRE EXTINGUISHER - WEIGHT CHECK						Service	ATA:26
PN:898052	MOS	10-Feb-25	12 (+10%)						
SN:Y-172515	HRS	3149							
	AFL	5104							
WeightCheck Date : : 10-Feb-25									
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
PKG:20									

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 26 - FIRE PROTECTION								
262204A ^U INSPECT THE COCKPIT PORTABLE FIRE EXTINGUISHER Service ATA:26								
	MOS	19-Jan-24	72		19-Jan-30		1404 d	
	HRS	3002						
	AFL	4897						
262204B ^U INSPECT CABIN PORTABLE EXTINGUISHER Service ATA:26								
	MOS	19-Jan-24	72		19-Jan-30		1404 d	
	HRS	3002						
	AFL	4897						
262250A REPLACE OR HYDROSTATIC TEST THE COCKPIT PORTABLE FIRE EXTINGUISHER Service ATA:26								
PN:898052	MOS	19-Jan-24	144 (+10%)		19-Jan-36	31-Mar-37	3595 d (+437)	
SN:Y-172516	HRS	3002						
	AFL	4897						
HydroCheck Date: : 19-Jan-24								
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
262250B REPLACE OR HYDROSTATIC TEST THE CABIN PORTABLE FIRE EXTINGUISHER Service ATA:26								
PN:898052	MOS	19-Jan-24	144 (+10%)		19-Jan-36	31-Mar-37	3595 d (+437)	
SN:Y-172515	HRS	3002						
	AFL	4897						
HydroCheck Date: : 19-Jan-24								
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
ATA 28 - FUEL								
281004 ^S INSPECT FUEL TANK SUMP PADS AND CLIPS Service ATA:28								
	MOS	12-Dec-25	12 (+10%)					
	HRS							
	AFL							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								

PKG:20

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
281008	INSPECT EXTENDED RANGE AUXILIARY FUEL TANK (IF INSTALLED)							Service	ATA:28
	MOS/MSC		N/A						
	HRS								
	AFL								
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
282001 ^S	TEST FUEL SYSTEM STAINLESS STEEL SUPPLY LINES							Service	ATA:28
	MOS	12-Dec-25	36 (+10%)						
	HRS	3239.4							
	AFL	5193							
PROC. REF: AMM 28-20-02PROC. REF: AMM 28-20-02									
282001A ^U	WHENEVER MAINTENANCE HAS BEEN PERFORMED ON FUEL LINES. REF 3 YEAR INSPECTION ITEM 59.							Service	ATA:28
	MOS/MSC		-						
	HRS								
	AFL								
282004	LEFT FUEL SELECTOR VALVE							Component	ATA:28
PN:65317-03006-109	MOS/MSC	15-Jun-21	H/T		TSO 0				
SN:1237	HRS	2651.1			TSO 0				
	AFL	4363			TSO 0				
PROC. REF: AMM 28-20-01PROC. REF: AMM 28-20-01									
282006	RIGHT FUEL SELECTOR VALVE							Component	ATA:28
PN:65317-03006-110	MOS/MSC	15-Jun-21	H/T		TSO 0				
SN:0685	HRS	2651.1			TSO 0				
	AFL	4363			TSO 0				
PROC. REF: AMM 28-20-01PROC. REF: AMM 28-20-01									
282030A	LEFT FUEL SELECTOR VALVE - OVERHAUL							Service	ATA:28
PN:65317-03006-109	MOS	15-Jun-21	120		15-Jun-31		1916 d	OVERHAUL	
SN:1237	HRS	2651.1							
	AFL	4363							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282030B	RIGHT FUEL SELECTOR VALVE - OVERHAUL							Service	ATA:28
PN:65317-03006-110	MOS	15-Jun-21	120		15-Jun-31		1916 d	OVERHAUL	
SN:0685	HRS	2651.1							
	AFL	4363							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
282040	DUAL FUEL QUANTITY INDICATOR							Component	ATA:28
PN:76450-01078-103	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 28-41-01 PROC. REF: AMM 28-41-01									
282080A ^U	FUEL SHUTOFF VALVE							Component	ATA:28
PN:65317-03006-106	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
282080B ^U	FUEL SHUTOFF VALVE							Component	ATA:28
PN:65317-03006-106	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
282081A ^U	ENGINE FUEL PRIME VALVE							Component	ATA:28
PN:76307-07901-102	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
282081B ^U	ENGINE FUEL PRIME VALVE							Component	ATA:28
PN:76307-07901-102	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 28 - FUEL								
282082A ^U FUEL THERMAL RELIEF CHECK VALVE Component ATA:28								
PN:76307-02904-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
282082B ^U FUEL THERMAL RELIEF CHECK VALVE Component ATA:28								
PN:76307-02904-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
282083A ^U FUEL PRIMER CHECK VALVE Component ATA:28								
PN:76307-03900-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
282083B ^U FUEL PRIMER CHECK VALVE Component ATA:28								
PN:76307-03900-101	MOS/MSC	18-Apr-25	O/C	TSN 0				
SN:1043	HRS	3206.4		TSN 0				
	AFL	5163		TSN 0				
282084A ^U FUEL PRIMER SERVICE CHECK VALVE Component ATA:28								
PN:76307-07903-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
282084B ^U FUEL PRIMER SERVICE CHECK VALVE Component ATA:28								
PN:76307-07903-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 28 - FUEL									
282085A ^U	FUEL TANK DRAIN VALVE							Component	ATA:28
PN:68C-1MS	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
ATA 28 - FUEL									
282085B ^U	FUEL TANK DRAIN VALVE							Component	ATA:28
PN:68C-1MS	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
ATA 28 - FUEL									
284081A ^U	FUEL QUANTITY PROBE							Component	ATA:28
PN:76307-02900-104	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
ATA 28 - FUEL									
284081B ^U	FUEL QUANTITY PROBE							Component	ATA:28
PN:76307-02900-104	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
ATA 28 - FUEL									
284201 ^S	OPERATIONAL TEST FUEL LOW-LEVEL WARNING SYSTEM							Service	ATA:28
	MOS	12-Dec-25	12 (+10%)						
	HRS								
	AFL								
PROC. REF: AMM 28-42-00PROC. REF: AMM 28-42-00								PKG:20	

ATA 29 - HYDRAULIC POWER

290001 ^S	INSPECT FIRST AND SECOND STAGE HYDRAULIC LINES							Service	ATA:29
	MOS	12-Dec-25							
	HRS	3239.4	300 (+10%)						
	AFL	5193							
								PKG:5	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
290002	^S	INSPECT FIRST AND SECOND STAGE HYDRAULIC MODULES \ ASSOCIATED PLUMBING AND PRIORITY VALVE					Service	ATA:29	
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
PKG:8									
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
290003	^S	INSPECT HYDRAULIC MODULES SUPPORT PANEL					Service	ATA:29	
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
PKG:8									
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
290004	^S	OPERATIONAL TEST SERVO JAM WARNING SYSTEM					Service	ATA:29	
	MOS	12-Dec-25	12 (+10%)						
	HRS								
	AFL								
PKG:20									
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
290005	^S	INSPECT 1ST AND 2ND STAGE HYDRAULIC SYSTEM					Service	ATA:29	
	MOS	12-Dec-25	12 (+10%)						
	HRS								
	AFL								
PKG:20									
PROC. REF: AMM 29-00-00PROC. REF: AMM 29-00-00									
291001	^S	INSPECT FIRST STAGE TAIL ROTOR SERVO SHUTOFF VALVE					Service	ATA:29	
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
PKG:8									
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 29 - HYDRAULIC POWER									
291002 ^S	INSPECT FIRST STAGE HYDRAULIC FLUID LOW-LEVEL SWITCH, ELECTRICAL CONNECTOR AND WIRING							Service	ATA:29
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
PKG:8									
291003 ^S	OPERATIONAL TEST 1ST STAGE TAIL ROTOR SERVO SHUTOFF VALVE							Service	ATA:29
	MOS	12-Dec-25	12 (+10%)						
	HRS								
	AFL								
PROC. REF: AMM 29-10-08PROC. REF: AMM 29-10-08									
PKG:20									
291010	1ST STAGE HYDRAULIC NO. 1 PUMP							Component	ATA:29
PN:76650-09808-102	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:K0295	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-10-04PROC. REF: AMM 29-10-04									
291011	1ST STAGE HYDRAULIC MODULE							Component	ATA:29
PN:76650-09801-105	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:5176B	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 29-10-04PROC. REF: AMM 29-10-04									
291020	SERVICE FIRST STAGE HYDRAULIC MODULE							Service	ATA:29
	MOS/MSC	13-Mar-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 29-00-00PROC. REF: AMM 29-00-00									
291082 ^U	1ST STAGE LINE FILTER ELEMENT							Component	ATA:29
PN:ACA902F-815	MOS/MSC	05-Jun-17	O/C	TSN 0					
SN:N/A	HRS	2255.1		TSN 0					
	AFL	3736		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
291083 U 1ST STAGE BYPASS FILTER ELEMENT Component ATA:29								
PN:AC-A902F-815	MOS/MSC	16-Dec-21	O/C	TSN 0				
SN:UNKNOWN	HRS	2768		TSN 0				
	AFL	4519		TSN 0				
291084 U 1ST STAGE HYDRAULIC MODULE PRESSURE SWITCH Component ATA:29								
PN:0711311-132-1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
291085 U 1ST STAGE HYDRAULIC MODULE SOLENOID SHUTOFF VALVE Component ATA:29								
PN:0711311-612	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
291086 U 1ST STAGE BYPASS FILTER ELEMENT Component ATA:29								
PN:0711311-106-6	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
292001 2ND STAGE HYDRAULIC NO. 2 PUMP Component ATA:29								
PN:76650-09808-102	MOS/MSC	16-May-06	O/C					
SN:K0122	HRS	847.1						
	AFL	1442						
PROC. REF: AMM 29-20-02PROC. REF: AMM 29-20-02								
292011 2ND STAGE HYDRAULIC MODULE Component ATA:29								
PN:76650-09801-105	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:5183B	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 29-20-02PROC. REF: AMM 29-20-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
292020 SERVICE SECOND STAGE HYDRAULIC MODULE Service ATA:29								
	MOS/MSC	13-Mar-02	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 29-00-00PROC. REF: AMM 29-00-00								
292082 ^U 2ND STAGE LINE FILTER ELEMENT Component ATA:29								
PN:ACA902F-815	MOS/MSC	05-Jun-17	O/C	TSN 0				
SN:N/A	HRS	2255.1		TSN 0				
	AFL	3736		TSN 0				
292082A ^U 10 HOUR PRESSURE FILTER INSPECTION REQUIRED BY S76C AIRCRAFT MAINTENANCE MANUAL 29-00-00. Service ATA:29								
	MOS/MSC	12-May-16	A/R					
	HRS	2155.4						
	AFL	3566						
292083 ^U 2ND STAGE BYPASS FILTER ELEMENT Component ATA:29								
PN:AC-A902F-815	MOS/MSC	16-Dec-21	O/C	TSN 0				
SN:UNKNOWN	HRS	2768		TSN 0				
	AFL	4519		TSN 0				
292084 ^U 2ND STAGE HYDRAULIC MODULE PRESSURE SWITCH Component ATA:29								
PN:0711311-132-1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
292085 ^U 2ND STAGE HYDRAULIC MODULE SOLENOID SHUTOFF VALVE Component ATA:29								
PN:0711311-612	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 29 - HYDRAULIC POWER								
292086 ^U 2ND STAGE HYDRAULIC MODULE PRIORITY VALVE Component ATA:29								
PN:4608	MOS/MSC	01-Apr-21	O/C	TSN 0				
SN:1300	HRS	2635.7		TSN 0				
	AFL	4324		TSN 0				
292087 ^U 2ND STAGE BYPASS FILTER ELEMENT Component ATA:29								
PN:0711311-106-6	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
293006 NO. 1 HYDRAULIC TRANSMITTER Component ATA:29								
PN:76450-01078-127	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:6398-3-259	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
293011 NO. 2 HYDRAULIC TRANSMITTER Component ATA:29								
PN:76450-01078-127	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:6398-3-265	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
294001 HYDRAULIC INDICATOR Component ATA:29								
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
ATA 30 - ICE AND RAIN PROTECTION								
302002A ^S OPERATIONAL TEST ENGINE ANTI-ICING SYSTEM Service ATA:30								
	MOS	12-Dec-25	12 (+10%)					
	HRS							
	AFL							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
302080A ^U SNOW PROTECTION FIREWALL HEATER Component ATA:30								
PN:76304-07900-112	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
302080B ^U SNOW PROTECTION FIREWALL HEATER Component ATA:30								
PN:76304-07900-112	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
302081A ^U SNOW PROTECTION INLET HEATER Component ATA:30								
PN:76304-07900-114	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
302081B ^U SNOW PROTECTION INLET HEATER Component ATA:30								
PN:76304-07900-114	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
302082A ^U ENGINE INTAKE ANTI-ICE CONTROLLER Component ATA:30								
PN:76550-01010-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
302082B ^U ENGINE INTAKE ANTI-ICE CONTROLLER Component ATA:30								
PN:76550-01010-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
303001^S OPERATIONAL TEST PITOT-STATIC HEATER SYSTEM Service ATA:30								
	MOS	10-Feb-25						
	HRS	3149	600 (+10%)					
	AFL	5104						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
304001^S INSPECT WINDSHIELD WIPER Service ATA:30								
	MOS	08-Jul-25						
	HRS	3218.7	100 (+10%)					
	AFL	5176						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPKG:8								
304002 COMPLY WITH THE 100 HOUR LUBRICATION AND SERVICING SCHEDULE REQUIREMENTS Service ATA:30								
	MOS	08-Jul-25						
	HRS	3218.7	100 (+10%)		3318.7	3328.7	65.7 (+10)	
	AFL	5176						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
304046 REPLACE PILOT WINDSHIELD WIPER BLADE Service ATA:30								
	MOS/MSC	25-Oct-07	O/C					
	HRS	1132.6						
	AFL	1938						
PROC. REF: AMM 30-43-00PROC. REF: AMM 30-43-00								
304051 REPLACE COPILOT WINDSHIELD WIPER BLADE Service ATA:30								
	MOS/MSC	25-Oct-07	O/C					
	HRS	1132.6						
	AFL	1938						
PROC. REF: AMM 30-43-00PROC. REF: AMM 30-43-00								
304080A^U WINDSHIELD HEAT CONTROLLER Component ATA:30								
PN:94316	MOS/MSC	11-Dec-15	O/C					
SN:2329-0346	HRS	2106.62						
	AFL	3498						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 30 - ICE AND RAIN PROTECTION									
304080B ^U		WINDSHIELD HEAT CONTROLLER					Component	ATA:30	
PN:76550-01010-101	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
304081A ^U		WINDSHIELD HEAT K2 RELAY					Component	ATA:30	
PN:KD-D4A	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
304081B ^U		WINDSHIELD HEAT K1 RELAY					Component	ATA:30	
PN:KD-D4A	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
304082A ^U		WINDSHIELD WIPER MOTOR					Component	ATA:30	
PN:76550-01013-101	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
304082B ^U		WINDSHIELD WIPER MOTOR					Component	ATA:30	
PN:76550-01013-101	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
304083A ^U		WINDSHIELD WIPER CONTROLLER					Component	ATA:30	
PN:76200-01011-102	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 30 - ICE AND RAIN PROTECTION								
304083B ^U WINDSHIELD WIPER CONVERTER Component ATA:30								
PN:76200-01011-102	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
304084A ^U WINDSHIELD WIPER FLEX SHAFT Component ATA:30								
PN:90-0096	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
304084B ^U WINDSHIELD WIPER FLEX SHAFT Component ATA:30								
PN:90-0096	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
304085 ^U WINDSHIELD WASHER RESERVOIR Component ATA:30								
PN:76200-01007-046	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
304086 ^U WINDSHIELD WASHER PUMP/MOTOR Component ATA:30								
PN:76200-01812-102	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
304087 ^U FLUID DEFLECTOR KIT Component ATA:30								
PN:96076-10A	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
---------	------	-----	----------	----------	---------------------------	-----------	-----------	-------------

ATA 30 - ICE AND RAIN PROTECTION

304301 ^S	INSPECT WINDSHIELD WIPER MOTOR AND WIPER CONVERTERS							Service	ATA:30
	MOS	12-Dec-25	36 (+10%)						
	HRS	3239.4							
	AFL	5193							
PKG:22									
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									

ATA 31 - INDICATING/RECORDING SYSTEMS

312050A	REPLACE PILOT DUAL DIGITAL CLOCK BATTERY							Component	ATA:31
PN:AA	MOS	12-Dec-25	24 (+10%)	TSN 0, Adj -15d	27-Nov-27	08-Feb-28	620 d (+73)	REPLACE	
SN:UNKNOWN	HRS	3239.4		TSN 0					
	AFL	5193		TSN 0					
PROC. REF: AMM 31-20-01PROC. REF: AMM 31-20-01									

312050B	REPLACE COPILOT DUAL DIGITAL CLOCK BATTERY							Component	ATA:31
PN:AA	MOS	12-Dec-25	24 (+10%)	TSN 0, Adj -15d	27-Nov-27	08-Feb-28	620 d (+73)	REPLACE	
SN:UNKNOWN	HRS	3239.4		TSN 0					
	AFL	5193		TSN 0					
PROC. REF: AMM 31-20-01PROC. REF: AMM 31-20-01									

313001 ^S	AVIONICS COMPARTMENT EQUIPMENT INSTALLATIONS AND ASSOCIATED WIRING FOR SECURITY AND CONDITION							Service	ATA:31
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)						
	AFL	4363							
PKG:12									
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									

313003	PILOT DUAL DIGITAL CLOCK							Component	ATA:31
PN:M877	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:11580	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 31-20-01PROC. REF: AMM 31-20-01									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
313006 COPILOT DUAL DIGITAL CLOCK								
PN:M877	MOS/MSC	13-Mar-02	O/C	TSN 0				Component ATA:31
SN:13003	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 31-20-01PROC. REF: AMM 31-20-01								
313082 ^U DENSITY INDICATOR								
PN:M-655-1	MOS/MSC	13-Mar-02	O/C	TSN 0				Component ATA:31
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
315080 ^U CAUTION/ADVISOR PANEL								
PN:76550-01001-103	MOS/MSC	13-Mar-02	O/C	TSN 0				Component ATA:31
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
315081A ^U MASTER WARNING PANEL								
PN:76550-01001-104	MOS/MSC	13-Mar-02	O/C	TSN 0				Component ATA:31
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
315081B ^U MASTER WARNING PANEL								
PN:76550-01001-104	MOS/MSC	13-Mar-02	O/C	TSN 0				Component ATA:31
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
315082 ^U AUDIO TONE WARNING GENERATOR AMPLIFIER								
PN:76450-01019-104	MOS/MSC	13-Mar-02	O/C	TSN 0				Component ATA:31
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 31 - INDICATING/RECORDING SYSTEMS								
315083A ^U MASTER CAUTION PANEL GLARESHIELD Component ATA:31								
PN:76550-00915-102	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
315083B ^U MASTER CAUTION PANEL GLARESHIELD Component ATA:31								
PN:76550-00915-102	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
315084A ^U MANUAL REVERSION PANEL GLARESHIELD Component ATA:31								
PN:76550-00915-103	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
315084B ^U MANUAL REVERSION PANEL GLARESHIELD Component ATA:31								
PN:76550-00915-103	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
315086 ^U LANDING GEAR WARNING ALTITUDE ENCODER Component ATA:31								
PN:8800-02	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
316090A3 ^U IIDS RDAU Component ATA:31								
PN:76450-01098-104	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 31 - INDICATING/RECORDING SYSTEMS									
316090A4 ^U		IIDS RDAU						Component	ATA:31
PN:76450-01098-112	MOS/MSC	10-Jul-25	O/C	TSR 0					
SN:1153C	HRS	3221.8		TSR 0					
	AFL	5180		TSR 0					
<hr/>									
316090A6 ^U		IIDS RDAU						Component	ATA:31
PN:76450-01098-107	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
ATA 32 - LANDING GEAR									
320021L		REPACK LEFT MAIN LANDING GEAR WHEEL BEARING						Service	ATA:32
	MOS	12-Dec-25	12 (+10%)		12-Dec-26	18-Jan-27	270 d (+37)		
	HRS	3239.4							
	AFL	5193							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
<hr/>									
320021L		REPACK NOSE LANDING GEAR WHEEL BEARING						Service	ATA:32
	MOS	12-Dec-25	12 (+10%)		12-Dec-26	18-Jan-27	270 d (+37)		
	HRS	3239.4							
	AFL	5193							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
<hr/>									
320021L		REPACK RIGHT MAIN LANDING GEAR WHEEL BEARING						Service	ATA:32
	MOS	12-Dec-25	12 (+10%)		12-Dec-26	18-Jan-27	270 d (+37)		
	HRS	3239.4							
	AFL	5193							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
<hr/>									
320032A		CHANGE NOSE LANDING GEAR SHOCK STRUT HYDRAULIC FLUID						Service	ATA:32
PN:PN	MOS	24-Jun-19							
SN:UNKNOWN	HRS	2450.3	2500 (+10%)		4950.3	5200.3	1697.3 (+250)		
	AFL	4088							
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
320032B		CHANGE LEFT MAIN LANDING GEAR SHOCK STRUT HYDRAULIC FLUID						Service	ATA:32
PN:76250-02500-109	MOS	24-Jun-19							
SN:B-1139	HRS	2450.3	2500 (+10%)		4950.3	5200.3	1697.3 (+250)		
	AFL	4088							
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
320032C		CHANGE RIGHT MAIN LANDING GEAR SHOCK STRUT HYDRAULIC FLUID						Service	ATA:32
PN:76250-02500-110	MOS	24-Jun-19							
SN:B-1144	HRS	2450.3	2500 (+10%)		4950.3	5200.3	1697.3 (+250)		
	AFL	4088							
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
320080 ^U		MLG DOOR LINKS HARNESS						Component	ATA:32
PN:76552-02010-105	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-10-00PROC. REF: AMM 32-10-00									
321001.01		LEFT MAIN LANDING GEAR CYLINDER - LIFE LIMIT						Service	ATA:32
PN:2071-2	MOS	13-Mar-02						LIFE LIMIT	
SN:BFG3163BIC	HRS	0							
	AFL	0	108000		108000		102778		
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02									
321001.01		RIGHT MAIN LANDING GEAR CYLINDER - LIFE LIMIT						Service	ATA:32
PN:2071-2	MOS	13-Mar-02						LIFE LIMIT	
SN:BIC3207	HRS	0							
	AFL	0	108000		108000		102778		
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02									
321001.02		LEFT MAIN LANDING GEAR PISTON - LIFE LIMIT						Service	ATA:32
PN:2071-4	MOS	13-Mar-02						LIFE LIMIT	
SN:BFG3119BIC	HRS	0							
	AFL	0	128700		128700		123478		
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321001.02 RIGHT MAIN LANDING GEAR PISTON - LIFE LIMIT								
PN:2071-4	MOS	13-Mar-02						Service ATA:32 LIFE LIMIT
SN:BIC3148	HRS	0						
	AFL	0	128700		128700		123478	
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03								
321001.03 LEFT MAIN LANDING GEAR AXLE SUPPORT FITTING - LIFE LIMIT								
PN:2071-74	MOS	13-Mar-02						Service ATA:32 LIFE LIMIT
SN:BFG3014BIC	HRS	0						
	AFL	0	33300		207000 (M)		201778	
PROC. REF: AMM 32-10-06PROC. REF: AMM 32-10-06								
321001.03 RIGHT MAIN LANDING GEAR AXLE SUPPORT FITTING - LIFE LIMIT								
PN:2071-12	MOS	13-Mar-02						Service ATA:32 LIFE LIMIT
SN:BIC3187	HRS	0						
	AFL	0	33300		33300 (M)		28078	
PROC. REF: AMM 32-10-06PROC. REF: AMM 32-10-06								
321001.04 LEFT MAIN LANDING GEAR UNIVERSAL TO CYLINDER PIN - LIFE LIMIT								
PN:2071-29	MOS	13-Mar-02						Service ATA:32 LIFE LIMIT
SN:BFG1043BIC	HRS	0						
	AFL	0	72000		72000 (M)		66778	
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02								
321001.04 RIGHT MAIN LANDING GEAR UNIVERSAL TO CYLINDER PIN - LIFE LIMIT								
PN:2071-29	MOS	13-Mar-02						Service ATA:32 LIFE LIMIT
SN:BFG1087BIC	HRS	0						
	AFL	0	72000		72000 (M)		66778	
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02								
321001.05 LEFT MAIN LANDING GEAR POSITIONING ROD/UPPER TORQUE PIN - LIFE LIMIT								
PN:2071-32	MOS	13-Mar-02						Service ATA:32 LIFE LIMIT
SN:BFG1025BIC	HRS	0						
	AFL	0	112500		112500		107278	
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321001.05 RIGHT MAIN LANDING GEAR POSITIONING ROD/UPPER TORQUE PIN - LIFE LIMIT								
PN:2071-32	MOS	13-Mar-02						Service ATA:32 LIFE LIMIT
SN:BFG1074BIC	HRS	0						
	AFL	0	112500		112500		107278	
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02								
321001.06 LEFT MAIN LANDING GEAR DRAG BRACE ROD END - LIFE LIMIT								
PN:2071-35	MOS	13-Mar-02						Service ATA:32 LIFE LIMIT
SN:CPT0309BIC	HRS	0						
	AFL	0	107388		107388		102166	
PROC. REF: AMM 32-10-04PROC. REF: AMM 32-10-04								
321001.06 RIGHT MAIN LANDING GEAR DRAG BRACE ROD END - LIFE LIMIT								
PN:2071-35	MOS	13-Mar-02						Service ATA:32 LIFE LIMIT
SN:BIC3069	HRS	0						
	AFL	0	107388		107388		102166	
PROC. REF: AMM 32-10-04PROC. REF: AMM 32-10-04								
321001.07 LEFT MAIN LANDING GEAR UPPER TORQUE ARM - LIFE LIMIT								
PN:2071-46	MOS	13-Mar-02						Service ATA:32 LIFE LIMIT
SN:BFG3083BIC	HRS	0						
	AFL	0	120730		120730		115508	
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02								
321001.07 RIGHT MAIN LANDING GEAR UPPER TORQUE ARM - LIFE LIMIT								
PN:2071-46	MOS	13-Mar-02						Service ATA:32 LIFE LIMIT
SN:BFG3051BIC	HRS	0						
	AFL	0	120730		120730		115508	
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02								
321001.08 LEFT MAIN LANDING GEAR LOWER TORQUE ARM - LIFE LIMIT								
PN:2071-47	MOS	13-Mar-02						Service ATA:32 LIFE LIMIT
SN:BFG3038BIC	HRS	0						
	AFL	0	53676		53676 (M)		48454	
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321001.08 RIGHT MAIN LANDING GEAR LOWER TORQUE ARM - LIFE LIMIT								
PN:2071-47	MOS		13-Mar-02					Service ATA:32
SN:BFG3031BIC	HRS	0						LIFE LIMIT
	AFL	0	53676		53676 (M)		48454	
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02								
321001.09 LEFT MAIN LANDING GEAR LOWER DRAG BRACE - LIFE LIMIT								
PN:2071-74	MOS		13-Mar-02					Service ATA:32
SN:BFG3009BIC	HRS	0						LIFE LIMIT
	AFL	0	207000		207000 (M)		201778	
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
321001.09 RIGHT MAIN LANDING GEAR LOWER DRAG BRACE - LIFE LIMIT								
PN:2071-12	MOS		13-Mar-02					Service ATA:32
SN:BFG3173BIC	HRS	0						LIFE LIMIT
	AFL	0	207000		33300 (M)		28078	
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
321001.10 LEFT MAIN LANDING GEAR RETRACTION BRACE - LIFE LIMIT								
PN:2071-76	MOS		13-Mar-02					Service ATA:32
SN:BFG3050BIC	HRS	0						LIFE LIMIT
	AFL	0	184500		184500 (M)		179278	
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03								
321001.10 RIGHT MAIN LANDING GEAR RETRACTION BRACE - LIFE LIMIT								
PN:2071-76	MOS		13-Mar-02					Service ATA:32
SN:BFG3095BIC	HRS	0						LIFE LIMIT
	AFL	0	184500		184500 (M)		179278	
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03								
321001.11 LEFT MAIN LANDING GEAR AXLE - LIFE LIMIT								
PN:2071-85	MOS		13-Mar-02					Service ATA:32
SN:BFG3085BIC	HRS	0						LIFE LIMIT
	AFL	0	105210		105210 (M)		99988	
PROC. REF: AMM 32-10-06PROC. REF: AMM 32-10-06								

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321001.11 RIGHT MAIN LANDING GEAR AXLE - LIFE LIMIT								
PN:2071-85	MOS	13-Mar-02						Service ATA:32 LIFE LIMIT
SN:BFG3089BIC	HRS	0						
	AFL	0	105210		105210 (M)		99988	
PROC. REF: AMM 32-10-06PROC. REF: AMM 32-10-06								
321001.12 LEFT MAIN LANDING GEAR POSITIONING ROD END - LIFE LIMIT								
PN:2071-235	MOS	13-Mar-02						Service ATA:32 LIFE LIMIT
SN:BFG0652BIC	HRS	0						
	AFL	0	61200		61200 (M)		55978	
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02								
321001.12 RIGHT MAIN LANDING GEAR POSITIONING ROD END - LIFE LIMIT								
PN:2071-235	MOS	13-Mar-02						Service ATA:32 LIFE LIMIT
SN:BIC0722	HRS	0						
	AFL	0	61200		61200 (M)		55978	
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02								
321001.13 LEFT MAIN LANDING GEAR RETRACTION ACTUATOR OUTER CYLINDER - LIFE LIMIT								
PN:1945F302	MOS	18-Sep-14						Service ATA:32 LIFE LIMIT
SN:HSM4094	HRS	1963.78						
	AFL	3288	31950		35003 (M)		29781	
321001.13 RIGHT MAIN LANDING GEAR RETRACTION ACTUATOR OUTER CYLINDER - LIFE LIMIT								
PN:1945F302	MOS	31-Jul-04						Service ATA:32 LIFE LIMIT
SN:BIC3425	HRS	431.3						
	AFL	746	31950		32696 (M)		27474	
321001.14 ^S LEFT MAIN LANDING GEAR RETRACTION ACTUATOR PISTON - LIFE LIMIT								
PN:1945E314	MOS	18-Sep-14						Service ATA:32 LIFE LIMIT
SN:HSM0777	HRS	1963.78						
	AFL	3288	148500		151553 (M)		146331	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321001.14 RIGHT MAIN LANDING GEAR RETRACTION ACTUATOR PISTON - LIFE LIMIT Service ATA:32								
PN:1945E314	MOS	31-Jul-04						LIFE LIMIT
SN:CPT327JK	HRS	431.3						
	AFL	746	148500		110591 (M)		105369	
321001.15 LEFT MAIN LANDING GEAR RETRACTION ACTUATOR PISTON ROD END - LIFE LIMIT Service ATA:32								
PN:1945-210	MOS	18-Sep-14						LIFE LIMIT
SN:HSM2079	HRS	1963.78						
	AFL	3288	36000		39053 (M)		33831	
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03								
321001.15 RIGHT MAIN LANDING GEAR RETRACTION ACTUATOR PISTON ROD END - LIFE LIMIT Service ATA:32								
PN:01-747-061	MOS	31-Jul-04						LIFE LIMIT
SN:BFG1043	HRS	431.3						
	AFL	746	36000		36746 (M)		31524	
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03								
321001L^S INSPECT MAIN LANDING GEAR Service ATA:32								
	MOS	08-Jul-25						
	HRS	3218.7	100 (+10%)					
	AFL	5176						
PROC. REF: AMM 32-10-00, AMM 32-10-05, AMM 32-70-03PROC. REF: AMM 32-10-00, AMM 32-10-05, AMM 32-70-03								
321002L^S CHECK MAIN LANDING GEAR DOORS, HINGES AND SWIVEL FITTINGS Service ATA:32								
	MOS	10-Feb-25						
	HRS	3149	600 (+10%)					
	AFL	5104						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								

PKG:3

PKG:8

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
321005	CLEAN AND INSPECT ELASTOMERIC DAMPER FOR DAMAGE AND DETERIORATION							Service	ATA:32
	MOS	08-Jul-25							
	HRS	3218.7	100 (+10%)		3318.7	3328.7	65.7 (+10)		
	AFL	5176							
PROC. REF: AMM 32-10-05PROC. REF: AMM 32-10-05									
321006 ^S	REMOVE DRAG BRACE BOLT AND INSPECT FOR EVIDENCE OF CORROSION. NO CORROSION IS PERMITTED. IF CORROSION PRODUCTS SUCH AS RUST, PITTING, OR WHITE POWDER ARE EVIDENT, THE BOLT IS TO BE REPLACED.							Service	ATA:32
	MOS	12-Dec-25	36 (+10%)					INSPECT	
	HRS	3239.4							
	AFL	5193							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
321007	LEFT MAIN LANDING GEAR SHOCK STRUT							Component	ATA:32
PN:76250-02500-109	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:B-1139	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02									
321011A ^S	INSPECT MAIN LANDING GEAR POSITIONING ROD AND SIDE BRACE ROD ENDS							Service	ATA:32
	MOS	12-Dec-25	12 (+10%)						
	HRS								
	AFL								
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
321012 ^S	INSPECT MAIN LANDING GEAR POSITIONING ROD-TO-DAMPER BELLCRANK ATTACHMENT BOLT							Service	ATA:32
	MOS	12-Dec-25	12 (+10%)						
	HRS	3239.4	1500 (+10%)						
	AFL								
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
321013 ^S	INSPECT MAIN LANDING GEAR POSITIONING ROD-TO-DAMPER BELLCRANK ATTACHMENT BOLT							Service	ATA:32
	MOS	12-Dec-25	12 (+10%)						
	HRS	3239.4							
	AFL								
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02									
PKG:20									
321014 ^S	CHECK MAIN LANDING GEAR TIEDOWN RING AND STOWAGE MECHANISM							Service	ATA:32
	MOS	12-Dec-25							
	HRS	3239.4	300 (+10%)						
	AFL	5193							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
PKG:5									
321015 ^S	INSPECT MAIN LANDING GEAR DOOR HINGES AND SWIVEL FITTINGS							Service	ATA:32
	MOS	12-Dec-25	24 (+10%)						
	HRS	3239.4							
	AFL	5193							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
PKG:20									
321016 ^S	PERFORM A VISUAL THREAD INSPECTION OF POSITIONING ROD AND SIDE BRACE ROD END							Service	ATA:32
	MOS	12-Dec-25	36 (+10%)						
	HRS	3239.4							
	AFL	5193							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
PKG:22									
321021	RIGHT MAIN LANDING GEAR SHOCK STRUT							Component	ATA:32
PN:76250-02500-110	MOS/MSC	13-Mar-02	O/C		TSN 0				
SN:B-1144	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
321022		LEFT MAIN LANDING GEAR AXLE					Component	ATA:32	
PN:2071-85	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:BFG3085BIC	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-10-06PROC. REF: AMM 32-10-06									
321023		LEFT MAIN LANDING GEAR PISTON					Component	ATA:32	
PN:2071-4	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:BFG3119BIC	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03									
321025		RIGHT MAIN LANDING GEAR AXLE					Component	ATA:32	
PN:2071-85	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:BFG3089BIC	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-10-06PROC. REF: AMM 32-10-06									
321026		RIGHT MAIN LANDING GEAR PISTON					Component	ATA:32	
PN:2071-4	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:BIC3148	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03									
321030		LEFT MAIN LANDING GEAR CYLINDER					Component	ATA:32	
PN:2071-2	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:BFG3163BIC	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02									
321031		RIGHT MAIN LANDING GEAR CYLINDER					Component	ATA:32	
PN:2071-2	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:BIC3207	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321032 LEFT MAIN LANDING GEAR LOWER DRAG BRACE Component ATA:32								
PN:2071-74	MOS/MSC	13-Mar-02	H/T	TSN 0				
SN:BFG3009BIC	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
321033 LEFT MAIN LANDING GEAR AXLE SUPPORT FITTING Component ATA:32								
PN:2071-12	MOS/MSC	13-Mar-02	H/T	TSN 0				
SN:BFG3173BIC	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-10-03PROC. REF: AMM 32-10-03								
321034 RIGHT MAIN LANDING GEAR LOWER DRAG BRACE Component ATA:32								
PN:2071-74	MOS/MSC	13-Mar-02	H/T	TSN 0				
SN:BFG3014BIC	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-10-06PROC. REF: AMM 32-10-06								
321035 RIGHT MAIN LANDING GEAR AXLE SUPPORT FITTING Component ATA:32								
PN:2071-12	MOS/MSC	13-Mar-02	H/T	TSN 0				
SN:BIC3187	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-10-06PROC. REF: AMM 32-10-06								
321036 LEFT MAIN LANDING GEAR RETRACTION BRACE Component ATA:32								
PN:2071-76	MOS/MSC	13-Mar-02	H/T	TSN 0				
SN:BFG3050BIC	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03								
321037 RIGHT MAIN LANDING GEAR RETRACTION BRACE Component ATA:32								
PN:2071-76	MOS/MSC	13-Mar-02	H/T	TSN 0				
SN:BFG3095BIC	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03								

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
321038 LEFT MAIN LANDING GEAR RETRACTION ACTUATOR OUTER CYLINDER Component ATA:32								
PN:1945F302	MOS/MSC	18-Sep-14	H/T	TSN 0				
SN:HSM4094	HRS	1963.78		TSN 0				
	AFL	3288		TSN 235	35003 (M)		29781	
	ACH							
	EMH							
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03								
321039 RIGHT MAIN LANDING GEAR RETRACTION ACTUATOR OUTER CYLINDER Component ATA:32								
PN:1945F302	MOS/MSC	31-Jul-04	H/T					
SN:BIC3425	HRS	431.3						
	AFL	746		TSN 0				
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03								
321040 LEFT MAIN LANDING GEAR RETRACTION ACTUATOR PISTON Component ATA:32								
PN:1945E314	MOS/MSC	18-Sep-14	H/T	TSN 0				
SN:HSM0777	HRS	1963.78		TSN 0				
	AFL	3288		TSN 235	151553 (M)		146331	
	ACH							
	EMH							
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03								
321041 RIGHT MAIN LANDING GEAR RETRACTION ACTUATOR PISTON Component ATA:32								
PN:1945E314	MOS/MSC	31-Jul-04	H/T					
SN:CPT327JK	HRS	431.3						
	AFL	746		TSN 38655				
	ACH							
	EMH							
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03								
321042 LEFT MAIN LANDING GEAR RETRACTION ACTUATOR PISTON ROD END Component ATA:32								
PN:1945-210	MOS/MSC	18-Sep-14	H/T	TSN 0				
SN:HSM2079	HRS	1963.78		TSN 0				
	AFL	3288		TSN 235	39053 (M)		33831	
	ACH							
	EMH							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03								
321043 RIGHT MAIN LANDING GEAR RETRACTION ACTUATOR PISTON ROD END Component ATA:32								
PN:01-747-061	MOS/MSC	31-Jul-04	H/T					
SN:BFG1043	HRS	431.3						
	AFL	746		TSN 0				
PROC. REF: AMM 32-30-03PROC. REF: AMM 32-30-03								
321045 LEFT MAIN LANDING GEAR UNIVERSAL TO CYLINDER PIN Component ATA:32								
PN:2071-29	MOS/MSC	13-Mar-02	H/T	TSN 0				
SN:BFG1043BIC	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02								
321046 RIGHT MAIN LANDING GEAR UNIVERSAL TO CYLINDER PIN Component ATA:32								
PN:2071-29	MOS/MSC	13-Mar-02	H/T	TSN 0				
SN:BFG1087BIC	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02								
321047 LEFT MAIN LANDING GEAR DAMPER Component ATA:32								
PN:76250-02103-106	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-10-05PROC. REF: AMM 32-10-05								
321048 RIGHT MAIN LANDING GEAR DAMPER Component ATA:32								
PN:76250-02103-106	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-10-05PROC. REF: AMM 32-10-05								
321051 LEFT MAIN LANDING GEAR POSITIONING ROD END Component ATA:32								
PN:2071-235	MOS/MSC	13-Mar-02	H/T	TSN 0				
SN:BFG0652BIC	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02								
321051 RIGHT MAIN LANDING GEAR POSITIONING ROD END Component ATA:32								
PN:2071-235	MOS/MSC	13-Mar-02	H/T	TSN 0				
SN:BIC0722	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02								
321056 LEFT MAIN LANDING GEAR POSITIONING ROD/UPPER TORQUE PIN Component ATA:32								
PN:2071-32	MOS/MSC	13-Mar-02	H/T	TSN 0				
SN:BFG1025BIC	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02								
321057 RIGHT MAIN LANDING GEAR POSITIONING ROD/UPPER TORQUE PIN Component ATA:32								
PN:2071-32	MOS/MSC	13-Mar-02	H/T	TSN 0				
SN:BFG1074BIC	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02								
321067 LEFT MAIN LANDING GEAR DRAG BRACE ROD END Component ATA:32								
PN:2071-35	MOS/MSC	13-Mar-02	H/T	TSN 0				
SN:CPT0309BIC	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-10-04PROC. REF: AMM 32-10-04								
321068 RIGHT MAIN LANDING GEAR DRAG BRACE ROD END Component ATA:32								
PN:2071-35	MOS/MSC	13-Mar-02	H/T	TSN 0				
SN:BIC3069	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-10-04PROC. REF: AMM 32-10-04								
321078 LEFT MAIN LANDING GEAR UPPER TORQUE ARM Component ATA:32								
PN:2071-46	MOS/MSC	13-Mar-02	H/T	TSN 0				
SN:BFG3083BIC	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02								
321079 RIGHT MAIN LANDING GEAR UPPER TORQUE ARM Component ATA:32								
PN:2071-46	MOS/MSC	13-Mar-02	H/T	TSN 0				
SN:BFG3051BIC	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02								
321080A ^U MAIN LANDING GEAR DOOR Component ATA:32								
PN:76207-02002-051	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
321080B ^U MAIN LANDING GEAR DOOR Component ATA:32								
PN:76207-02002-052	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
321083A ^U LEFT MLG ACTUATOR ASSY Component ATA:32								
PN:1945G200-01	MOS/MSC	18-Sep-14	O/C	TSO 0				
SN:CPT1211JK	HRS	1963.78		TSO 0				
	AFL	3288		TSN 31513, TSO 0				
321083B ^U RIGHT MLG ACTUATOR ASSY Component ATA:32								
PN:1945G200-02	MOS/MSC	31-Jul-04	O/C					
SN:CPT1126JK	HRS	431.3						
	AFL	746						
321084A ^U MLG AFT JURY BRACE Component ATA:32								
PN:1945E72B01	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
321084B ^U		MLG AFT JURY BRACE						Component	ATA:32
PN:1945E72B01	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
321089		LEFT MAIN LANDING GEAR LOWER TORQUE ARM						Component	ATA:32
PN:2071-47	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:BFG3038BIC	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02									
<hr/>									
321090		RIGHT MAIN LANDING GEAR LOWER TORQUE ARM						Component	ATA:32
PN:2071-47	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:BFG3031BIC	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02									
<hr/>									
322001 ^S		INSPECT NOSE LANDING GEAR						Service	ATA:32
	MOS	08-Jul-25							
	HRS	3218.7	100 (+10%)						
	AFL	5176							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
<hr/>									
322001.01		NOSE LANDING GEAR AXLE - LIFE LIMIT						Service	ATA:32
PN:2070-85	MOS	13-Mar-02						LIFE LIMIT	
SN:BFG3032BIC	HRS	0							
	AFL	0	224248		224248 (M)		219026		
<hr/>									
322001.02		NOSE LANDING GEAR FORK - LIFE LIMIT						Service	ATA:32
PN:2070-60	MOS	13-Mar-02						LIFE LIMIT	
SN:BFG5044BIC	HRS	0							
	AFL	0	144000		144000 (M)		138778		

PKG:3

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322001.03 NOSE LANDING GEAR PISTON - LIFE LIMIT Service ATA:32								
PN:2070-4	MOS	13-Mar-02						LIFE LIMIT
SN:BIC3070	HRS	0						
	AFL	0	161451		161451 (M)		156229	
322001.04 NOSE LANDING GEAR CYLINDER - LIFE LIMIT Service ATA:32								
PN:2070-2	MOS	13-Mar-02						LIFE LIMIT
SN:BFG3018BIC	HRS	0						
	AFL	0	60750		60750 (M)		55528	
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02								
322001.05 NOSE LANDING GEAR CYLINDER - LIFE LIMIT Service ATA:32								
PN:2070-201	MOS	16-Nov-11						LIFE LIMIT
SN:HSM5380	HRS	1654.4						
	AFL	2812	103500		104580 (M)		99358	
322001.06 NOSE LANDING GEAR DRAG BRACE ACTUATOR PISTON TERMINAL - LIFE LIMIT Service ATA:32								
PN:2070-212	MOS	16-Nov-11						LIFE LIMIT
SN:HSM3458	HRS	1654.4						
	AFL	2812	180000		181080 (M)		175858	
PROC. REF: AMM 32-30-04PROC. REF: AMM 32-30-04								
322001.07 NOSE LANDING GEAR DRAG BRACE ACTUATOR PISTON ROD - LIFE LIMIT Service ATA:32								
PN:1944E204	MOS	16-Nov-11						LIFE LIMIT
SN:HSM3369	HRS	1654.4						
	AFL	2812	99000		100080 (M)		94858	
PROC. REF: AMM 32-30-04PROC. REF: AMM 32-30-04								
322002^S NOSE LANDING GEAR STRUT EXPOSED PISTON SURFACE FOR SCRATCHES AND SCORING. ACTUATOR FOR CORROSION AND DAMAGE. Service ATA:32								
	MOS	15-Jun-21						
	HRS	2651.1	1500 (+10%)					
	AFL	4363						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								

PKG:12

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322006 NOSE LANDING GEAR SHOCK STRUT Component ATA:32								
PN:PN	MOS/MSC	13-Mar-02	O/C		TSN 0			
SN:UNKNOWN	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02								
322011 NOSE LANDING GEAR AXLE Component ATA:32								
PN:2070-85	MOS/MSC	13-Mar-02	H/T		TSN 0			
SN:BFG3032BIC	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
322020 SERVICE NOSE LANDING GEAR SHIMMY DAMPER Service ATA:32								
	MOS/MSC	13-Mar-02	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 32-20-00PROC. REF: AMM 32-20-00								
322021 NOSE LANDING GEAR FORK Component ATA:32								
PN:2070-60	MOS/MSC	13-Mar-02	H/T		TSN 0			
SN:BFG5044BIC	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
322031 NOSE LANDING GEAR PISTON Component ATA:32								
PN:2070-4	MOS/MSC	13-Mar-02	H/T		TSN 0			
SN:BIC3070	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: AMM 32-30-04PROC. REF: AMM 32-30-04								
322041 NOSE LANDING GEAR CYLINDER Component ATA:32								
PN:2070-2	MOS/MSC	13-Mar-02	H/T		TSN 0			
SN:BFG3018BIC	HRS	0			TSN 0			
	AFL	0			TSN 0			
PROC. REF: AMM 32-10-02PROC. REF: AMM 32-10-02								

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322051 NOSE LANDING GEAR DRAG BRACE ACTUATOR CYLINDER TERMINAL								Component ATA:32
PN:2070-201	MOS/MSC	16-Nov-11	H/T	TSR 0				
SN:HSM5380	HRS	1654.4		TSN 589.42, TSR 0				
	AFL	2812		TSN 1732, TSR 0				
	ACH							
	EMH							
PROC. REF: AMM 32-30-04PROC. REF: AMM 32-30-04								
322051A^U NLG ACTUATOR ASSY								Component ATA:32
PN:2070A200	MOS/MSC	16-Nov-11	O/C					
SN:BIC10467	HRS	1654.4						
	AFL	2812						
<hr/>								
322052^U NOSE LANDING GEAR								Component ATA:32
PN:76250-01000-111	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:B10414	HRS	0		TSN 0				
	AFL	0		TSN 0				
<hr/>								
322061 NOSE LANDING GEAR DRAG BRACE ACTUATOR PISTON TERMINAL								Component ATA:32
PN:2070-212	MOS/MSC	16-Nov-11	H/T	TSR 0				
SN:HSM3458	HRS	1654.4		TSN 589.42, TSR 0				
	AFL	2812		TSN 1732, TSR 0				
	ACH							
	EMH							
PROC. REF: AMM 32-30-04PROC. REF: AMM 32-30-04								
322071 NOSE LANDING GEAR DRAG BRACE ACTUATOR PISTON ROD								Component ATA:32
PN:1944E204	MOS/MSC	16-Nov-11	H/T	TSR 0				
SN:HSM3369	HRS	1654.4		TSN 589.42, TSR 0				
	AFL	2812		TSN 1732, TSR 0				
	ACH							
	EMH							
PROC. REF: AMM 32-30-04PROC. REF: AMM 32-30-04								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
322082A ^U NOSE LANDING GEAR DOOR Component ATA:32								
PN:76207-00005-045	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
322082B ^U NOSE LANDING GEAR DOOR Component ATA:32								
PN:76207-00005-046	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
323001 ^S INSPECT NOSE LANDING GEAR SHUTOFF VALVE Service ATA:32								
	MOS	15-Jun-21						
	HRS	2651.1	1500 (+10%)					
	AFL	4363						
PROC. REF: AMM 32-30-09PROC. REF: AMM 32-30-09								
323002 ^S INSPECT THE LANDING GEAR UP AND DOWN SOLENOID FASTENERS Service ATA:32								
	MOS	12-Dec-25	12 (+10%)					
	HRS							
	AFL							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
323004 ^S INSPECT AND CHECK NOSE LANDING GEAR SHUT OFF VALVE Service ATA:32								
	MOS	12-Dec-25	12 (+10%)					
	HRS							
	AFL							
PROC. REF: AMM 32-30-09PROC. REF: AMM 32-30-09								
323010 LANDING GEAR CONTROL VALVE Component ATA:32								
PN:76650-02802-104	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:769A	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
<hr/>									
323081 ^U	NLG PROXIMITY SENSOR HARNESS							Component	ATA:32
PN:76552-00110-016	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
323082A ^U	NLG PROXIMITY SENSOR CABLE ASSY							Component	ATA:32
PN:76552-00904-041	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
323082B ^U	NLG PROXIMITY SENSOR CABLE ASSY							Component	ATA:32
PN:76552-00904-042	MOS/MSC	24-Oct-13	O/C	TSN 0					
SN:3D81248	HRS	1865.65		TSN 0					
	AFL	3124		TSN 0					
<hr/>									
323083 ^U	MLG PROXIMITY SENSOR HARNESS							Component	ATA:32
PN:76552-00110-021	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
323084 ^U	MLG PROXIMITY SENSOR HARNESS							Component	ATA:32
PN:76552-00110-020	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
323085 ^U	MAIN LANDING GEAR DOWN LIMIT S26 SENSOR							Component	ATA:32
PN:76552-00904-045	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323086 ^U MAIN LANDING GEAR DOWN LIMIT S29 SENSOR Component ATA:32								
PN:76552-00904-045	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
323087 ^U MAIN LANDING GEAR DOWN LIMIT S27 SENSOR Component ATA:32								
PN:76552-00904-046	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
323088 ^U MAIN LANDING GEAR DOWN LIMIT S30 SENSOR Component ATA:32								
PN:76552-00904-046	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
323090 ^U NOSE LANDING GEAR SHUTTLE VALVE Component ATA:32								
PN:98071-2	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
323092A ^U MAIN LANDING GEAR SHUTTLE VALVE Component ATA:32								
PN:98071-3	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
323092B ^U MAIN LANDING GEAR SHUTTLE VALVE Component ATA:32								
PN:98071-3	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
323101 ^S	CHECK LANDING GEAR EMERGENCY BLOWDOWN BOTTLE CABLE SECURITY							Service	ATA:32
	MOS	12-Dec-25	12 (+10%)						
	HRS								
	AFL								
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								PKG:20	
323102 ^S	OPERATIONAL TEST LANDING GEAR EMERGENCY EXTENSION SYSTEM							Service	ATA:32
	MOS	12-Dec-25	12 (+10%)						
	HRS								
	AFL								
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								PKG:20	
323103	LANDING GEAR EMERGENCY BLOWDOWN BOTTLE - HYDROSTATIC TEST							Service	ATA:32
PN:PN	MOS	01-Oct-23	36 (+10%)		01-Oct-26	19-Jan-27	198 d (+110)	MANDATORY	
SN:UNKNOWN	HRS								
	AFL								
HydroCheck Date: : 01-Oct-23									
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
323120	SERVICE LANDING GEAR BLOWDOWN BOTTLE							Service	ATA:32
	MOS/MSC	04-Jan-24	O/C						
	HRS	3002							
	AFL	4897							
PROC. REF: AMM 32-31-00PROC. REF: AMM 32-31-00									
323140	LANDING GEAR EMERGENCY BLOWDOWN BOTTLE - REPLACE							Service	ATA:32
PN:23111353-1	MOS	01-Oct-13	180 (+10%)		01-Oct-28	01-Apr-30	929 d (+547)		
SN:1968	HRS								
	AFL								
Manufacture Date:: 01-Oct-13									
PROC. REF: AMM 32-31-01PROC. REF: AMM 32-31-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
323999 LANDING GEAR EMERGENCY BLOWDOWN BOTTLE								Component ATA:32
PN:23111353-1	MOS/MSC	11-Jan-24	A/R					
SN:1968	HRS	3002						
	AFL	4897						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
324000 LEFT MAIN LANDING GEAR VISUALLY INSPECT WHEEL HALVES								Service ATA:32
	MOS/MSC	13-Mar-02	T/C					INSPECT
	HRS	0						
	AFL	0						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
324000 NOSE LANDING GEAR VISUALLY INSPECT WHEEL HALVES								Service ATA:32
	MOS/MSC	13-Mar-02	T/C					INSPECT
	HRS	0						
	AFL	0						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
324000 RIGHT MAIN LANDING GEAR VISUALLY INSPECT WHEEL HALVES								Service ATA:32
	MOS/MSC	13-Mar-02	T/C					INSPECT
	HRS	0						
	AFL	0						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
324080A1 ^U LEFT MAIN LANDING GEAR WHEEL ASSEMBLY								Component ATA:32
PN:10-412	MOS/MSC	30-Sep-22	O/C	TSO 0				
SN:1017	HRS	2852.5		TSO 0				
	AFL	4670		TSO 0				
324080B1 ^U RIGHT MAIN LANDING GEAR WHEEL ASSEMBLY								Component ATA:32
PN:40-412	MOS/MSC	10-Jun-20	O/C	TSO 0				
SN:1501	HRS	2527.2		TSO 0				
	AFL	4206		TSO 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324081A ^U LEFT MAIN LANDING GEAR TIRE Component ATA:32								
PN:145K41-1	MOS/MSC	03-Oct-22	O/C	TSN 0				
SN:72695858	HRS	2852.5		TSN 0				
	AFL	4670		TSN 0				
324081B ^U RIGHT MAIN LANDING GEAR TIRE Component ATA:32								
PN:145K41-1	MOS/MSC	10-Jun-20	O/C	TSN 0				
SN:92205881	HRS	2527.2		TSN 0				
	AFL	4206		TSN 0				
324082 ^U NOSE LANDING GEAR TIRE Component ATA:32								
PN:504T41-2	MOS/MSC	05-Feb-25	O/C	TSN 0				
SN:90882227	HRS	3149		TSN 0				
	AFL	5104		TSN 0				
324082A ^{U S} COMPLY WITH OVERHAUL OF THE LEFT MAIN WHEEL ASSEMBLY. Component ATA:32								
PN:10-412	MOS	30-Sep-22	6	TSO 0				
SN:1017	HRS	2852.5		TSO 0				
	AFL	4670		TSO 0				
324082B ^{U S} COMPLY WITH OVERHAUL OF THE RIGHT MAIN WHEEL ASSEMBLY Component ATA:32								
PN:40-412	MOS	10-Jun-20	6	TSO 0				
SN:1501	HRS	2527.2		TSO 0				
	AFL	4206		TSO 0				
324083 ^U NOSE LANDING GEAR WHEEL ASSEMBLY Component ATA:32								
PN:40-413	MOS/MSC	10-Feb-25	O/C	TSO 55				
SN:1351	HRS	3149		TSO 0				
	AFL	5104		TSO 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324083A		U^S	COMPLY WITH OVERHAUL OF THE NOSE WHEEL ASSEMBLY .						Component ATA:32
PN:40-413	MOS	05-Feb-25	6		TSO 55				
SN:1351	HRS	3149			TSO 0				
	AFL	5104			TSO 0				
<hr/>									
324084A1		U	PILOT MASTER BRAKE CYLINDER						Component ATA:32
PN:76250-01101-103	MOS/MSC	13-Mar-02	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
<hr/>									
324084B		U	PILOT MASTER BRAKE CYLINDER						Component ATA:32
PN:76250-01101-102	MOS/MSC	13-Mar-02	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
<hr/>									
324084B1		U	PILOT MASTER BRAKE CYLINDER						Component ATA:32
PN:76250-01101-103	MOS/MSC	13-Mar-02	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
<hr/>									
324085A		U	CO PILOT MASTER BRAKE CYLINDER						Component ATA:32
PN:76250-01101-102	MOS/MSC	13-Mar-02	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
<hr/>									
324085A1		U	CO PILOT MASTER BRAKE CYLINDER						Component ATA:32
PN:76250-01101-103	MOS/MSC	13-Mar-02	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324085B ^U		CO PILOT MASTER BRAKE CYLINDER						Component	ATA:32
PN:76250-01101-102	MOS/MSC	13-Sep-07	O/C						
SN:UNKNOWN	HRS	1097.9							
	AFL	1870							
324085B1 ^U		CO PILOT MASTER BRAKE CYLINDER						Component	ATA:32
PN:76250-01101-103	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
324086A ^U		BRAKE MIXER VALVE						Component	ATA:32
PN:17160	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
324086B ^U		BRAKE MIXER VALVE						Component	ATA:32
PN:17160	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
324087 ^U		PARKING BRAKE VALVE						Component	ATA:32
PN:70250-01004-101	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
324088A ^U		LEFT MAIN LANDING GEAR BRAKE						Component	ATA:32
PN:30-242	MOS/MSC	15-Jun-21	O/C	TSO 0					
SN:2777	HRS	2651.1		TSO 0					
	AFL	4363		TSO 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324088B ^U RIGHT MAIN LANDING GEAR BRAKE Component ATA:32								
PN:30-242	MOS/MSC	24-Jun-19	O/C	TSO 0				
SN:1138	HRS	2450.3		TSO 0				
	AFL	4088		TSO 0				
324089A ^U BRAKE BACK PLATE Component ATA:32								
PN:5007788	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
324089B ^U BRAKE BACK PLATE Component ATA:32								
PN:5007788	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
324090A ^U BRAKE ROTATING DISC Component ATA:32								
PN:5007672	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
324090B ^U BRAKE ROTATING DISC Component ATA:32								
PN:5007672	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
324091A ^U BRAKE PRESSURE PLATE Component ATA:32								
PN:5007789	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
324091B ^U	BRAKE PRESSURE PLATE							Component	ATA:32
PN:5007789	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
324200 ^S	INSPECT NOSE WHEEL AND TIRE ASSEMBLY FOR INFLATION AND CONDITION							Service	ATA:32
	MOS	12-Dec-25							
	HRS	3239.4	50 (+10%)						
	AFL	5193							
PKG:2									
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
<hr/>									
324201 ^S	INSPECT MAIN WHEEL AND TIRE ASSEMBLY FOR INFLATION AND CONDITION, INSPECT NOSE WHEEL AND TIRE PER MANUFACTURER'S RECOMMENDATIONS							Service	ATA:32
	MOS	12-Dec-25							
	HRS	3239.4	50 (+10%)						
	AFL	5193							
PKG:2									
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
<hr/>									
324301L ^S	CHECK MAIN LANDING GEAR WHEEL BRAKE LINING FOR WEAR							Service	ATA:32
	MOS	12-Dec-25							
	HRS	3239.4	50 (+10%)						
	AFL	5193							
PKG:2									
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
<hr/>									
324320C	CHECK WHEEL BRAKE MASTER CYLINDER FLUID LEVEL							Service	ATA:32
	MOS/MSC	13-Mar-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 32 - LANDING GEAR								
324322A CHECK LEFT WHEEL BRAKE MASTER CYLINDER FLUID LEVEL Service ATA:32								
	MOS/MSC	13-Mar-02	O/C					
	HRS	0						
	AFL	0						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
324322B CHECK RIGHT WHEEL BRAKE MASTER CYLINDER FLUID LEVEL Service ATA:32								
	MOS/MSC	13-Mar-02	O/C					
	HRS	0						
	AFL	0						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
324380 ^U PARKING BRAKE HANDLE Component ATA:32								
PN:76250-01106-041	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
324381 ^U PARKING BRAKE VALVE Component ATA:32								
PN:76250-01004-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
327001 ^S INSPECT EMERGENCY FLOTATION SYSTEM Service ATA:32								
	MOS/MSC	10-Feb-25	N/A				NOT APPLICABLE	
	HRS	3149						
	AFL	5104						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPKG:8								
327002L ^S INSPECT MAIN LANDING GEAR AND WHEEL WELLS Service ATA:32								
	MOS	10-Feb-25						
	HRS	3149	600 (+10%)					
	AFL	5104						
PROC. REF: AMM 32-10-00PKG:8								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
327009	VISUAL INSPECT EMERGENCY FLOAT SYSTEM MLG DOOR LINK							Service	ATA:32
	MOS/MSC	13-Mar-02	N/A						
	HRS	0							
	AFL	0							
PROC. REF: AMM 32-70-05PROC. REF: AMM 32-70-05									
327040	LEFT MAIN FLOAT VALVE/ CYLINDER ASSEMBLY							Component	ATA:32
PN:PN	MOS/MSC	13-Mar-02	A/R		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
327042L ^S	LEFT MAIN LANDING GEAR DOOR LINK - REPLACE							Service	ATA:32
PN:PN	MOS		120 (+10%)				LIFE LIMIT		
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 32-70-05PROC. REF: AMM 32-70-05									
327042R ^S	RIGHT MAIN LANDING GEAR DOOR LINK - REPLACE							Service	ATA:32
PN:PN	MOS		120 (+10%)				LIFE LIMIT		
SN:UNKNOWN	HRS								
	AFL								
PROC. REF: AMM 32-70-05PROC. REF: AMM 32-70-05									
327100	LEFT MAIN LANDING GEAR DOOR LINK							Component	ATA:32
PN:PN	MOS/MSC	13-Mar-02	A/R		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 32-70-05PROC. REF: AMM 32-70-05									
327125	RIGHT MAIN LANDING GEAR DOOR LINK							Component	ATA:32
PN:PN	MOS/MSC	13-Mar-02	A/R		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
PROC. REF: AMM 32-70-05PROC. REF: AMM 32-70-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 32 - LANDING GEAR									
5-50-00 323104 ^U	ACCOMPLISH CONDITIONAL MAINTENANCE CHECK-PERFORM MAINTENANCE AFTER LANDING GEAR BLOW DOWN PROCEDURE. (REFER TO MAINTENANCE PRACTICES, 32-31-00.)							Service	ATA:32
	MOS/MSC	28-Jun-16	A/R						
	HRS	2160.8							
	AFL	3576							
ATA 33 - LIGHTS									
330001 ^S	CHECK INTERIOR COCKPIT AND CABIN LIGHTS (INCLUDING EMERGENCY LIGHTS) AND ALL EXTERIOR LIGHTS FOR CONDITION, SECURITY, AND PROPER OPERATION							Service	ATA:33
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
								PKG:8	
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
331080A ^U FLIGHT INSTRUMENT DIMMER Component ATA:33									
PN:76550-01008-103	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:546	HRS	0		TSN 0					
	AFL	0		TSN 0					
331080B ^U FLIGHT INSTRUMENT DIMMER Component ATA:33									
PN:76550-01008-103	MOS/MSC	04-May-10	O/C						
SN:2080	HRS	1466.8							
	AFL	2514							
331081A ^U NON-FLIGHT INSTRUMENT DIMMER Component ATA:33									
PN:76550-01008-103	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:929	HRS	0		TSN 0					
	AFL	0		TSN 0					
331081B ^U NON-FLIGHT INSTRUMENT DIMMER Component ATA:33									
PN:76550-01008-103	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:926	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
<hr/>								
331082A ^U UPPER CONSOLE DIMMER Component ATA:33								
PN:76550-01008-103	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:928	HRS	0		TSN 0				
	AFL	0		TSN 0				
<hr/>								
331082B ^U UPPER CONSOLE DIMMER Component ATA:33								
PN:76550-01008-103	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:923	HRS	0		TSN 0				
	AFL	0		TSN 0				
<hr/>								
331083 ^U DIMMER CONTROL Component ATA:33								
PN:532-1-1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
<hr/>								
331084A ^U LOWER CONSOLE DIMMER Component ATA:33								
PN:76550-01008-103	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:925	HRS	0		TSN 0				
	AFL	0		TSN 0				
<hr/>								
331084B ^U LOWER CONSOLE DIMMER Component ATA:33								
PN:76550-01008-103	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
<hr/>								
331086 ^U LED LIGHTING POWER SUPPLY Component ATA:33								
PN:ELP-2824-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
332080 ^U	R24 DOME LIGHTS DIMMER							Component	ATA:33
PN:1058-1-1	MOS/MSC	15-Sep-11	O/C						
SN:0150285	HRS	1628.2							
	AFL	2776							
332081A ^U	READING LIGHTS DIMMER							Component	ATA:33
PN:1054-1-1	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:0212095	HRS	0		TSN 0					
	AFL	0		TSN 0					
332081B ^U	READING LIGHTS DIMMER							Component	ATA:33
PN:1054-1-1	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
334001 ^S	CHECK ANTI-COLLISION LIGHT FOR CONDITION AND SECURITY							Service	ATA:33
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
334011	PULSE LIGHT UNIT							Component	ATA:33
PN:1150-30-0-0	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:BL00107	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
334012	ANTI-COLLISION LIGHT							Component	ATA:33
PN:30-1254-3	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 33-40-03PROC. REF: AMM 33-40-03									

PKG:8

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
334013 ANTI-COLLISION LIGHT POWER SUPPLY								Component ATA:33
PN:76550-03011-011	MOS/MSC	18-Sep-06	O/C					
SN:37527	HRS	900.4						
	AFL	1540						
PROC. REF: AMM 33-40-03PROC. REF: AMM 33-40-03								
334020 STROBE LIGHT POWER SUPPLY								Component ATA:33
PN:01-0770062-03	MOS/MSC	14-Oct-08	O/C					
SN:28068	HRS	1317.5						
	AFL	2258						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
334021 CONTROLLABLE SEARCH LIGHT								Component ATA:33
PN:76550-02005-104	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:0737	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 33-40-04PROC. REF: AMM 33-40-04								
334080 ^U LANDING LIGHT ASSEMBLY								Component ATA:33
PN:D6490-3	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
334084 ^U STROBE LIGHT ASSEMBLY								Component ATA:33
PN:A500-VD-28	MOS/MSC	25-Oct-11	O/C					
SN:1226	HRS	1634.8						
	AFL	2794						
334086A ^U NAV/STROBE LIGHT ASSEMBLY								Component ATA:33
PN:76550-06001-043	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
334086B ^U NAV/STROBE LIGHT ASSEMBLY Component ATA:33								
PN:A650PGD28	MOS/MSC	04-Apr-12	O/C					
SN:UNKNOWN	HRS	1715						
	AFL	2896						
334087 ^U EMERGENCY LIGHT SUPPLY DIMMER Component ATA:33								
PN:76550-01008-103	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
334089 ^U PULSELITE MONITOR UNIT Component ATA:33								
PN:33776-44923-044	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:401419-24	HRS	0		TSN 0				
	AFL	0		TSN 0				
334090 ^U ANTI-COLLISION BOTTOM RED STROBE LIGHT Component ATA:33								
PN:A470A-RD	MOS/MSC	20-Aug-02	O/C					
SN:UNKNOWN	HRS	6.5						
	AFL	12						
334091 ^U TAIL POSITION LIGHT Component ATA:33								
PN:01-0770024-05	MOS/MSC	12-Mar-14	O/C	TSN 0				
SN:UNKNOWN	HRS	1908.1		TSN 0				
	AFL	3199		TSN 0				
334092 ^U SEARCHLIGHT JUNCTION BOX Component ATA:33								
PN:025234-11	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
334093 ^U		PULSELITE TRANSFORMER						Component	ATA:33
PN:61551-05011-101	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
334095 ^U		TIME DELAY RELAY						Component	ATA:33
PN:33776-67020	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:1801X	HRS	0		TSN 0					
	AFL	0		TSN 0					
334096 ^U		LIGHT TRANSFORMER						Component	ATA:33
PN:FT1001	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
	AFL	0		TSN 0					
334097 ^U		LANDING LIGHT RELAY						Component	ATA:33
PN:MS24178-D1	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
	AFL	0		TSN 0					
334098 ^U		FLASHER ASSEMBLY						Component	ATA:33
PN:33776-44833-043	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:401409-2	HRS	0		TSN 0					
	AFL	0		TSN 0					
335001 ^U		EMERGENCY LIGHTING BATTERY						Component	ATA:33
PN:AD-61-0478-9	MOS/MSC	10-Feb-25	O/C	TSN 0					
SN:375778	HRS	3149		TSN 0					
	AFL	5104		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 33 - LIGHTS								
335080 ^U MICRO PROCESSOR Component ATA:33								
PN:653150/65351223	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
335082A ^U EMERGENCY EXIT LIGHTS BATTERY PACK Component ATA:33								
PN:AD-61-0478-9	MOS/MSC	01-Jun-17	O/C	TSR 0				
SN:175636	HRS	2254.7		TSO 25.4, TSR 0				
	AFL	3734		TSR 0				
335084 ^U CABIN EMERGENCY LIGHT BATTERY CASE ASSEMBLY Component ATA:33								
PN:60-1321-1	MOS/MSC	20-Mar-17	O/C	TSO 0				
SN:8657	HRS	2229.3		TSO 0				
	AFL	3696		TSO 0				
335085 ^U CABIN EMERGENCY LIGHT BATTERY Component ATA:33								
PN:S106	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
335086 ^U CABIN EMERGENCY LIGHT ASSEMBLY Component ATA:33								
PN:11-0283-3	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
33C045 ^U WHELEN POWER SUPPLY P/N A490A-TS-CF-14-28 Service ATA:33								
	MOS/MSC		A/R					
	HRS							
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 33 - LIGHTS									
DD00217 ^U	REPORT: DD00217.522A, REV: IR DATE 08 MAY 2017 , LED ASSEMBLY							Component	ATA:33
PN:PN	MOS/MSC	01-Jun-17	-						
SN:UNKNOWN	HRS								
	AFL								
ATA 34 - NAVIGATION									
340001 ^U	GMX200 JEPPESEN CHARTVIEW UPDATE							Service	ATA:34
	MOS/MSC	11-Mar-26	DUE		26-Mar-26 (M)		9 d		
	HRS	3253							
	AFL	5222							
	Expiry Date: : 26-Mar-26								
340002 ^U	GARMIN GMX200 NAVIGATION DATABASE UPDATE							Service	ATA:34
	MOS/MSC	11-Mar-26	DUE		16-Apr-26 (M)		30 d		
	HRS	3253							
	AFL	5222							
	Expiry Date: : 16-Apr-26								
341001A	TEST AND INSPECT ADC, ALTIMETER SYSTEM, AND ALTITUDE REPORTING EQUIPMENT IN ACCORDANCE WITH 14 CFR PART 91.411							Service	ATA:34
PN:PN	MOS	10-Feb-25	24		10-Feb-27		330 d		
SN:UNKNOWN	HRS	3149							
	AFL	5104							
	Calibration Date: : 10-Feb-25								
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
341001B	TEST AND INSPECT STANDBY ALTIMETER SYSTEM IN ACCORDANCE WITH 14 CFR PART 91.411							Service	ATA:34
PN:101720-11810	MOS	10-Feb-25	24 (+10%)		10-Feb-27	22-Apr-27	330 d (+71)	MANDATORY	
SN:152284	HRS	3149							
	AFL	5104							
	Calibration Date: : 10-Feb-25								
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341001C TEST AND INSPECT ADC, ALTIMETER SYSTEM, AND ALTITUDE REPORTING EQUIPMENT IN ACCORDANCE WITH 14 CFR PART 91.411								
PN:PN	MOS	10-Feb-25	24		10-Feb-27		330 d	Service ATA:34
SN:UNKNOWN	HRS	3149						
	AFL	5104						
Calibration Date: : 10-Feb-25								
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
341002A TEST AND INSPECT ATC TRANSPONDER IN ACCORDANCE WITH 14 CFR PART 91.413								
PN:622-9210-551	MOS	10-Feb-25	24		10-Feb-27		330 d	Service ATA:34
SN:4984	HRS	3149						MANDATORY
	AFL	5104						
Calibration Date: : 10-Feb-25								
PROC. REF: AMM 34-51-00PROC. REF: AMM 34-51-00								
341002B TEST AND INSPECT ATC TRANSPONDER IN ACCORDANCE WITH 14 CFR PART 91.413								
PN:622-9210-551	MOS	10-Feb-25	24		10-Feb-27		330 d	Service ATA:34
SN:4KDCGC	HRS	3149						MANDATORY
	AFL	5104						
Calibration Date: : 10-Feb-25								
PROC. REF: AMM 34-51-00PROC. REF: AMM 34-51-00								
341005 COPILOTS NO.1 EFIS INSTRUMENT DISPLAY								
PN:7003110-902	MOS/MSC	15-Jun-06	O/C					Component ATA:34
SN:0410B132	HRS	856.6						
	AFL	1463						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
341006 COPILOTS NO.2 EFIS INSTRUMENT DISPLAY								
PN:7003110-902	MOS/MSC	14-Jul-25	O/C		TSR 0			Component ATA:34
SN:0905D203	HRS	3222.6			TSR 0			
	AFL	5181			TSR 0			
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341007 PILOTS NO.1 EFIS INSTRUMENT DISPLAY								Component ATA:34
PN:7003110-902	MOS/MSC	04-May-10	O/C	TSN 0				
SN:0011A076	HRS	1466.8		TSN 0				
	AFL	2514		TSN 0				
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
341008 PILOTS NO.2 EFIS INSTRUMENT DISPLAY								Component ATA:34
PN:7003110-902	MOS/MSC	10-Apr-17	O/C	TSN 180				
SN:91065873	HRS	2236.8		TSN 2236				
	AFL	3715		TSN 3715				
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
341027 PILOT STANDBY ALTIMETER								Component ATA:34
PN:101720-11810	MOS/MSC	16-Jun-20	O/C	TSO 0				
SN:152284	HRS	2527.2		TSO 0				
	AFL	4206		TSO 0				
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
341028 NO. 1 AIR DATA COMPUTER								Component ATA:34
PN:D60350MK241105	MOS/MSC	01-Oct-24	O/C	TSR 0				
SN:297015-006	HRS	3108.9		TSR 0				
	AFL	5040		TSR 0				
PROC. REF: AMM 34-16-00PROC. REF: AMM 34-16-00								
341038 NO. 2 AIR DATA COMPUTER								Component ATA:34
PN:D60350MK241105	MOS/MSC	11-Oct-19	O/C	TSR 0				
SN:67018-002	HRS	2488.6		TSR 0				
	AFL	4137		TSR 0				
PROC. REF: AMM 34-16-00PROC. REF: AMM 34-16-00								
341042 NO. 1 VOR/MARKER COUPLER								Component ATA:34
PN:DMH21-1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:25707	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341044 NO. 2 VOR/MARKER COUPLER								Component ATA:34
PN:DMH21-1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:25844	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
341046 GLIDESLOPE RECEIVER								Component ATA:34
PN:DMH24-1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
341047 PILOT AIRSPEED INDICATOR								Component ATA:34
PN:20020-11293	MOS/MSC	16-May-12	O/C					
SN:298589	HRS	1724.4						
	AFL	2908						
PROC. REF: AMM 34-13-00 PROC. REF: AMM 34-13-00								
341051 COPILOT AIRSPEED INDICATOR								Component ATA:34
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-13-00 PROC. REF: AMM 34-13-00								
341081A ^U PITOT-STATIC PROBE								Component ATA:34
PN:856LK2	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
341081B ^U PITOT-STATIC PROBE								Component ATA:34
PN:856LK1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341082A ^U		VERTICAL AIRSPEED INDICATOR					Component		ATA:34
PN:S6145-61445-001	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
341083 ^U		FREE-AIR THERMOMETER					Component		ATA:34
PN:282020	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
341084 ^U		ALT-55B RADIO ALTIMETER RECEIVER/TRANSMITTER					Component		ATA:34
PN:622-2855-011	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:D05D	HRS	0		TSN 0					
	AFL	0		TSN 0					
341086A ^U		ALI-55A RADIO ALTIMETER INDICATOR					Component		ATA:34
PN:622-2938-002	MOS/MSC	22-Mar-03	O/C						
SN:J63L	HRS	97							
	AFL	156							
341086B ^U		ALI-55A RADIO ALTIMETER INDICATOR					Component		ATA:34
PN:622-2938-002	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
341090A ^U		VIR-32 NAVIGATION RECEIVER					Component		ATA:34
PN:622-6137-001	MOS/MSC	10-Oct-19	O/C	TSN 211					
SN:CWYT	HRS	2488.6		TSN 2488.6					
	AFL	4137		TSN 4137					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
341090B ^U VIR-32 NAVIGATION RECEIVER Component ATA:34								
PN:622-6137-001	MOS/MSC	15-Oct-20	O/C	TSO 0				
SN:6284	HRS	2546.9		TSO 0				
	AFL	4244		TSO 0				
341091 ^U VIR-32 NAVIGATION ADAPTER Component ATA:34								
PN:634-1103-003	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
341096 ^U RT-300 RADIO ALTIMETER RECEIVER/TRANSMITTER Component ATA:34								
PN:7001840-924	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
341097 ^U ADLP PROCESSOR Component ATA:34								
PN:453-0529-1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
341098 ^U MFD5200 CPU Component ATA:34								
PN:453-2550	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
341099 ^U MFD5200 RPU Component ATA:34								
PN:453-2530-00	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
341101	TEST PITOT-STATIC SYSTEM PER 14 CFR PART 91.411							Service	ATA:34
	MOS	10-Feb-25	24 (+10%)		10-Feb-27	22-Apr-27	330 d (+71)		
	HRS	3149							
	AFL	5104							
			Test Date: : 10-Feb-25						
PROC. REF: AMM 34-11-00PROC. REF: AMM 34-11-00									
341180A ^U	237Z-1 RADIO ALTIMETER TRANSMIT ANTENNA							Component	ATA:34
PN:522-4140-001	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
341180B ^U	237Z-1 RADIO ALTIMETER RECEIVER ANTENNA							Component	ATA:34
PN:522-4140-001	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
341780 ^U	AIR DATA COUPLER ACCESSORY UNIT							Component	ATA:34
PN:8800-02	MOS/MSC	13-Mar-02	O/C						
SN:096	HRS	0							
	AFL	0							
342001	NO. 1 SYMBOL GENERATOR							Component	ATA:34
PN:7011672-782	MOS/MSC	10-Oct-19	O/C						
SN:01012481	HRS	2488.6							
	AFL	4137							
PROC. REF: AMM 34-61-00PROC. REF: AMM 34-61-00									
342002	NO. 2 SYMBOL GENERATOR							Component	ATA:34
PN:7011672-782	MOS/MSC	10-Oct-19	O/C						
SN:01012482	HRS	2488.6							
	AFL	4137							
PROC. REF: AMM 34-61-00PROC. REF: AMM 34-61-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342003 TEST L-3 AVIONICS SYSTEMS/J.E.T EMERGENCY POWER SUPPLY PERIODIC CHECK - (IF INSTALLED) Service ATA:34								
PN:PN	MOS	09-Mar-26	3 (+10%)		09-Jun-26	18-Jun-26	84 d (+9)	
SN:UNKNOWN	HRS	3252						
	AFL	5221						
PROC. REF: AMM 34-26-00PROC. REF: AMM 34-26-00								
342004 L-3 AVIONICS SYSTEMS EMERGENCY POWER SUPPLY - CAPACITY TEST (IF INSTALLED) Service ATA:34								
PN:PN	MOS	12-Dec-25	12 (+10%)		12-Dec-26	18-Jan-27	270 d (+37)	
SN:UNKNOWN	HRS	3239.4						
	AFL	5193						
PROC. REF: AMM 34-26-00PROC. REF: AMM 34-26-00								
342005 TEST L-3 AVIONICS SYSTEMS/J.E.T EMERGENCY POWER SUPPLY Component ATA:34								
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-26-00PROC. REF: AMM 34-26-00								
342006 NO. 1 FLUX VALVE Component ATA:34								
PN:2594484	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:54071	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-21-02PROC. REF: AMM 34-21-02								
342008 NO. 2 FLUX VALVE Component ATA:34								
PN:2594484	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:94284	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-21-02PROC. REF: AMM 34-21-02								
342009 REMOTE COMPENSATOR Component ATA:34								
PN:2593379-001	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-21-02PROC. REF: AMM 34-21-02								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342010		PILOT CONTROL DISPLAY						Component	ATA:34
PN:7012977-734	MOS/MSC	26-Jun-25	O/C						
SN:01032749	HRS	3217.7							
	AFL	5175							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL PROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
3420101 ^U		STANDBY ATTITUDE INDICATOR						Component	ATA:34
PN:H321AFM1	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
3420102A ^U		LCR-92S ATTITUDE/HEADING REFERENCE UNIT						Component	ATA:34
PN:141852-3222	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:1126	HRS	0		TSN 0					
	AFL	0		TSN 0					
3420102B ^U		LCR-92S ATTITUDE/HEADING REFERENCE UNIT						Component	ATA:34
PN:141852-3222	MOS/MSC	10-Oct-19	O/C	TSN 211					
SN:1123	HRS	2488.6		TSN 2488.6					
	AFL	4137		TSN 4137					
3420103A ^U		CALIBRATION PROM UNIT						Component	ATA:34
PN:124282	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
	AFL	0		TSN 0					
3420103B ^U		CALIBRATION PROM UNIT						Component	ATA:34
PN:124282	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:NSN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
3420104 ^U CDI 51601 COURSE SELECTOR INDICATOR Component ATA:34								
PN:520-5160-006	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3420105 ^U CTL-92 CONTROL HEAD Component ATA:34								
PN:622-6523-207	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3420106 ^U CAD-62 ADAPTER Component ATA:34								
PN:622-6590-002	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:3J1B	HRS	0		TSN 0				
	AFL	0		TSN 0				
3420107A ^U RTU-4200 RADIO TUNING UNIT Component ATA:34								
PN:82200668-001	MOS/MSC	10-Oct-19	O/C					
SN:G76V	HRS	2488.6						
	AFL	4137						
3420107B ^U RTU-4200 RADIO TUNING UNIT Component ATA:34								
PN:82200668-001	MOS/MSC	10-Oct-19	O/C	TSN 211				
SN:G8WL	HRS	2488.6		TSN 2488.6				
	AFL	4137		TSN 4137				
3420108 ^U CHIP MAGNASTAR Component ATA:34								
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
3420109 ^U AVI SWITCHING UNIT Component ATA:34								
PN:33776-86806-041	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:9A	HRS	0		TSN 0				
	AFL	0		TSN 0				
<hr/>								
342011 COPILOT CONTROL DISPLAY Component ATA:34								
PN:7012977-734	MOS/MSC	26-Jun-25	O/C					
SN:01032741	HRS	3217.7						
	AFL	5175						
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
<hr/>								
3420110 ^U EGPWS SWITCHING UNIT Component ATA:34								
PN:33776-46320-041	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
<hr/>								
342041 STANDBY COMPASS Component ATA:34								
PN:PAI-700-28	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:40126	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-23-01PROC. REF: AMM 34-23-01								
<hr/>								
342063 POWER SUPPLY Component ATA:34								
PN:501-1712-01	MOS/MSC	12-Dec-25	O/C	TSO 45				
SN:2483	HRS	3239.4		TSO 449.9				
	AFL	5193		TSO 639				
PROC. REF: AMM 34-26-00PROC. REF: AMM 34-26-00								
<hr/>								
342065 CONTROL DISPLAY Component ATA:34								
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
342067		ARRNIC ADAPTER						Component	ATA:34
PN:RAA7007-00	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:007226	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
342077		STANDBY ADI INDICATOR						Component	ATA:34
PN:501-1753-04	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:1236	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
342080A ^U		GYRO/SYNCHRONIZING ASSEMBLY COMPASS						Component	ATA:34
PN:2587193-43	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
342080A1 ^U		GYRO/SYNCHRONIZING ASSEMBLY COMPASS						Component	ATA:34
PN:2587193-43	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
342081 ^U		COMPASS CONTROL PANEL						Component	ATA:34
PN:33776-44261-050	MOS/MSC	21-Jan-19	O/C	TSN 0					
SN:VC057246	HRS	2413.6		TSN 0					
	AFL	4027		TSN 0					
342083 ^U		REMOTE DATA ACQUISITION UNIT						Component	ATA:34
PN:2231230-10A-1	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342085 ^U CS-212 COMPASS COMPENSATOR Component ATA:34								
PN:656767	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
342090 ^U ADI-335D STANDBY ATTITUDE INDICATOR Component ATA:34								
PN:504-003-392-4	MOS/MSC	20-Aug-02	O/C					
SN:UNKNOWN	HRS	6.5						
	AFL	12						
342094 ^U 305-1BL ATTITUDE INDICATOR Component ATA:34								
PN:504-0033-924-20	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
342096 ^U CDI 51601 STANDBY COURSE DEVIATION INDICATOR Component ATA:34								
PN:520-5160-006	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
342099 ^U STANDBY HORIZON INDICATOR Component ATA:34								
PN:501-1753-04	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
342180A ^U VERTICAL GYRO Component ATA:34								
PN:76600-02113-103	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
342180B ^U VERTICAL GYRO Component ATA:34								
PN:76600-02113-103	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
342181A ^U YAW RATE GYRO Component ATA:34								
PN:76600-02113-103	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
342181B ^U YAW RATE GYRO Component ATA:34								
PN:76600-02113-103	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
343080A ^U MARKER BEACON RECEIVER Component ATA:34								
PN:066-1044-00	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
343080B ^U MARKER BEACON RECEIVER Component ATA:34								
PN:066-1044-00	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
343081A ^U GS/MARKER BEACON ANTENNA Component ATA:34								
PN:FMB10-272-1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
343081B^U GS/MARKER BEACON ANTENNA								Component ATA:34
PN:FMB10-272-1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
<hr/>								
344001 RADAR INDICATOR								Component ATA:34
PN:7007700-414	MOS/MSC	10-Oct-19	O/C	TSR 28				
SN:88120293	HRS	2488.6		TSR 233.9				
	AFL	4137		TSR 403				
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
<hr/>								
344006 RADAR RECEIVER/TRANSMITTER UNIT								Component ATA:34
PN:7021450-801	MOS/MSC	22-Oct-21	O/C	TSR 0				
SN:02094148	HRS	2738.1		TSR 0				
	AFL	4472		TSR 0				
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
<hr/>								
344021 ANTENNA PEDESTAL								Component ATA:34
PN:MI-585467	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
<hr/>								
344023 RADAR CONTROL PANEL								Component ATA:34
PN:MI-585399-3	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:02021879	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL								
<hr/>								
344045 EGPWS								Component ATA:34
PN:965-1590-011	MOS/MSC	06-Dec-17	O/C					
SN:1065	HRS	2322						
	AFL	3842						
PROC. REF: AMM 34-41-00PROC. REF: AMM 34-41-00								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
344082 ^U WU-870 RECEIVER TRANSMITTER ANTENNA Component ATA:34								
PN:7012640-901	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
344083 ^U INTERFACE COMPUTER Component ATA:34								
PN:MI-55397-105	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
344086A2 ^U WU-660 WX RADAR UNIT RECEIVER/TRANSMITTER Component ATA:34								
PN:7021450-601	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
344089 ^U IN-862A WEATHER RADAR CONTROL DISPLAY Component ATA:34								
PN:066-3086-30	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
344096 ^U TRIMBLE 2101 RDU UNIT Component ATA:34								
PN:81440-02-241B	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
344097 ^U STORMSCOPE PROCESSOR Component ATA:34								
PN:805-11500-001	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
344099 ^U		EGPWS RELAY BOX						Component	ATA:34
PN:33776-46320-041	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
344104	ON HELICOPTERS WITH ENHANCED GROUND PROXIMITY WARNING SYSTEM (EGPWS) INSTALLED CONFIRM THAT THE EGPWS DATABASE IS CURRENT AND APPROPRIATE FOR THE INTENDED AREA OF OPERATION.							Service	ATA:34
	DAYS	17-Feb-26	60 (+10%)		18-Apr-26	24-Apr-26	32 d (+6)		
	HRS	3247.6							
	AFL	5207							
PROC. REF: GENERIC REFER TO APPROPRIATE MANUALPROC. REF: GENERIC REFER TO APPROPRIATE MANUAL									
<hr/>									
344181 ^U		LP-850 LIGHTNING SENSOR PROCESSOR						Component	ATA:34
PN:701182-904	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:01121193	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
344182 ^U		LU-850 LIGHTNING SENSOR CONTROLLER						Component	ATA:34
PN:7011865-904	MOS/MSC	20-Aug-02	O/C						
SN:UNKNOWN	HRS	6.5							
	AFL	12							
<hr/>									
344182A ^U		LU-860 LIGHTNING SENSOR CONTROLLER						Component	ATA:34
PN:7012738-902	MOS/MSC	20-Aug-02	O/C						
SN:2010515	HRS	6.5							
	AFL	12							
<hr/>									
344183 ^U		AT-850 LIGHTNING SENSOR ANTENNA						Component	ATA:34
PN:4057697-901	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:0203122	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
3450101 ^U		LOW SPEED WARNING DETECTOR					Component	ATA:34	
PN:76600-21007-041	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:90A	HRS	0		TSN 0					
	AFL	0		TSN 0					
3450102 ^U		LOW SPEED WARNING BOX ASSEMBLY					Component	ATA:34	
PN:76600-21007-041	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
3450103 ^U		LOW SPEED WARNING DEVICE					Component	ATA:34	
PN:034368	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
3450104A ^U		EFIS COOLING FAN					Component	ATA:34	
PN:011072	MOS/MSC	04-Dec-15	O/C	TSN 0					
SN:115030308	HRS	2104.93		TSN 0					
	AFL	3496		TSN 0					
3450104B ^U		EFIS COOLING FAN ASSEMBLY					Component	ATA:34	
PN:33776-46075-044	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
3450107 ^U		CTL-462A ADF CONTROL HEAD					Component	ATA:34	
PN:622-6522-007	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
3450108 ^U CM-2000 CONFIGURATION MODULE Component ATA:34								
PN:071-00097-0100	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3450110A ^U KFS-586A ADF CONTROL Component ATA:34								
PN:071-1284-05	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3450110B ^U KFS-586A ADF CONTROL Component ATA:34								
PN:071-1284-05	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3450112 ^U DDR PROCESSOR Component ATA:34								
PN:76450-01096-106	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3450117 ^U 429 HIGH SPEED/LOW SPEED CONVERTER Component ATA:34								
PN:933612-02	MOS/MSC	24-Oct-14	O/C					
SN:560	HRS	1970.7						
	AFL	3298						
345080 ^U ADF-462 ADF RECEIVER Component ATA:34								
PN:622-7382-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:5R7X	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345080A ^U		ADF ANTENNA						Component	ATA:34
PN:622-2363-001	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
345080B ^U		ADF ANTENNA						Component	ATA:34
PN:622-2363-001	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
345081 ^U		VERTICAL CARD COMPASS						Component	ATA:34
PN:PAI -700	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
345087 ^U		UNS CONTROL DISPLAY UNIT						Component	ATA:34
PN:1018-1-203	MOS/MSC	08-Feb-21	O/C						
SN:1422	HRS	2571.2							
	AFL	4278							
345087A ^U		UNS CONTROL DISPLAY UNIT						Component	ATA:34
PN:1018-1-203	MOS/MSC	08-Feb-21	O/C						
SN:1422	HRS	2571.2							
	AFL	4278							
345088 ^U		DDR DISPLAY						Component	ATA:34
PN:76450-01096-105	MOS/MSC	20-Aug-02	O/C						
SN:UNKNOWN	HRS	6.5							
	AFL	12							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345090 ^U AIR DATA COMPUTER ACCESSORY UNIT Component ATA:34								
PN:8800-02	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
345098A ^U AIR DATA TEMPERATURE PROBE Component ATA:34								
PN:33776-64697-019	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
345098B ^U AIR DATA TEMPERATURE PROBE Component ATA:34								
PN:33776-64697-018	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
345099 ^U AIR DATA TEMPERATURE SENSOR Component ATA:34								
PN:A9506-01-A-1.85	MOS/MSC	19-Oct-09	O/C					
SN:H4387	HRS	1410.5						
	AFL	2422						
345099A ^U AIR DATA TEMPERATURE SENSOR Component ATA:34								
PN:A9506-01-A-1.85	MOS/MSC	19-Oct-09	O/C					
SN:H4387	HRS	1410.5						
	AFL	2422						
345099B ^U AIR DATA TEMPERATURE SENSOR Component ATA:34								
PN:A9506-01-A-1.85	MOS/MSC	19-Oct-09	O/C					
SN:H4407	HRS	1410.5						
	AFL	2422						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345111 PILOT DME INDICATOR								Component ATA:34
PN:622-6524-003	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:7391	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-52-00PROC. REF: AMM 34-52-00								
345116 COPILOT DME INDICATOR								Component ATA:34
PN:622-6524-003	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:D93B	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-52-00PROC. REF: AMM 34-52-00								
345166 PILOT ATC TRANSPONDER								Component ATA:34
PN:622-9210-551	MOS/MSC	06-Mar-24	O/C	TSO 3				
SN:4984	HRS	3016		TSO 0				
	AFL	4930		TSO 0				
PROC. REF: AMM 34-51-00PROC. REF: AMM 34-51-00								
345176 COPILOT ATC TRANSPONDER								Component ATA:34
PN:622-9210-551	MOS/MSC	11-Oct-19	O/C	TSN 1				
SN:4KDCGC	HRS	2488.6		TSN 0				
	AFL	4137		TSN 0				
PROC. REF: AMM 34-51-00PROC. REF: AMM 34-51-00								
345181A ^U DME ANTENNA								Component ATA:34
PN:DMN1-50-6	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
345181B ^U DME ANTENNA								Component ATA:34
PN:DMN1-50-6	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345185A ^U TDR-94D TRANSPONDER RECEIVER/TRANSMITTER Component ATA:34								
PN:622-9210-551	MOS/MSC	11-Oct-19	O/C	TSN 1				
SN:4KDCGC	HRS	2488.6		TSN 0				
	AFL	4137		TSN 0				
345186 ^U TRANSPONDER ANTENNA Component ATA:34								
PN:6247813-001	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
345186C UPPER TRANSPONDER ANTENNA Component ATA:34								
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 34-51-00PROC. REF: AMM 34-51-00								
345187 ^U RH TRANSPONDER RH UPPER ANTENNA Component ATA:34								
PN:DMN150-6-2	MOS/MSC							
SN:30680	HRS							
	AFL							
345187 ^U TRANSPONDER UPPER RH ANTENNA Component ATA:34								
PN:DMN150-6-2	MOS/MSC	24-Jun-19	NONE	TSN 0				
SN:30680	HRS	2450.3		TSN 0				
	AFL	4088		TSN 0				
345187A ^U DME-42 DISTANCE MEASURING EQUIPMENT TRANSCEIVER Component ATA:34								
PN:622-6263-003	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:60DF	HRS	0		TSN 0				
	AFL	0		TSN 0				

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345187B ^U DME-42 DISTANCE MEASURING EQUIPMENT TRANSCEIVER Component ATA:34								
PN:622-6263-003	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:GXNX	HRS	0		TSN 0				
	AFL	0		TSN 0				
3452101 ^U TRC-497 SKYWATCH R/T COMPUTER Component ATA:34								
PN:805-10800-001	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3452102 ^U SKY-497 SKYWATCH DISPLAY INDICATOR Component ATA:34								
PN:78-8060-5900-8	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3452103 ^U TCAS COAX KIT Component ATA:34								
PN:455GY1-501	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3452104 ^U NY-163 ANTENNA Component ATA:34								
PN:805-10930-001	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
3452107 ^U GLIDESLOPE ANTENNA Component ATA:34								
PN:CI-193	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:0019	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345211 NAVIGATION DATA COMPUTER								Component ATA:34
PN:7020480-901	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:01120270	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
345212 CLEARANCE DELIVERY UNIT								Component ATA:34
PN:7513000-802	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
345213 NAVIGATION COMPUTER UNIT								Component ATA:34
PN:3192-09-111106	MOS/MSC	12-Dec-25	O/C	TSN 74				
SN:1228	HRS	3239.4		TSN 750.8				
	AFL	5193		TSN 1056				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
345216 CONFIGURATION MODULE								Component ATA:34
PN:31921	MOS/MSC	10-Oct-19	O/C	TSN 0				
SN:3465	HRS	2488.6		TSN 0				
	AFL	4137		TSN 0				
PROC. REF: AMM 34-41-00PROC. REF: AMM 34-41-00								
345218 DATA TRANSFER UNIT								Component ATA:34
PN:1404-01-11	MOS/MSC	20-Aug-02	O/C					
SN:UNKNOWN	HRS	6.5						
	AFL	12						
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
345220 COMPUTER UNIT								Component ATA:34
PN:1070-01	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
345221		PROCESSER					Component		ATA:34
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
345266		TCAS INDICATOR					Component		ATA:34
PN:066-01172-2704	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:21328	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
345269		TCAS INDICATOR					Component		ATA:34
PN:066-01172-2704	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:21261	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
345272		TCAS PROCESSER					Component		ATA:34
PN:066-01145-0101	MOS/MSC	08-Jan-21	O/C						
SN:2798	HRS								
	AFL								
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
345276		COURSE HEADING CONTROL					Component		ATA:34
PN:4026206-972	MOS/MSC	10-Oct-19	O/C	TSN 211					
SN:98105923	HRS	2488.6		TSN 2488.6					
	AFL	4137		TSN 4137					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
345280 ^U		LORAN C SENSOR					Component		ATA:34
PN:1040	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345281 ^U SUPERCOLOR CDU Component ATA:34								
PN:1016-1-21012	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
345284 ^U AL-300 COCKPIT AIR DATA DISPLAY Component ATA:34								
PN:7002412-906	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:00111223	HRS	0		TSN 0				
	AFL	0		TSN 0				
345287 ^U KEYBOARD Component ATA:34								
PN:MI-585245	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
345288 ^U GPS ANTENNA Component ATA:34								
PN:AT575-326UAW-TNCF-000-RG-30-NM	MOS/MSC	10-Oct-19	O/C	TSN 0				
SN:11903	HRS	2488.6		TSN 0				
	AFL	4137		TSN 0				
345288A ^U GPS ANTENNA Component ATA:34								
PN:10704	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
345288B ^U GPS ANTENNA Component ATA:34								
PN:10704	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345289 ^U BLUE SKY GPS ANTENNA Component ATA:34								
PN:CI 490-501	MOS/MSC	11-Jun-21	O/C	TSN 0				
SN:629620	HRS	2651.1		TSN 0				
	AFL	4363		TSN 0				
3452890 ^U BLUE SKY GPS ANTENNA Component ATA:34								
PN:CI 490-501	MOS/MSC		T:O/C					
SN:UNKNOWN	HRS							
	AFL							
345290 ^U GNS-XLSRECEIVER PROCESSOR Component ATA:34								
PN:17960-0101-0003	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
345292 ^U ANT-67A TCAS ANTENNA Component ATA:34								
PN:071-01548-0200	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:10720	HRS	0		TSN 0				
	AFL	0		TSN 0				
345293 ^U ANT-67A TCAS ANTENNA Component ATA:34								
PN:071-01548-0200	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:8943	HRS	0		TSN 0				
	AFL	0		TSN 0				
345294 ^U CP-66B TCAS CONTROL PANEL Component ATA:34								
PN:071-01568-0401	MOS/MSC	04-May-10	O/C					
SN:1878	HRS	1466.8						
	AFL	2514						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 34 - NAVIGATION								
345298 ^U GPS PROCESSOR Component ATA:34								
PN:1075-01	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
345483 ^U ADF EMERGENCY POWER SUPPLY Component ATA:34								
PN:A413AHDADF-28	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
346082 ^U MOVING MAP PANEL Component ATA:34								
PN:33776-44636-044	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:401414-1	HRS	0		TSN 0				
	AFL	0		TSN 0				
348080A ^U NO. 1 L BAND ANTENNA Component ATA:34								
PN:DMNI-50-6-2	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:19673	HRS	0		TSN 0				
	AFL	0		TSN 0				
348080B ^U NO. 1 L BAND ANTENNA Component ATA:34								
PN:DMNI-50-6-2	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:17907	HRS	0		TSN 0				
	AFL	0		TSN 0				
348081A ^U NO. 2 L BAND ANTENNA Component ATA:34								
PN:DMNI-50-6-2	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:19648	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
348081B ^U		NO. 2 L BAND ANTENNA						Component	ATA:34
PN:DMNI-50-6-2	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:17900	HRS	0		TSN 0					
	AFL	0		TSN 0					
348082A ^U		L BAND ANTENNA						Component	ATA:34
PN:DMNI-50-6-2	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:19685	HRS	0		TSN 0					
	AFL	0		TSN 0					
348082B ^U		L BAND ANTENNA						Component	ATA:34
PN:DMNI-50-6-2	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
34C005 ^U		PERFORM UNIVERSAL FMS NAV UPDATE						Service	ATA:34
	MOS/MSC	11-Mar-26	DUE		16-Apr-26 (M)		30 d		
	HRS	3253							
	AFL	5222							
		Expiry Date: : 16-Apr-26							
89 ^U		GPS ANTENNA 345289 GPS ANTENNA						Component	ATA:34
PN:CI 490-501	MOS/MSC		-						
SN:UNKNOWN	HRS								
	AFL								
89A ^U		GPS ANTENNA 345289 GPS ANTENNA						Component	ATA:34
PN:CI 490-501	MOS/MSC		-						
SN:UNKNOWN	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 34 - NAVIGATION									
89BLUE ^U		GPS ANTENNA BLUE SKY GPS ANTENNA					Component	ATA:34	
PN:CI 490-501	MOS/MSC		-						
SN:UNKNOWN	HRS								
	AFL								
ATA 39 - ELECTRICAL PANELS, PARTS AND INSTRUMENTS									
341084B ^U		INTEGRATED INSTRUMENT PANEL					Component	ATA:39	
PN:76450-21092-041	MOS/MSC	13-Mar-02	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
341084C ^U		INTEGRATED INSTRUMENT PANEL					Component	ATA:39	
PN:76450-21092-041	MOS/MSC	13-Mar-02	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
390001 ^S		INSPECT ELECTRICAL COMPARTMENT					Service	ATA:39	
	MOS	12-Dec-25	36 (+10%)						
	HRS	3239.4							
	AFL	5193							
PKG:22									
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
390002 ^S		INSPECT JUNCTION BOX RELAY CONNECTIONS					Service	ATA:39	
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)						
	AFL	4363							
PKG:13									
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 39 - ELECTRICAL PANELS, PARTS AND INSTRUMENTS									
390003 ^S	INSPECT TAIL CONE INSTALLED AVIONIC/ELECTRICAL INSTALLATIONS							Service	ATA:39
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)						
	AFL	4363							
PKG:13									
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
391001 ^S	INSPECT COCKPIT EQUIPMENT AND INSTRUMENT PANEL WIRING							Service	ATA:39
	MOS	12-Dec-25	24 (+10%)						
	HRS	3239.4							
	AFL	5193							
PKG:20									
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
391081A ^U	IIDS PILOT DISPLAY							Component	ATA:39
PN:76450-01098-108	MOS/MSC	10-Oct-19	O/C						
SN:1153	HRS	2488.6							
	AFL	4137							
391081B ^U	IIDS COPILOT DISPLAY							Component	ATA:39
PN:76450-01098-108	MOS/MSC	04-Dec-18	O/C						
SN:1153	HRS	2404.5							
	AFL	4011							
391081C ^U	IIDS CENTER DISPLAY							Component	ATA:39
PN:76450-01098-108	MOS/MSC	10-Oct-19	O/C	TSN 211					
SN:1172	HRS	2488.6		TSN 2488.6					
	AFL	4137		TSN 4137					
391084A ^U	INTEGRATED INSTRUMENT PANEL							Component	ATA:39
PN:76450-21092-041	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 39 - ELECTRICAL PANELS, PARTS AND INSTRUMENTS								
391086 ^U BARRIER FILTER DISPLAY PANEL Component ATA:39								
PN:76302-07800-108	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:H1132	HRS	0		TSN 0				
	AFL	0		TSN 0				
391090 ^U BARRIER FILTER DISPLAY OVERLAY PANEL Component ATA:39								
PN:FHM200-9004	MOS/MSC	26-May-23	O/C	TSN 0				
SN:NSN	HRS	2933.9		TSN 0				
	AFL	4799		TSN 0				
394001 ^S INSPECT CIRCUIT BREAKER PANELS Service ATA:39								
	MOS	12-Dec-25	36 (+10%)					
	HRS	3239.4						
	AFL	5193						
PKG:22								
PROC. REF: AMM REFER TO APPROPRIATE MANUAL PROC. REF: AMM REFER TO APPROPRIATE MANUAL								
394002 ^S TEST REMOTE CONTROL CIRCUIT BREAKERS Service ATA:39								
	MOS	12-Dec-25	36 (+10%)					
	HRS	3239.4						
	AFL	5193						
PKG:22								
PROC. REF: AMM 39-40-01 PROC. REF: AMM 39-40-01								
394082 ^U K15 ECS SHUTDOWN RELAY Component ATA:39								
PN:MS27401-1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
394083 ^U K12 BUS ECU CONTROL RELAY Component ATA:39								
PN:MS27401-3	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 39 - ELECTRICAL PANELS, PARTS AND INSTRUMENTS									
394084 ^U		K16 BUS WARNING RELAY						Component	ATA:39
PN:JA-D2E	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
394085 ^U		K18 BUS WARNING RELAY						Component	ATA:39
PN:JA-D2E	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
ATA 52 - DOORS									
520010		LEFT RETRACTABLE STEP						Component	ATA:52
PN:76850-00004-043	MOS/MSC	20-Aug-02	O/C						
SN:UNKNOWN	HRS	6.5							
	AFL	12							
PROC. REF: AMM 52-60-00PROC. REF: AMM 52-60-00									
<hr/>									
520016		RIGHT RETRACTABLE STEP						Component	ATA:52
PN:05076-10A010-2	MOS/MSC	14-Jul-11	O/C						
SN:0033	HRS	1593.2							
	AFL	2725							
PROC. REF: AMM 52-60-00PROC. REF: AMM 52-60-00									
<hr/>									
520055 ^U		LH CABIN DOOR LOCK ACTAUTOR						Component	ATA:52
PN:22062740	MOS/MSC	03-Jul-19	O/C	TSN 0					
SN:UNKNOWN	HRS	2452.3		TSN 0					
	AFL	4096		TSN 0					
<hr/>									
520055 ^U		RH CABIN DOOR LOCK ACTAUTOR						Component	ATA:52
PN:22062740	MOS/MSC	03-Jul-19	O/C	TSN 0					
SN:UNKNOWN	HRS	2452.3		TSN 0					
	AFL	4096		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
521001 ^S	INSPECT COCKPIT AND HINGED OR SLIDING PASSENGER DOORS EXTERIOR AND INTERIOR SURFACES AND ATTACHMENT FITTINGS AND HARDWARE							Service	ATA:52
	MOS	12-Dec-25	24 (+10%)						
	HRS	3239.4							
	AFL	5193							
								PKG:20	
PROC. REF: AMM 52-10-01, AMM 52-10-02, AMM 53-40-01, AMM 53-40-02PROC. REF: AMM 52-10-01, AMM 52-10-02, AMM 53-40-01, AMM 53-40-02									
521003 ^S	CHECK PASSENGER ELECTRIC DOOR LOCK MECHANISM - OPS							Service	ATA:52
	MOS	12-Dec-25	12 (+10%)						
	HRS								
	AFL								
								PKG:20	
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
521004 ^S	VISUALLY INSPECT COCKPIT AND HINGED PASSENGER DOORS							Service	ATA:52
	MOS	08-Jul-25							
	HRS	3218.7	100 (+10%)						
	AFL	5176							
								PKG:3	
PROC. REF: AMM 52-10-01, AMM 52-10-02PROC. REF: AMM 52-10-01, AMM 52-10-02									
521080 ^U	COCKPIT DOOR ASSEMBLY							Component	ATA:52
PN:76207-10002-092	MOS/MSC	13-Mar-02	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				
521081 ^U	COCKPIT DOOR ASSEMBLY							Component	ATA:52
PN:76207-10002-096	MOS/MSC	13-Mar-02	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	AFL	0			TSN 0				

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 52 - DOORS								
521082 ^U PASSENGER DOOR ASSEMBLY Component ATA:52								
PN:76207-10009-095	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
521083 ^U PASSENGER DOOR ASSEMBLY Component ATA:52								
PN:76207-10009-094	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
527080A ^U S34 DOOR OPEN WARNING SWITCH ASSEMBLY Component ATA:52								
PN:V3L-1123-D8	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
52708B ^U S33 DOOR OPEN WARNING SWITCH ASSEMBLY Component ATA:52								
PN:V3L-1123-D8	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
532081A ^U INTERNAL SCREEN ASSEMBLY Component ATA:52								
PN:76302-07028-061	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
532081A1 ^U INTERNAL SCREEN ASSEMBLY Component ATA:52								
PN:76302-07028-063	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 52 - DOORS									
532081B ^U	INTERNAL SCREEN ASSEMBLY							Component	ATA:52
PN:76302-07028-062	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
532081B1 ^U	INTERNAL SCREEN ASSEMBLY							Component	ATA:52
PN:76302-07028-064	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
532082 ^U	NOSE VIBRATION ABSORBER ASSEMBLY							Component	ATA:52
PN:76350-01111-044	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
532083 ^U	LATERAL VIBRATION ABSORBER							Component	ATA:52
PN:76308-07901-043	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
ATA 53 - FUSELAGE									
5-50-00 534004 ^U	FIVE TO 15 FLIGHT HRS AFTER REPLACEMENT OF STA 300 TAIL CONE SPLICE FRAME TEE FITTING BOLTS, WASHERS, AND NUTS.							Service	ATA:53
	MOS/MSC	19-Dec-25	-						
	HRS	3245							
	AFL	5198							
<hr/>									
530002A ^S	CHECK CONDITION OF ACCESS PANELS, DOOR HINGES, AND FASTENERS							Service	ATA:53
	MOS	08-Jul-25							
	HRS	3218.7	100 (+10%)						
	AFL	5176							
<hr/>									
PROC. REF: AMM REFER TO APPROPRIATE MANUAL PROC. REF: AMM REFER TO APPROPRIATE MANUAL									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
530003 ^S	INSPECT TAIL CONE SKINS, FAIRINGS, AND ACCESS PANELS							Service	ATA:53
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
PKG:8									
PROC. REF: AMM REFER TO APPROPRIATE MANUAL PROC. REF: AMM REFER TO APPROPRIATE MANUAL									
<hr/>									
530004 ^S	INSPECT MAIN GEAR BOX SUPPORT STRUCTURE FITTINGS							Service	ATA:53
	MOS	12-Dec-25							
	HRS	3239.4	1500 (+10%)						
	AFL								
PKG:12									
PROC. REF: AMM REFER TO APPROPRIATE MANUAL PROC. REF: AMM REFER TO APPROPRIATE MANUAL									
<hr/>									
531000	TAILCONE							Component	ATA:53
PN:76000-24000-041	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:B320-00004	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUAL PROC. REF: AMM REFER TO APPROPRIATE MANUAL									
<hr/>									
531000.01	LEFT MAIN GEARBOX SUPPORT STRUCTURE FITTINGS - LIFE LIMIT							Service	ATA:53
PN:76209-03001-057	MOS	13-Mar-02					LIFE LIMIT		
SN:C021-00864	HRS	0	23400		23400 (M)		20147		
	AFL	0							
<hr/>									
531000.01	RIGHT MAIN GEARBOX SUPPORT STRUCTURE FITTINGS - LIFE LIMIT							Service	ATA:53
PN:76209-03001-058	MOS	13-Mar-02					LIFE LIMIT		
SN:F021-00080	HRS	0	23400		23400 (M)		20147		
	AFL	0							
<hr/>									
531001 ^S	INSPECT COCKPIT DOOR POST							Service	ATA:53
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
PKG:8									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
531002	^S	INSPECT BAGGAGE COMPARTMENT						Service	ATA:53
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
PKG:8									
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
531003	^S	VISUALLY INSPECT KEVLAR COCKPIT CANOPY STRUCTURE						Service	ATA:53
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)						
	AFL	4363							
PKG:12									
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
531004	^S	INSPECT TAIL CONE STRUCTURE AND SKINS						Service	ATA:53
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)						
	AFL	4363							
PKG:13									
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
531005	^S	CLEAN/INSPECT AREA BETWEEN STATION 248 AND 255						Service	ATA:53
	MOS	12-Dec-25	12 (+10%)						
	HRS								
	AFL								
PKG:20									
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
531010		LEFT HEAT SHIELD						Component	ATA:53
PN:76209-24000-42	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 53-30-03PROC. REF: AMM 53-30-03									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
531012	LEFT HEAT SHIELD BLANKET							Component	ATA:53
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
531016	RIGHT HEAT SHIELD							Component	ATA:53
PN:76209-24000-44	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 53-30-03PROC. REF: AMM 53-30-03									
531018	RIGHT HEAT SHIELD BLANKET							Component	ATA:53
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
531020	LEFT MAIN GEARBOX SUPPORT STRUCTURE FITTINGS							Component	ATA:53
PN:76209-03001-057	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:C021-00864	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
531021	RIGHT MAIN GEARBOX SUPPORT STRUCTURE FITTINGS							Component	ATA:53
PN:76209-03001-058	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:F021-00080	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
532002L ^S	INSPECT LONGERON AND SURROUNDING STRUCTURE, STA 215-300 LEFT AND RIGHT SIDES							Service	ATA:53
	MOS	12-Dec-25							
	HRS	3239.4	300 (+10%)						
	AFL	5193							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									

PKG:5

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
532003A ^S	INSPECT ENGINE COMPARTMENT							Service	ATA:53
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								PKG:8	
532004 ^S	INSPECT LATERAL VIBRATION ABSORBER							Service	ATA:53
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)						
	AFL	4363							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								PKG:12	
532005 ^S	INSPECT NOSE OR BOX FRAME VIBRATION ABSORBER							Service	ATA:53
	MOS	12-Dec-25	12 (+10%)						
	HRS								
	AFL								
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								PKG:20	
532005A ^S	INSPECT AFT ENG COWL AFT SUPPORT STRUT LOWER ATTACHMENT FITTINGS							Service	ATA:53
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)						
	AFL	4363							
PROC. REF: AMM 53-20-03PROC. REF: AMM 53-20-03								PKG:13	
532006A ^S	INSPECT AFT ENGINE COWL AFT SUPPORT STRUT SPRING ASSIST							Service	ATA:53
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)						
	AFL	4363							
PROC. REF: AMM 53-20-03PROC. REF: AMM 53-20-03								PKG:15	

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
532007 ^S	INSPECT AFT ENGINE COWL LATCH HOOKS AND LATCH FITTINGS							Service	ATA:53
	MOS	12-Dec-25	12 (+10%)						
	HRS								
	AFL								
PROC. REF: AMM 53-20-03PROC. REF: AMM 53-20-03								PKG:20	
532008 ^S	INSPECT MAIN ROTOR PYLON FORWARD FAIRING, HYDRAULIC MODULE ACCESS DOORS BONDING JUMPERS							Service	ATA:53
	MOS	12-Dec-25	12 (+10%)						
	HRS								
	AFL								
PROC. REF: AMM 53-20-02PROC. REF: AMM 53-20-02								PKG:20	
532015 ^S	INSPECT AFT ENGINE COWL FORWARD SUPPORT STRUTS, TOP OF VERTICAL TUBE ASSEMBLY INTERNAL SURFACE FOR CORROSION							Service	ATA:53
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)						
	AFL	4363							
PROC. REF: AMM 53-20-03PROC. REF: AMM 53-20-03								PKG:13	
532030	LUBRICATE NOSE VIBRATION ABSORBER PINS AND BUSHINGS							Service	ATA:53
	MOS	17-Jun-21							
	HRS	2651.1	1500 (+10%)		4151.1	4301.1	898.1 (+150)		
	AFL	4363							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
533004 ^S	INSPECT TAIL GEAR BOX FAIRING ELECTRICAL CONNECTOR BRACKET(S) BONDING JUMPERS FOR CONDITION, SECURITY, AND CONTINUITY							Service	ATA:53
	MOS	12-Dec-25	12 (+10%)						
	HRS								
	AFL								
PROC. REF: AMM 53-30-02PROC. REF: AMM 53-30-02								PKG:20	

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 53 - FUSELAGE									
533081A ^U		HEAT SHIELD THERMAL PAD						Component	ATA:53
PN:9560157520	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
533081B ^U		HEAT SHIELD THERMAL PAD						Component	ATA:53
PN:9560157530	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
534002 ^S		VISUALLY INSPECT AT STATION 300 TAIL CONE SPLICE FRAME TEE FITTINGS, EIGHT BOLTS						Service	ATA:53
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
<hr/>									
PROC. REF: AMM 53-40-07PROC. REF: AMM 53-40-07									
<hr/>									
534003		REPLACE BOLTS AT TAIL CONE (STATION 300) SPLICE FRAME TEE FITTINGS						Service	ATA:53
	MOS	12-Dec-25	60 (+10%)		12-Dec-30	12-Jun-31	1731 d (+182)		
	HRS	3239.4	3000 (+10%)		6239.4	6539.4	2986.4 (+300)		
	AFL	5193							
<hr/>									
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
<hr/>									
534030 ^S		VISUALLY INSPECT STA 300 TAIL CONE SPLICE FRAME TEE						Service	ATA:53
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
<hr/>									
PROC. REF: AMM 53-40-07PROC. REF: AMM 53-40-07									
<hr/>									
535080 ^U		RADOME						Component	ATA:53
PN:76600-02110-102	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
5-50-00 551005	U	CONDITION CHECK FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF STABILIZER RETAINING FITTING. CHECK ATTACHMENT BOLTS FOR SPECIFIED TORQUE.						Service	ATA:55
	MOS/MSC	27-Jun-23	-						
	HRS	2938.4							
	AFL	4802							
<hr/>									
550001	S	VISUALLY INSPECT VERTICAL STABILIZER AFT SPAR ASSEMBLY, UPPER SHEAR DECK, CANTED BULKHEAD WEB AND TAIL CONE ANGLES / LONGERONS						Service	ATA:55
	MOS	12-Dec-25							
	HRS	3239.4	300 (+10%)						
	AFL	5193							
<hr/>									
PROC. REF: AMM REFER TO APPROPRIATE MANUAL PROC. REF: AMM REFER TO APPROPRIATE MANUAL									
<hr/>									
550001A	S	VISUALLY INSPECT HORIZONTAL STABILIZER SUPPORT STRUCTURE						Service	ATA:55
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)						
	AFL	4363							
<hr/>									
PROC. REF: AMM 55-10-00 PROC. REF: AMM 55-10-00									
<hr/>									
551000.01	HORIZONTAL STABILIZER - LIFE LIMIT						Service	ATA:55	
PN:76200-06003-055	MOS	16-Jan-21						LIFE LIMIT	
SN:B253-00357	HRS	2555.3	37700		37700 (M)		34447		
	AFL								
<hr/>									
PROC. REF: AMM 55-10-00 PROC. REF: AMM 55-10-00									
<hr/>									
551000.02	HORIZONTAL STABILIZER RETAINING FITTING - LIFE LIMIT						Service	ATA:55	
PN:76209-04004-046	MOS	13-Mar-02						LIFE LIMIT	
SN:A355-00135	HRS	0	14000		14000 (M)		10747		
	AFL	0							

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
551000.03	HORIZONTAL STABILIZER SUPPORT FITTING - LIFE LIMIT							Service	ATA:55
PN:76209-24004-043	MOS	13-Mar-02						LIFE LIMIT	
SN:A317-00239	HRS	0	14000		14000 (M)		10747		
	AFL	0							
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00									
551001	HORIZONTAL STABILIZER							Component	ATA:55
PN:76200-06003-055	MOS/MSC	16-Jan-21	H/T	TSN 226					
SN:B253-00357	HRS	2555.3		TSN 2555.3					
	AFL								
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00									
551002 ^S	REMOVE HORIZONTAL STABILIZER AND PERFORM DETAILED INSPECTION FOR DAMAGE, CRACKS, AND DISBONDS/DELAMINATIONS							Service	ATA:55
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)						
	AFL	4363							
PROC. REF: AMM 55-10-00PKG:14									
551004	CONDITION CHECK CHECK ATTACHMENT BOLTS AND NUTS FOR SPECIFIEDTORQUE FIVE TO 15 FLIGHT HOURS AFTER INSTALLATIONOF STABILIZER SUPPORT FITTING.							Service	ATA:55
	MOS/MSC	19-Dec-25	A/R						
	HRS	3245							
	AFL	5198							
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00									
551005	FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF STABILIZER RETAINING FITTING							Service	ATA:55
	MOS/MSC	29-Jun-21	A/R						
	HRS	2657.9							
	AFL	4374							
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00									
551031	HORIZONTAL STABILIZER RETAINING FITTING							Component	ATA:55
PN:76209-04004-046	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:A355-00135	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 55 - STABILIZERS								
551041 HORIZONTAL STABILIZER SUPPORT FITTING								Component ATA:55
PN:76209-24004-043	MOS/MSC	13-Mar-02	H/T	TSN 0				
SN:A317-00239	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								
551048 REPLACE HORIZONTAL STABILIZER SUPPORT FITTING ATTACHMENT BOLTS								Service ATA:55
PN:76209-24004-043	MOS	12-Dec-25	24 (+10%)		12-Dec-27	23-Feb-28	635 d (+73)	
SN:A317-00239	HRS	3239.4	1500 (+10%)		4739.4	4889.4	1486.4 (+150)	
	AFL	5193						
PROC. REF: AMM 55-10-00PROC. REF: AMM 55-10-00								
553000.01 VERTICAL STABILIZER (PYLON) AFT SPAR - LIFE LIMIT								Service ATA:55
PN:76201-25002-046	MOS/MSC	13-Mar-02	N/A					
SN:UNKNOWN	HRS	0						
	AFL	0						
553002 ^S INSPECT VERTICAL STABILIZER (PYLON) LEADING EDGE SKIN								Service ATA:55
	MOS	12-Dec-25						
	HRS	3239.4	300 (+10%)					
	AFL	5193						
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								PKG:5
553004 ^S INSPECT VERTICAL STAB AFT SPAR CAPS AND STRAPS, NESTED ANGLES AND WEB								Service ATA:55
	MOS	12-Dec-25						
	HRS	3239.4	900 (+10%)					
	AFL	5193						
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								PKG:10

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 55 - STABILIZERS									
553005 ^S	INSPECT VERTICAL STABILIZER FORWARD SPAR WEB AND DOUBLER							Service	ATA:55
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)						
	AFL	4363							
PKG:14									
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
553007 ^S	INSPECT ANGLE INSIDE TAIL CONE							Service	ATA:55
	MOS	12-Dec-25							
	HRS	3239.4	300 (+10%)						
	AFL	5193							
PKG:5									
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
553014A ^S	INSPECT TAIL GEARBOX FORWARD FAIRING							Service	ATA:55
	MOS	12-Dec-25	12 (+10%)						
	HRS								
	AFL								
PKG:20									
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
553051	VERTICAL STABILIZER (PYLON) AFT SPAR							Component	ATA:55
PN:76201-25002-046	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
553055	VERTICAL STABILIZER (PYLON) FORWARD SPAR							Component	ATA:55
PN:76201-05501-043	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
ATA 56 - WINDOWS									
561080A ^U	WINDSHIELD ASSY, (RH)							Component	ATA:56
PN:76206-01001-112	MOS/MSC	03-Jun-11	O/C						
SN:11041H7532	HRS	1583.1							

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 56 - WINDOWS								
	AFL	2712						
561080B U WINDSHIELD ASSY, (LH) Component ATA:56								
PN:76206-01001-111	MOS/MSC	11-Oct-18	O/C	TSN 0				
SN:16298H8068	HRS	2383.2		TSN 0				
	AFL	3967		TSN 0				
561081A U AFT CHIN WINDOW Component ATA:56								
PN:76200-01001-234	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
561081B U AFT CHIN WINDOW Component ATA:56								
PN:76200-01001-233	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
561082A U FORWARD CHIN WINDOW Component ATA:56								
PN:76207-01004-234	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
561082B U FORWARD CHIN WINDOW Component ATA:56								
PN:76207-01004-233	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
562080A U FORWARD CHIN WINDOW Component ATA:56								
PN:76203-03003-129	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
<hr/>									
562080B ^U	FORWARD CABIN WINDOW							Component	ATA:56
PN:76203-03003-130	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
562081A ^U	AFT CABIN WINDOW							Component	ATA:56
PN:76203-03003-127	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
562081B ^U	AFT CABIN WINDOW							Component	ATA:56
PN:76203-03003-128	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
563002A ^S	INSPECT ESCAPE WINDOWS AND KEVLAR SURROUNDS							Service	ATA:56
	MOS	12-Dec-25	36 (+10%)						
	HRS	3239.4							
	AFL	5193							
<hr/>									
PROC. REF: AMM REFER TO APPROPRIATE MANUAL PROC. REF: AMM REFER TO APPROPRIATE MANUAL									
<hr/>									
563080A ^U	OPENABLE WINDOW							Component	ATA:56
PN:76206-01001-050	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
563080B ^U	OPENABLE WINDOW							Component	ATA:56
PN:76206-01001-052	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

PKG:22

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 56 - WINDOWS									
563081A ^U	CREW DOOR WINDOW							Component	ATA:56
PN:76207-01002-074	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
563081B ^U	CREW DOOR WINDOW							Component	ATA:56
PN:76207-01002-074	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
563082A ^U	CABIN DOOR WINDOW							Component	ATA:56
PN:76207-01009-191	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
563082B ^U	CABIN DOOR WINDOW							Component	ATA:56
PN:76207-01009-192	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
ATA 63 - ROTOR DRIVES									
73C200 ^U	NO. 1 ENGINE - PERFORM FUEL FILTER BYPASS SWITCHES							Service	ATA:63
	MOS/MSC		A/R						
	HRS								
	ENC								
ATA 65 - TAIL ROTOR DRIVE									
1218 ^U	WHENEVER MAIN ROTOR FLIGHT RIGGING IS DISTURBED OR AFTER ANY COMPONENT OF MAIN ROTOR CONTROL SYSTEM IS REMOVED AND REPLACED.							Service	ATA:65
	MOS/MSC		-						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
	HRS								
	AFL								
<hr/>									
651002	RED BLADE TIP CAP							Component	ATA:65
PN:76150-09143-041	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-11-00PROC. REF: AMM 65-11-00									
<hr/>									
651007	BLACK BLADE TIP CA							Component	ATA:65
PN:76150-09143-041	MOS/MSC	25-Jul-17	O/C	TSR 0					
SN:A358-00678	HRS	2280		TSR 0					
	AFL	3775		TSR 0					
PROC. REF: AMM 65-11-00PROC. REF: AMM 65-11-00									
<hr/>									
651012	YELLOW BLADE TIP CAP							Component	ATA:65
PN:76150-09143-041	MOS/MSC	03-Mar-09	O/C						
SN:B358-00043	HRS	0		TSN 1365.95					
	AFL	0		TSN 0					
PROC. REF: AMM 65-11-00PROC. REF: AMM 65-11-00									
<hr/>									
651014 ^U	TRACK AND BALANCE MAIN ROTOR BLADE							Service	ATA:65
	MOS/MSC	16-Dec-25	A/R						
	HRS	3240							
	AFL								
<hr/>									
651017	BLUE BLADE TIP CAP							Component	ATA:65
PN:76150-09143-041	MOS/MSC	16-May-12	O/C	TSN 0					
SN:A358-00493	HRS	1724.4		TSN 2195.2					
	AFL	2908		TSN 0					
PROC. REF: AMM 65-11-00PROC. REF: AMM 65-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
651067	CHECK MAIN ROTOR HUB/HORN CLEARANCE							Service	ATA:65
	MOS/MSC	13-Mar-02	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM 65-12-00PROC. REF: AMM 65-12-00									
651089 ^U	MAIN QCU ROTOR HEAD ASSEMBLY							Component	ATA:65
PN:76000-09500-046	MOS/MSC	01-Feb-02	O/C	TSN 0					
SN:76COMMON0064	HRS	0		TSN 0					
	AFL	0		TSN 0					
651096A ^U	SWASHPLATE ROTATING SCISSOR LINK ASSEMBLY							Component	ATA:65
PN:76104-08523-041	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
651097A ^U	SWASHPLATE ROTATING SCISSOR LINK ASSEMBLY							Component	ATA:65
PN:76104-08021-048	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
651100.01	BLACK MAIN ROTOR BLADE SPAR - LIFE LIMIT							Service	ATA:65
PN:76150-09004-102	MOS	01-Feb-02					LIFE LIMIT		
SN:C288-00879	HRS	0	37000		37000 (M)	33747			
	AFL	0							
651100.01	BLUE MAIN ROTOR BLADE SPAR - LIFE LIMIT							Service	ATA:65
PN:76150-09004-102	MOS	16-May-12					LIFE LIMIT		
SN:R-0723	HRS	1724.4	37000		28562.2 (M)	25309.2			
	AFL	2908							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 65 - TAIL ROTOR DRIVE								
651100.01 RED MAIN ROTOR BLADE SPAR - LIFE LIMIT								
PN:76150-09004-102	MOS	13-Mar-02						Service ATA:65
SN:C288-00889	HRS	0	37000		37000 (M)		33747	LIFE LIMIT
	AFL	0						
651100.01 YELLOW MAIN ROTOR BLADE SPAR - LIFE LIMIT								
PN:76150-09004-102	MOS	13-Mar-02						Service ATA:65
SN:C288-00837	HRS	0	37000		37000 (M)		33747	LIFE LIMIT
	AFL	0						
651100.07 BLACK MAIN ROTOR CUFF ASSEMBLY - LIFE LIMIT								
PN:76150-09601-041	MOS	13-Mar-02						Service ATA:65
SN:UNKNOWN	HRS	0	10000		10000		6747	LIFE LIMIT
	AFL	0						
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00								
651100.07 BLUE MAIN ROTOR CUFF ASSEMBLY - LIFE LIMIT								
PN:76150-09601-041	MOS	13-Mar-02						Service ATA:65
SN:UNKNOWN	HRS	0	10000		10000		6747	LIFE LIMIT
	AFL	0						
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00								
651100.07 RED MAIN ROTOR CUFF ASSEMBLY - LIFE LIMIT								
PN:76150-09601-041	MOS	13-Mar-02						Service ATA:65
SN:UNKNOWN	HRS	0	10000		10000		6747	LIFE LIMIT
	AFL	0						
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00								
651100.07 YELLOW MAIN ROTOR CUFF ASSEMBLY - LIFE LIMIT								
PN:76150-09601-041	MOS	13-Mar-02						Service ATA:65
SN:UNKNOWN	HRS	0	10000		10000		6747	LIFE LIMIT
	AFL	0						
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
65110043A		RED MAIN ROTOR BLADE - OVERHAUL						Service	ATA:65
PN:76150-09100-053	MOS	29-May-14						OVERHAUL	
SN:A086-02688	HRS	1929.02	28000	TAC 1929.02	28000		24747		
	AFL	3230							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
65110043B		BLACK MAIN ROTOR BLADE - OVERHAUL						Service	ATA:65
PN:76150-09100-053	MOS	29-May-14						OVERHAUL	
SN:A086-02690	HRS	1929.02	28000	TAC 1929.02	28000		24747		
	AFL	3230							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
65110043C		YELLOW MAIN ROTOR BLADE - OVERHAUL						Service	ATA:65
PN:76150-09100-053	MOS	29-May-14						OVERHAUL	
SN:A086-02686	HRS	1929.02	28000	TAC 1929.02	28000		24747		
	AFL	3230							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
65110043D		BLUE MAIN ROTOR BLADE - OVERHAUL						Service	ATA:65
PN:76150-09100-053	MOS	29-May-14						OVERHAUL	
SN:A086-00700	HRS	1929.02	28000	TAC 2399.82	27529.2		24276.2		
	AFL	3230							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
651101A ^S		INSPECT EXPOSED MAIN ROTOR SPINDLE CUFF OR BLADE FOLD CUFF SURFACE NEXT TO CUFF/BLADE ATTACHMENT BOLTS WITH BLADES INSTALLED						Service	ATA:65
	MOS	12-Dec-25							
	HRS	3239.4	25 (+10%)						
	AFL	5193							
PROC. REF: AMM 65-12-02PROC. REF: AMM 65-12-02									

PKG:1

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
651102A ^S	INSPECT MAIN ROTOR BLADE ASSEMBLY							Service	ATA:65
	MOS	12-Dec-25							
	HRS	3239.4	50 (+10%)						
	AFL	5193							
PROC. REF: AMM 65-11-00PROC. REF: AMM 65-11-00									
PKG:2									
651103A ^S	INSPECT MAIN ROTOR TIP CAP SCREWS							Service	ATA:65
	MOS	12-Dec-25							
	HRS	3239.4	50 (+10%)						
	AFL	5193							
PROC. REF: AMM 65-11-00PROC. REF: AMM 65-11-00									
PKG:2									
651104A ^S	INSPECT MAIN ROTOR TIP CAP/TIP RIB							Service	ATA:65
	MOS	08-Jul-25							
	HRS	3218.7	100 (+10%)						
	AFL	5176							
PROC. REF: AMM 65-11-00PROC. REF: AMM 65-11-00									
PKG:3									
651105A ^S	INSPECT MAIN ROTOR BLADE CONFIGURATIONS							Service	ATA:65
	MOS	12-Dec-25							
	HRS	3239.4	900 (+10%)						
	AFL	5193							
PROC. REF: AMM 65-11-00PROC. REF: AMM 65-11-00									
PKG:10									
651106A ^S	REMOVE MAIN ROTOR BLADES AND INSPECT MAIN ROTOR BLADES COMPRISING							Service	ATA:65
	MOS	12-Dec-25							
	HRS	3239.4	900 (+10%)						
	AFL	5193							
PROC. REF: AMM 65-11-00PROC. REF: AMM 65-11-00									
PKG:10									

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
651107A	INSPECT MAIN ROTOR BLADES							Service	ATA:65
	MOS/MSC	13-Mar-02	N/A					N/A BY PART NUMBER	
	HRS	0							
	AFL	0							
PROC. REF: AMM 65-11-00PROC. REF: AMM 65-11-00								PKG:6	
651108A	INSPECT MAIN ROTOR BLADES							Service	ATA:65
	MOS/MSC		N/A					N/A BY PART NUMBER	
	HRS								
	AFL								
PROC. REF: AMM 65-11-00PROC. REF: AMM 65-11-00								PKG:6	
651111A	INSPECT RED MAIN ROTOR BLADE SPAR FOR CRACKS							Service	ATA:65
PN:76150-09004-102	MOS	10-Oct-24							
SN:C288-00889	HRS	3133.3	500		3633.3		380.3		
	AFL	5084							
PROC. REF: AMM 65-11-00PROC. REF: AMM 65-11-00									
651112	RED MAIN ROTOR BLADE							Component	ATA:65
PN:76150-09100-053	MOS/MSC	12-Dec-25	H/T	TSN 285					
SN:A086-02688	HRS	3239.4		TSN 3239.4					
	AFL	5193		TSN 5193					
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00									
651112A ^S	BLACK MAIN ROTOR BLADE ROOT END LAMINATE TO SPARBOND INSPECT							Service	ATA:65
PN:76150-09100-053	MOS								
SN:A086-02690	HRS		T:11750						
	AFL								
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								PKG:16	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
651112A ^S	BLUE MAIN ROTOR BLADE ROOT END LAMINATE TO SPARBOND INSPECT							Service	ATA:65
PN:76150-09100-053	MOS								
SN:A086-00700	HRS		T:11750						
	AFL								
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
651112A ^U	INSPECT M/R BLADE ROOT END							Service	ATA:65
	MOS	12-Mar-02							
	HRS	0	11750		11750		8497		
	AFL	0							
PKG:16									
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
651112A ^S	RED MAIN ROTOR BLADE ROOT END LAMINATE TO SPARBOND INSPECT							Service	ATA:65
PN:76150-09100-053	MOS								
SN:A086-02688	HRS		T:11750						
	AFL								
PKG:16									
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
651112A ^S	YELLOW MAIN ROTOR BLADE ROOT END LAMINATE TO SPARBOND INSPECT							Service	ATA:65
PN:76150-09100-053	MOS								
SN:A086-02686	HRS		T:11750						
	AFL								
PKG:16									
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
651113	BLACK MAIN ROTOR BLADE							Component	ATA:65
PN:76150-09100-053	MOS/MSC	12-Dec-25	H/T	TSN 286					
SN:A086-02690	HRS	3239.4		TSN 3239.4					
	AFL	5193		TSN 5193					
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00									
651114	YELLOW MAIN ROTOR BLADE							Component	ATA:65
PN:76150-09100-053	MOS/MSC	12-Dec-25	H/T	TSN 200					
SN:A086-02686	HRS	3239.4		TSN 3239.4					
	AFL	5193		TSN 5193					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00									
651115	BLUE MAIN ROTOR BLADE							Component	ATA:65
PN:76150-09100-053	MOS/MSC	12-Dec-25	H/T						
SN:A086-00700	HRS	3239.4		TSN 3710.2					
	AFL	5193							
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00									
651115YELLOW ^U	YELLOW MAIN ROTOR BLADE HAS A CRACK AT 4" INBD OF THE NICKEL ABRASION STRIP.RE-INSPECTION REQUIRED AT EVERY 300 HOURS. INSPECTION							Service	ATA:65
	MOS	10-Feb-25							
	HRS	3149	300		3449		196		
	AFL	5104							
651117 ^S	INSPECT MAIN ROTOR BLADE TITANIUM STRIP AND FIBERGLASS SKIN							Service	ATA:65
	MOS	12-Dec-25							
	HRS	3239.4	300 (+10%)						
	AFL	5193							
PROC. REF: AMM 65-11-00PROC. REF: AMM 65-11-00									
651118A ^U	TORQUE CHECK THE RED MAIN ROTOR BLADE FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION							Service	ATA:65
PN:76150-09100-053	MOS/MSC	23-Dec-25	-						
SN:A086-02688	HRS	3245							
	AFL	5198							
651118B ^U	TORQUE CHECK THE BLACK MAIN ROTOR BLADE FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION							Service	ATA:65
PN:76150-09100-053	MOS/MSC	23-Dec-25	-						
SN:A086-02690	HRS	3245							
	AFL	5198							

PKG:5

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 65 - TAIL ROTOR DRIVE								
651118C ^U TORQUE CHECK THE BLUE MAIN ROTOR BLADE FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION								
PN:76150-09100-053	MOS/MSC	23-Dec-25	-					Service ATA:65
SN:A086-00700	HRS	3245						
	AFL	5198						
651118D ^U TORQUE CHECK THE YELLOW MAIN ROTOR BLADE FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION								
PN:76150-09100-053	MOS/MSC	23-Dec-25	-					Service ATA:65
SN:A086-02686	HRS	3245						
	AFL	5198						
651119A ^S CHECK SPINDLE/CUFF TO MAIN ROTOR RED BLADE ATTACHMENT NUTS FOR SPECIFIED TORQUE								
	MOS	12-Dec-25						Service ATA:65
	HRS	3239.4	300 (+10%)					
	AFL	5193						
PROC. REF: AMM 65-12-02PROC. REF: AMM 65-12-02								
651119B ^S CHECK SPINDLE/CUFF TO MAIN ROTOR BLACK BLADE ATTACHMENT NUTS FOR SPECIFIED TORQUE								
	MOS	12-Dec-25						Service ATA:65
	HRS	3239.4	300 (+10%)					
	AFL	5193						
PROC. REF: AMM 65-12-02PROC. REF: AMM 65-12-02								
651119C ^S CHECK SPINDLE/CUFF TO MAIN ROTOR YELLOW BLADE ATTACHMENT NUTS FOR SPECIFIED TORQUE								
	MOS	12-Dec-25						Service ATA:65
	HRS	3239.4	300 (+10%)					
	AFL	5193						
PROC. REF: AMM 65-12-02PROC. REF: AMM 65-12-02								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
651119D ^S	CHECK SPINDLE/CUFF TO MAIN ROTOR BLUE BLADE ATTACHMENT NUTS FOR SPECIFIED TORQUE							Service	ATA:65
	MOS	12-Dec-25							
	HRS	3239.4	300 (+10%)						
	AFL	5193							
PROC. REF: AMM 65-12-02PROC. REF: AMM 65-12-02									
PKG:5									
651120 ^U	TORQUE CHECK THE 3 INDICATED NUTS ON THE LOWER MR HUB RETENTION 5 TO 15 FLIGHT HOURS AFTER INSTALLATION							Service	ATA:65
	MOS/MSC	09-Aug-23	A/R						
	HRS	2950.6							
	AFL	4820							
651151	RED MAIN ROTOR BLADE SPAR							Component	ATA:65
PN:76150-09004-102	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:C288-00889	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00									
651152	BLACK MAIN ROTOR BLADE SPAR							Component	ATA:65
PN:76150-09004-102	MOS/MSC	01-Feb-02	H/T	TSN 0					
SN:C288-00879	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00									
651153	YELLOW MAIN ROTOR BLADE SPAR							Component	ATA:65
PN:76150-09004-102	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:C288-00837	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00									
651154	BLUE MAIN ROTOR BLADE SPAR							Component	ATA:65
PN:76150-09004-102	MOS/MSC	16-May-12	H/T	TSN 363					
SN:R-0723	HRS	1724.4		TSN 10162.2	28562.2 (M)		25309.2		
	AFL	2908		TSN 0					
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 65 - TAIL ROTOR DRIVE								
651157 BLACK MAIN ROTOR BLADE TIP PLATE/TIP BLOCK RETENTION BOLTS								Component ATA:65
PN:NAS624 SERIES	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
651157 BLUE MAIN ROTOR BLADE TIP PLATE/TIP BLOCK RETENTION BOLTS								Component ATA:65
PN:79790H-4-5	MOS/MSC	16-May-12	O/C	TSN 0				
SN:N/A	HRS	1724.4		TSN 2195.2				
	AFL	2908		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
651157 RED MAIN ROTOR BLADE TIP PLATE/TIP BLOCK RETENTION BOLTS								Component ATA:65
PN:NAS624 SERIES	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:N/A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
651157 YELLOW MAIN ROTOR BLADE TIP PLATE/TIP BLOCK RETENTION BOLTS								Component ATA:65
PN:NAS624 SERIES	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
651158 BLACK MAIN ROTOR BLADE TIP CAP SCREWS								Component ATA:65
PN:SS5305L4G08/SS5305-1G07	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:N/A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 65-11-00PROC. REF: AMM 65-11-00								
651158 BLUE MAIN ROTOR BLADE TIP CAP SCREWS								Component ATA:65
PN:SS5305-1G07/SS5305L4G08	MOS/MSC	16-May-12	O/C	TSN 0				
SN:N/A	HRS	1724.4		TSN 2195.2				
	AFL	2908		TSN 0				
PROC. REF: AMM 65-11-00PROC. REF: AMM 65-11-00								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 65 - TAIL ROTOR DRIVE								
651158 RED MAIN ROTOR BLADE TIP CAP SCREWS								Component ATA:65
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 65-11-00PROC. REF: AMM 65-11-00								
651158 YELLOW MAIN ROTOR BLADE TIP CAP SCREWS								Component ATA:65
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 65-11-00PROC. REF: AMM 65-11-00								
651159 BLACK MAIN ROTOR BLADE TIP PLATE/TIP BLOCK RETENTION STUDS								Component ATA:65
PN:S48F101-9SN49AE.0.254	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
651159 BLUE MAIN ROTOR BLADE TIP PLATE/TIP BLOCK RETENTION STUDS								Component ATA:65
PN:S48F101-9SN49AE.0.254	MOS/MSC	16-May-12	O/C	TSN 0				
SN:UNKNOWN	HRS	1724.4		TSN 2195.2				
	AFL	2908		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
651159 RED MAIN ROTOR BLADE TIP PLATE/TIP BLOCK RETENTION STUDS								Component ATA:65
PN:S48F101-9SN49AE.0.254	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:N/A	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
651159	YELLOW MAIN ROTOR BLADE TIP PLATE/TIP BLOCK RETENTION STUDS							Component	ATA:65
PN:S48F101-9SN49AE.0.254	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
651170	BLACK MAIN ROTOR BLADE CHORDWISE TIP RIB							Component	ATA:65
PN:76150-09015-049	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
651170	BLUE MAIN ROTOR BLADE CHORDWISE TIP RIB							Component	ATA:65
PN:76150-09015-049	MOS/MSC	16-May-12	O/C	TSN 0					
SN:N/A	HRS	1724.4		TSN 2195.2					
	AFL	2908		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
651170	RED MAIN ROTOR BLADE CHORDWISE TIP RIB							Component	ATA:65
PN:76150-09015-049	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:N/A	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
651170	YELLOW MAIN ROTOR BLADE CHORDWISE TIP RIB							Component	ATA:65
PN:76150-09015-049	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:N/A	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
651181	RED MAIN ROTOR PITCH CONTROL ROD							Component	ATA:65
PN:76101-08000-043	MOS/MSC	12-Dec-25	O/C	TSN 285					
SN:D152-00486	HRS	3239.4		TSN 3239.4					
	AFL	5193		TSN 5193					
PROC. REF: AMM 65-12-06PROC. REF: AMM 65-12-06									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 65 - TAIL ROTOR DRIVE								
651186 BLUE MAIN ROTOR PITCH CONTROL ROD Component ATA:65								
PN:76101-08000-043	MOS/MSC	12-Dec-25	O/C	TSN 285				
SN:D152-00421	HRS	3239.4		TSN 3239.4				
	AFL	5193		TSN 5193				
PROC. REF: AMM 65-12-06PROC. REF: AMM 65-12-06								
651191 YELLOW MAIN ROTOR PITCH CONTROL ROD Component ATA:65								
PN:76101-08000-043	MOS/MSC	12-Dec-25	O/C	TSN 285				
SN:D152-00504	HRS	3239.4		TSN 3239.4				
	AFL	5193		TSN 5193				
PROC. REF: AMM 65-12-06PROC. REF: AMM 65-12-06								
651196 BLACK MAIN ROTOR PITCH CONTROL ROD Component ATA:65								
PN:76101-08000-043	MOS/MSC	12-Dec-25	O/C	TSN 285				
SN:D152-00501	HRS	3239.4		TSN 3239.4				
	AFL	5193		TSN 5193				
PROC. REF: AMM 65-12-06PROC. REF: AMM 65-12-06								
651200 MAIN ROTOR HUB Component ATA:65								
PN:76103-08010-049	MOS/MSC	12-Dec-25	H/T	TSN 285				
SN:A027-01147	HRS	3239.4		TSN 3239.4				
	AFL	5193		TSN 5193				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
651201 BLACK MAIN ROTOR BLADE BEARING INNER RACE RETAINER Component ATA:65								
PN:76102-08055-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
651201 BLUE MAIN ROTOR BLADE BEARING INNER RACE RETAINER Component ATA:65								
PN:76102-08055-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 65 - TAIL ROTOR DRIVE								
651201 RED MAIN ROTOR BLADE BEARING INNER RACE RETAINER								Component ATA:65
PN:76102-08055-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
651201 YELLOW MAIN ROTOR BLADE BEARING INNER RACE RETAINER								Component ATA:65
PN:76102-08055-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
651201.01 MAIN ROTOR HUB - LIFE LIMIT								Service ATA:65
PN:76103-08010-049	MOS	08-Jul-20						LIFE LIMIT
SN:A027-01147	HRS	2527.2	18000		18000 (M)		14747	
	AFL	4206						
651201A^S INSPECT MAIN ROTOR DROOP STOPS AND ANTIFLAP RESTRAINERS FOR GENERAL CONDITION AND CORROSION								Service ATA:65
	MOS	12-Dec-25						
	HRS	3239.4	50 (+10%)					
	AFL	5193						
PROC. REF: AMM REFER TO APPROPRIATE MANUALPKG:2								
651202.01 BLACK MAIN ROTOR BLADE SPINDLE/CUFF - LIFE LIMIT								Service ATA:65
PN:76102-08001-045	MOS	23-May-14						LIFE LIMIT
SN:A134-03992	HRS	1929.02	5000		5000 (M)		1747	
	AFL	3230						
651202.01 BLUE MAIN ROTOR BLADE SPINDLE/CUFF - LIFE LIMIT								Service ATA:65
PN:76102-08001-045	MOS	23-May-14						LIFE LIMIT
SN:A134-03864	HRS	1929.02	5000		5000 (M)		1747	
	AFL	3230						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
651202.01		RED MAIN ROTOR BLADE SPINDLE/CUFF - LIFE LIMIT						Service	ATA:65
PN:76102-08001-045	MOS	22-May-14						LIFE LIMIT	
SN:A134-03827	HRS	1929.02	5000		5000 (M)		1747		
	AFL	3230							
651202.01		YELLOW MAIN ROTOR BLADE SPINDLE/CUFF - LIFE LIMIT						Service	ATA:65
PN:76102-08001-045	MOS	22-May-14						LIFE LIMIT	
SN:A134-03853	HRS	1929.02	5000		5000 (M)		1747		
	AFL	3230							
651202.02		BLACK MAIN ROTOR BLADE SPINDLE NUT - LIFE LIMIT						Service	ATA:65
PN:76102-08003-103	MOS	13-Mar-02						LIFE LIMIT	
SN:D186-01774	HRS	0	5000		5000 (M)		1747		
	AFL	0							
651202.02		BLUE MAIN ROTOR BLADE SPINDLE NUT - LIFE LIMIT						Service	ATA:65
PN:76102-08003-103	MOS	13-Mar-02						LIFE LIMIT	
SN:D186-01832	HRS	0	5000		5000 (M)		1747		
	AFL	0							
651202.02		RED MAIN ROTOR BLADE SPINDLE NUT - LIFE LIMIT						Service	ATA:65
PN:76102-08003-103	MOS	13-Mar-02						LIFE LIMIT	
SN:D186-01788	HRS	0	5000		5000 (M)		1747		
	AFL	0							
651202.02		YELLOW MAIN ROTOR BLADE SPINDLE NUT - LIFE LIMIT						Service	ATA:65
PN:76102-08003-103	MOS	13-Mar-02						LIFE LIMIT	
SN:D186-01746	HRS	0	5000		5000 (M)		1747		
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
651202.03	BLACK MAIN ROTOR BLADE SPINDLE/LINER ASSEMBLY - LIFE LIMIT							Service	ATA:65
PN:PN	MOS	13-Mar-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0	5000		5000 (M)		1747		
	AFL	0							
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00									
651202.03	BLUE MAIN ROTOR BLADE SPINDLE/LINER ASSEMBLY - LIFE LIMIT							Service	ATA:65
PN:PN	MOS	13-Mar-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0	5000		5000 (M)		1747		
	AFL	0							
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00									
651202.03	RED MAIN ROTOR BLADE SPINDLE/LINER ASSEMBLY - LIFE LIMIT							Service	ATA:65
PN:PN	MOS	13-Mar-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0	5000		5000 (M)		1747		
	AFL	0							
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00									
651202.03	YELLOW MAIN ROTOR BLADE SPINDLE/LINER ASSEMBLY - LIFE LIMIT							Service	ATA:65
PN:PN	MOS	13-Mar-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0	5000		5000 (M)		1747		
	AFL	0							
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00									
651202.04	BLACK MAIN ROTOR BLADE SPINDLE PRE-LOAD BOLT - LIFE LIMIT							Service	ATA:65
PN:PN	MOS	13-Mar-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0	5000		5000 (M)		1747		
	AFL	0							
PROC. REF: AMM 65-12-02PROC. REF: AMM 65-12-02									
651202.04	BLUE MAIN ROTOR BLADE SPINDLE PRE-LOAD BOLT - LIFE LIMIT							Service	ATA:65
PN:PN	MOS	13-Mar-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0	5000		5000 (M)		1747		
	AFL	0							
PROC. REF: AMM 65-12-02PROC. REF: AMM 65-12-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
651202.04		RED MAIN ROTOR BLADE SPINDLE PRE-LOAD BOLT - LIFE LIMIT						Service	ATA:65
PN:PN	MOS	13-Mar-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0	5000		5000 (M)		1747		
	AFL	0							
PROC. REF: AMM 65-12-02PROC. REF: AMM 65-12-02									
651202.04		YELLOW MAIN ROTOR BLADE SPINDLE PRE-LOAD BOLT - LIFE LIMIT						Service	ATA:65
PN:PN	MOS	13-Mar-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0	5000		5000 (M)		1747		
	AFL	0							
PROC. REF: AMM 65-12-02PROC. REF: AMM 65-12-02									
651202.05		BLACK MAIN ROTOR BLADE BEARING OUTER RACE - LIFE LIMIT						Service	ATA:65
PN:SB5206-202	MOS	12-Dec-25						LIFE LIMIT	
SN:B199-25029	HRS	3239.4	1250		4489.4		1236.4		
	AFL	5193							
651202.05		BLUE MAIN ROTOR BLADE BEARING OUTER RACE - LIFE LIMIT						Service	ATA:65
PN:SB5206-202	MOS	28-Apr-21						LIFE LIMIT	
SN:B199-25016	HRS	2641.6	1250		3891.6 (M)		638.6		
	AFL	4346							
651202.05		RED MAIN ROTOR BLADE BEARING OUTER RACE - LIFE LIMIT						Service	ATA:65
PN:SB5206-202	MOS	28-Apr-21						LIFE LIMIT	
SN:B199-25030	HRS	2641.6	1250		3891.6 (M)		638.6		
	AFL	4346							
651202.05		YELLOW MAIN ROTOR BLADE BEARING OUTER RACE - LIFE LIMIT						Service	ATA:65
PN:SB5206-202	MOS	22-Apr-21						LIFE LIMIT	
SN:B199-25036	HRS	2641.4	1250		3891.4 (M)		638.4		
	AFL	4345							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 65 - TAIL ROTOR DRIVE								
651202.06 BLACK MAIN ROTOR BLADE ELASTOMERIC BEARING ATTACHMENT BOLTS - LIFE LIMIT								
PN:NAS626H9	MOS	22-Jan-13						Service ATA:65 LIFE LIMIT
SN:UNKNOWN	HRS	1779.7	19600		21379.7 (M)		18126.7	
	AFL	3000						
PROC. REF: AMM 65-12-05PROC. REF: AMM 65-12-05								
651202.06 BLUE MAIN ROTOR BLADE ELASTOMERIC BEARING ATTACHMENT BOLTS - LIFE LIMIT								
PN:NAS626H9	MOS	22-Jan-13						Service ATA:65 LIFE LIMIT
SN:UNKNOWN	HRS	1779.7	19600		21379.7 (M)		18126.7	
	AFL	3000						
PROC. REF: AMM 65-12-05PROC. REF: AMM 65-12-05								
651202.06 RED MAIN ROTOR BLADE ELASTOMERIC BEARING ATTACHMENT BOLTS - LIFE LIMIT								
PN:NAS626H9	MOS	22-Jan-13						Service ATA:65 LIFE LIMIT
SN:UNKNOWN	HRS	1779.7	19600		21379.7 (M)		18126.7	
	AFL	3000						
PROC. REF: AMM 65-12-05PROC. REF: AMM 65-12-05								
651202.06 YELLOW MAIN ROTOR BLADE ELASTOMERIC BEARING ATTACHMENT BOLTS - LIFE LIMIT								
PN:NAS626H9	MOS	22-Jan-13						Service ATA:65 LIFE LIMIT
SN:NONE	HRS	1779.7	19600		21379.7 (M)		18126.7	
	AFL	3000						
PROC. REF: AMM 65-12-05PROC. REF: AMM 65-12-05								
651202.07 BLACK MAIN ROTOR BLADE DROOP STOP ATTACHMENT BOLTS - LIFE LIMIT								
PN:PN	MOS	22-Jan-13						Service ATA:65 LIFE LIMIT
SN:UNKNOWN	HRS	1779.7	19600		21379.7 (M)		18126.7	
	AFL	3000						
PROC. REF: AMM 65-12-07PROC. REF: AMM 65-12-07								
651202.07 BLUE MAIN ROTOR BLADE DROOP STOP ATTACHMENT BOLTS - LIFE LIMIT								
PN:PN	MOS	22-Jan-13						Service ATA:65 LIFE LIMIT
SN:UNKNOWN	HRS	1779.7	19600		21379.7 (M)		18126.7	
	AFL	3000						
PROC. REF: AMM 65-12-07PROC. REF: AMM 65-12-07								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 65 - TAIL ROTOR DRIVE								
651202.07 RED MAIN ROTOR BLADE DROOP STOP ATTACHMENT BOLTS - LIFE LIMIT Service ATA:65								
PN:PN	MOS	22-Jan-13						LIFE LIMIT
SN:UNKNOWN	HRS	1779.7	19600		21379.7 (M)		18126.7	
	AFL	3000						
PROC. REF: AMM 65-12-07PROC. REF: AMM 65-12-07								
651202.07 YELLOW MAIN ROTOR BLADE DROOP STOP ATTACHMENT BOLTS - LIFE LIMIT Service ATA:65								
PN:PN	MOS	22-Jan-13						LIFE LIMIT
SN:UNKNOWN	HRS	1779.7	19600		21379.7 (M)		18126.7	
	AFL	3000						
PROC. REF: AMM 65-12-07PROC. REF: AMM 65-12-07								
651202A^S CHECK DAMPER BEARINGS FOR TOO MUCH PLAY AND WEAR Service ATA:65								
	MOS	12-Dec-25						
	HRS	3239.4	50 (+10%)					
	AFL	5193						
PROC. REF: AMM 65-12-09PROC. REF: AMM 65-12-09								
651203.01 BLACK MAIN ROTOR BLADE PITCH HORN ASSEMBLY - LIFE LIMIT Service ATA:65								
PN:76102-08011-046	MOS	13-Mar-02						LIFE LIMIT
SN:A050-02887	HRS	0	21700		21700 (M)		18447	
	AFL	0						
PROC. REF: AMM 65-12-03PROC. REF: AMM 65-12-03								
651203.01 BLUE MAIN ROTOR BLADE PITCH HORN ASSEMBLY - LIFE LIMIT Service ATA:65								
PN:76102-08011-046	MOS	13-Mar-02						LIFE LIMIT
SN:A050-02890	HRS	0	21700		21700 (M)		18447	
	AFL	0						
PROC. REF: AMM 65-12-03PROC. REF: AMM 65-12-03								
651203.01 RED MAIN ROTOR BLADE PITCH HORN ASSEMBLY - LIFE LIMIT Service ATA:65								
PN:76102-08011-046	MOS	13-Mar-02						LIFE LIMIT
SN:A050-02894	HRS	0	21700		21700 (M)		18447	
	AFL	0						
PROC. REF: AMM 65-12-03PROC. REF: AMM 65-12-03								

PKG:2

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 65 - TAIL ROTOR DRIVE								
651203.01 YELLOW MAIN ROTOR BLADE PITCH HORN ASSEMBLY - LIFE LIMIT Service ATA:65								
PN:76102-08011-046	MOS	13-Mar-02						LIFE LIMIT
SN:A050-02863	HRS	0	21700		21700 (M)		18447	
	AFL	0						
PROC. REF: AMM 65-12-03PROC. REF: AMM 65-12-03								
651203A^S INSPECT MAIN ROTOR PITCH CONTROL ROD AND ROD END BEARINGS Service ATA:65								
	MOS	12-Dec-25						
	HRS	3239.4	50 (+10%)					
	AFL	5193						
PROC. REF: AMM 65-12-06PROC. REF: AMM 65-12-06								
651204.01 BLACK MAIN ROTOR SPINDLE DROOP STOP SUPPORT - LIFE LIMIT Service ATA:65								
PN:PN	MOS	13-Mar-02						LIFE LIMIT
SN:UNKNOWN	HRS	0	5000		5000 (M)		1747	
	AFL	0						
651204.01 BLUE MAIN ROTOR SPINDLE DROOP STOP SUPPORT - LIFE LIMIT Service ATA:65								
PN:PN	MOS	13-Mar-02						LIFE LIMIT
SN:UNKNOWN	HRS	0	5000		5000 (M)		1747	
	AFL	0						
651204.01 RED MAIN ROTOR SPINDLE DROOP STOP SUPPORT - LIFE LIMIT Service ATA:65								
PN:PN	MOS	13-Mar-02						LIFE LIMIT
SN:UNKNOWN	HRS	0	5000		5000 (M)		1747	
	AFL	0						
651204.01 YELLOW MAIN ROTOR SPINDLE DROOP STOP SUPPORT - LIFE LIMIT Service ATA:65								
PN:PN	MOS	13-Mar-02						LIFE LIMIT
SN:UNKNOWN	HRS	0	5000		5000 (M)		1747	
	AFL	0						

PKG:2

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
651204A	INSPECT MAIN ROTOR SPINDLE BEARING							Service	ATA:65
	MOS	08-Jul-25							
	HRS	3218.7	100 (+10%)		3318.7	3328.7	65.7 (+10)		
	AFL	5176							
PKG:3									
PROC. REF: AMM 65-12-02PROC. REF: AMM 65-12-02									
651205 ^S	INSPECT MAIN ROTOR HUB INSPECTION HOLE EDGES, ARM/BODY CROTCH INTERSECTION, ROTATING SCISSORS ATTACHMENT LUGS AND DAMPER ATTACHMENT LUGS							Service	ATA:65
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
PKG:8									
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
651206A ^S	INSPECT MAIN ROTOR HORN							Service	ATA:65
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
PKG:8									
PROC. REF: AMM 65-12-03PROC. REF: AMM 65-12-03									
651207 ^{US}	MAIN ROTOR BLADE SPINDLE/CUFF - INSPECT EXPOSED MAIN ROTOR SPINDLE CUFF AND BLADE FOLD CUFF ASSEMBLY SURFACE NEXT TO CUFF/BLADE ATTACHMENT BOLTS WITH BLADES INSTALLED FOR NICKS, GOUGES, CRACKS, AND FOREIGN OBJECT DAMAGE. INSPECT CRACKS, AND FOREIGN OBJECT DAMAGE. INSPECT CUFF PLATE FOR CRACKS NEAR BLADE ATTACHMENT BOLT HOLES							Service	ATA:65
	MOS	12-Dec-25							
	HRS	3239.4	50						
	AFL	5193							
PKG:2									
651208A ^S	INSPECT MAIN ROTOR ELASTOMERIC BEARING							Service	ATA:65
	MOS	12-Dec-25							
	HRS	3239.4	300 (+10%)						
	AFL	5193							
PKG:5									
PROC. REF: AMM 65-12-05PROC. REF: AMM 65-12-05									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 65 - TAIL ROTOR DRIVE								
651209 MAIN ROTOR SPINDLE OUTER RACE BEARING (BLACK)								Component ATA:65
PN:SB5206-202	MOS/MSC	10-Dec-25	H/T	TSN 0				
SN:B199-25029	HRS	3239.4		TSN 0				
	AFL	5193		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
651209 MAIN ROTOR SPINDLE OUTER RACE BEARING (BLUE)								Component ATA:65
PN:SB5206-202	MOS/MSC	28-Apr-21	H/T	TSN 0				
SN:B199-25016	HRS	2641.6		TSN 0				
	AFL	4346		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
651209 MAIN ROTOR SPINDLE OUTER RACE BEARING (RED)								Component ATA:65
PN:SB5206-202	MOS/MSC	28-Apr-21	H/T	TSN 0				
SN:B199-25030	HRS	2641.6		TSN 0				
	AFL	4346		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
651209 MAIN ROTOR SPINDLE OUTER RACE BEARING (YELLOW)								Component ATA:65
PN:SB5206-202	MOS/MSC	22-Apr-21	H/T	TSN 0				
SN:B199-25036	HRS	2641.4		TSN 0				
	AFL	4345		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
651211A ^S INSPECT MAIN ROTOR SPINDLES								Service ATA:65
	MOS	12-Dec-25						
	HRS	3239.4	1250 (+10%)					
	AFL	5193						
PROC. REF: AMM 65-12-02PROC. REF: AMM 65-12-02								PKG:11,22
651211A1 ^S INSPECT MAIN ROTOR SPINDLE THREADS AND NUT								Service ATA:65
	MOS	12-Dec-25	36 (+10%)					
	HRS	3239.4						
	AFL	5193						
PROC. REF: AMM 65-12-02PROC. REF: AMM 65-12-02								PKG:22

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
651212 BLACK MAIN ROTOR BLADE PITCH HORN ASSEMBLY Component ATA:65									
PN:76102-08011-046	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:A050-02887	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-12-03PROC. REF: AMM 65-12-03									
651212 BLUE MAIN ROTOR BLADE PITCH HORN ASSEMBLY Component ATA:65									
PN:76102-08011-046	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:A050-02890	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-12-03PROC. REF: AMM 65-12-03									
651212 RED MAIN ROTOR BLADE PITCH HORN ASSEMBLY Component ATA:65									
PN:76102-08011-046	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:A050-02894	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-12-03PROC. REF: AMM 65-12-03									
651212 YELLOW MAIN ROTOR BLADE PITCH HORN ASSEMBLY Component ATA:65									
PN:76102-08011-046	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:A050-02863	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-12-03PROC. REF: AMM 65-12-03									
651218 ^U	WHENEVER MAIN ROTOR FLIGHT RIGGING IS DISTURBED OR AFTER ANY COMPONENT OF MAIN ROTOR CONTROL SYSTEM IS REMOVED AND REPLACED.							Service	ATA:65
	MOS/MSC		-						
	HRS								
	AFL								
651218A ^U	WHENEVER MAIN ROTOR FLIGHT RIGGING IS DISTURBED OR AFTER ANY COMPONENT OF MAIN ROTOR CONTROL SYSTEM IS REMOVED AND REPLACED.							Service	ATA:65
	MOS/MSC		-						
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
651219	CONDITION CHECK FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF MAIN ROTOR HEAD, OR IFNUTS HAVE BEEN LOOSEMED OR RETIGHTENED FOR ANY REASON. CHECK THE TORQUE ON THE NUTS.							Service	ATA:65
	MOS/MSC	19-Dec-25	A/R						
	HRS	3245							
	AFL	5198							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
651220	SERVICE MAIN ROTOR DAMPER RESERVOIR AND DAMPERS							Service	ATA:65
	MOS/MSC	12-Dec-25	O/C						
	HRS								
	AFL								
PROC. REF: AMM 65-12-09PROC. REF: AMM 65-12-09									
651221	LUBRICATE MAIN ROTOR DAMPER RESERVOIR AND DAMPERS							Service	ATA:65
	MOS	12-Dec-25							
	HRS	3239.4	900 (+10%)		4139.4	4229.4	886.4 (+90)		
	AFL	5193							
PROC. REF: AMM 65-12-09PROC. REF: AMM 65-12-09									
651224	INSPECT CAVITY BETWEEN THE INBOARD END OF MAIN ROTOR BLADE AND SPINDLE FOR PRESENCE OF FRACTURED OR LOOSE PRELOAD BOLT (76102-08051-105), NUT OR OTHER FOD							Service	ATA:65
	MOS/MSC	02-May-07	N/A						
	HRS	1031.5							
	AFL	1763							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
651225 ^U	CONDITION CHECK FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF BLACK SPINDLE ASSEMBLY, OR IF BOLTS HAVE BEEN LOOSEMED OR RETIGHTENED FOR ANY REASON. CHECK SPINDLE ASSEMBLY-TO-HUB ATTACHMENT BOLTS FOR SPECIFIED TORQUE.							Service	ATA:65
PN:76102-08500-045	MOS/MSC	22-Dec-25	-						
SN:A134-03992	HRS	3245							
	AFL	5198							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
651225 ^U	CONDITION CHECK FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF BLUE SPINDLE ASSEMBLY, OR IF BOLTS HAVE BEEN LOOSENEED OR RETIGHTENED FOR ANY REASON. CHECK SPINDLE ASSEMBLY-TO-HUB ATTACHMENT BOLTS FOR SPECIFIED TORQUE.							Service	ATA:65
PN:76102-08500-045	MOS/MSC	22-Dec-25	-						
SN:A134-03864	HRS	3245							
	AFL	5198							
<hr/>									
651225 ^U	CONDITION CHECK FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF RED SPINDLE ASSEMBLY, OR IF BOLTS HAVE BEEN LOOSENEED OR RETIGHTENED FOR ANY REASON. CHECK SPINDLE ASSEMBLY-TO-HUB ATTACHMENT BOLTS FOR SPECIFIED TORQUE.							Service	ATA:65
PN:76102-08500-045	MOS/MSC	22-Dec-25	-						
SN:A134-03827	HRS	3245							
	AFL	5198							
<hr/>									
651225 ^U	CONDITION CHECK FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF YELLOW SPINDLE ASSEMBLY, OR IF BOLTS HAVE BEEN LOOSENEED OR RETIGHTENED FOR ANY REASON. CHECK SPINDLE ASSEMBLY-TO-HUB ATTACHMENT BOLTS FOR SPECIFIED TORQUE.							Service	ATA:65
PN:76102-08500-046	MOS/MSC	22-Dec-25	-						
SN:A134-03853	HRS	3245							
	AFL	5198							
<hr/>									
651226	BLACK MAIN ROTOR BLADE BEARING INNER RACE							Component	ATA:65
PN:SB5206-104	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
<hr/>									
651226	BLUE MAIN ROTOR BLADE BEARING INNER RACE							Component	ATA:65
PN:SB5206-104	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
<hr/>									
651226	RED MAIN ROTOR BLADE BEARING INNER RACE							Component	ATA:65
PN:SB5206-104	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
651226	YELLOW MAIN ROTOR BLADE BEARING INNER RACE							Component	ATA:65
PN:SB5206-104	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
651226A	FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF THE RED MAIN ROTOR PITCH CONTROL ROD, OR IF NUTS HAVE BEEN LOOSENEED OR RETIGHTENED FOR ANY REASON. CHECK UPPER PITCH CONTROL ROD-TO-PITCH CHANGE HORN ATTACHMENT NUT AND LOWER PITCH CONTROL ROD-TO-SWASHPLATE ATTACHMENT NUT FOR SPECIFIED TORQUE.							Service	ATA:65
	MOS/MSC	22-Dec-25	A/R						
	HRS	3245							
	AFL	5198							
PROC. REF: AMM 65-12-06PROC. REF: AMM 65-12-06									
651226B	FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF THE BLUE MAIN ROTOR PITCH CONTROL ROD, OR IF NUTS HAVE BEEN LOOSENEED OR RETIGHTENED FOR ANY REASON							Service	ATA:65
	MOS/MSC	22-Dec-25	A/R						
	HRS	3245							
	AFL	5198							
PROC. REF: AMM 65-12-06PROC. REF: AMM 65-12-06									
651226C	FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF THE YELLOW MAIN ROTOR PITCH CONTROL ROD, OR IF NUTS HAVE BEEN LOOSENEED OR RETIGHTENED FOR ANY REASON							Service	ATA:65
	MOS/MSC	22-Dec-25	A/R						
	HRS	3245							
	AFL	5198							
PROC. REF: AMM 65-12-06PROC. REF: AMM 65-12-06									
651226D	FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF THE BLACK MAIN ROTOR PITCH CONTROL ROD, OR IF NUTS HAVE BEEN LOOSENEED OR RETIGHTENED FOR ANY REASON							Service	ATA:65
	MOS/MSC	22-Dec-25	A/R						
	HRS	3245							
	AFL	5198							
PROC. REF: AMM 65-12-06PROC. REF: AMM 65-12-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 65 - TAIL ROTOR DRIVE								
651227 ^S INSPECT NO. 1 SPINDLE CUFF PLATE SURFACE FOR THE PRESENCE OF CRACKS								
	MOS	12-Dec-25	36 (+10%)					Service ATA:65
	HRS	3239.4	1250 (+10%)					
	AFL	5193						
								PKG:11,22
PROC. REF: AMM 65-12-02PROC. REF: AMM 65-12-02								
651227A RED MAIN ROTOR BLADE SPINDLE/CUFF - INSPECT SPINDLE CUFF PLATE OR BLADE FOLD CUFF SURFACES FOR THE PRESENCE OF CRACKS								
PN:76102-08001-045	MOS	12-Dec-25	36 (+10%)		12-Dec-28	30-Mar-29	1001 d (+108)	Service ATA:65
SN:A134-03827	HRS	3239.4	1250 (+10%)		4489.4	4614.4	1236.4 (+125)	
	AFL	5193						
PROC. REF: AMM 65-12-02PROC. REF: AMM 65-12-02								
651227B BLUE MAIN ROTOR BLADE SPINDLE/CUFF - INSPECT SPINDLE CUFF PLATE OR BLADE FOLD CUFF SURFACES FOR THE PRESENCE OF CRACKS								
PN:76102-08001-045	MOS	12-Dec-25	36 (+10%)		12-Dec-28	30-Mar-29	1001 d (+108)	Service ATA:65
SN:A134-03864	HRS	3239.4	1250 (+10%)		4489.4	4614.4	1236.4 (+125)	
	AFL	5193						
PROC. REF: AMM 65-12-02PROC. REF: AMM 65-12-02								
651227B ^{U S} INSPECTION / CHECK NO. 2 SPINDLE CUFF/BLADE FOLD CUFF ASSY								
	MOS	12-Dec-25	36					Service ATA:65
	HRS	3239.4	1250					
	AFL	5193						
								PKG:11,22
651227C ^{U S} INSPECTION / CHECK NO. 3 SPINDLE CUFF/BLADE FOLD CUFF ASSY								
	MOS	12-Dec-25	36					Service ATA:65
	HRS	3239.4	1250					
	AFL	5193						
								PKG:11,22

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
651227C	YELLOW MAIN ROTOR BLADE SPINDLE/CUFF - INSPECT SPINDLE CUFF PLATE OR BLADE FOLD CUFF SURFACES FOR THE PRESENCE OF CRACKS							Service	ATA:65
PN:76102-08001-045	MOS	12-Dec-25	36 (+10%)		12-Dec-28	30-Mar-29	1001 d (+108)		
SN:A134-03853	HRS	3239.4	1250 (+10%)		4489.4	4614.4	1236.4 (+125)		
	AFL	5193							
PROC. REF: AMM 65-12-02PROC. REF: AMM 65-12-02									
651227D	BLACK MAIN ROTOR BLADE SPINDLE/CUFF - INSPECT SPINDLE CUFF PLATE OR BLADE FOLD CUFF SURFACES FOR THE PRESENCE OF CRACKS							Service	ATA:65
PN:76102-08001-045	MOS	12-Dec-25	36 (+10%)		12-Dec-28	30-Mar-29	1001 d (+108)		
SN:A134-03992	HRS	3239.4	1250 (+10%)		4489.4	4614.4	1236.4 (+125)		
	AFL	5193							
PROC. REF: AMM 65-12-02PROC. REF: AMM 65-12-02									
651227D ^{U S}	INSPECTION / CHECK NO. 4 SPINDLE CUFF/BLADE FOLD CUFF ASSY							Service	ATA:65
	MOS	12-Dec-25	36						
	HRS	3239.4	1250						
	AFL	5193							
PKG:11,22									
651229	BLACK MAIN ROTOR BLADE ELASTOMERIC BEARING ATTACHMENT BOLTS							Component	ATA:65
PN:NAS626H9	MOS/MSC	22-Jan-13	H/T	TSN 0					
SN:UNKNOWN	HRS	1779.7		TSN 0					
	AFL	3000		TSN 0					
PROC. REF: AMM 65-12-05PROC. REF: AMM 65-12-05									
651229	BLUE MAIN ROTOR BLADE ELASTOMERIC BEARING ATTACHMENT BOLTS							Component	ATA:65
PN:NAS626H9	MOS/MSC	22-Jan-13	H/T	TSN 0					
SN:UNKNOWN	HRS	1779.7		TSN 0					
	AFL	3000		TSN 0					
PROC. REF: AMM 65-12-05PROC. REF: AMM 65-12-05									
651229	RED MAIN ROTOR BLADE ELASTOMERIC BEARING ATTACHMENT BOLTS							Component	ATA:65
PN:NAS626H9	MOS/MSC	22-Jan-13	H/T	TSN 0					
SN:UNKNOWN	HRS	1779.7		TSN 0					
	AFL	3000		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 65 - TAIL ROTOR DRIVE								
PROC. REF: AMM 65-12-05PROC. REF: AMM 65-12-05								
651229 YELLOW MAIN ROTOR BLADE ELASTOMERIC BEARING ATTACHMENT BOLTS Component ATA:65								
PN:NAS626H9	MOS/MSC	22-Jan-13	H/T	TSN 0				
SN:NONE	HRS	1779.7		TSN 0				
	AFL	3000		TSN 0				
PROC. REF: AMM 65-12-05PROC. REF: AMM 65-12-05								
651230 BLACK MAIN ROTOR BLADE DROOP STOP ATTACHMENT BOLTS Component ATA:65								
PN:PN	MOS/MSC	22-Jan-13	H/T	TSN 0				
SN:UNKNOWN	HRS	1779.7		TSN 0				
	AFL	3000		TSN 0				
PROC. REF: AMM 65-12-07PROC. REF: AMM 65-12-07								
651230 BLUE MAIN ROTOR BLADE DROOP STOP ATTACHMENT BOLTS Component ATA:65								
PN:PN	MOS/MSC	22-Jan-13	H/T	TSN 0				
SN:UNKNOWN	HRS	1779.7		TSN 0				
	AFL	3000		TSN 0				
PROC. REF: AMM 65-12-07PROC. REF: AMM 65-12-07								
651230 RED MAIN ROTOR BLADE DROOP STOP ATTACHMENT BOLTS Component ATA:65								
PN:PN	MOS/MSC	22-Jan-13	H/T	TSN 0				
SN:UNKNOWN	HRS	1779.7		TSN 0				
	AFL	3000		TSN 0				
PROC. REF: AMM 65-12-07PROC. REF: AMM 65-12-07								
651230 YELLOW MAIN ROTOR BLADE DROOP STOP ATTACHMENT BOLTS Component ATA:65								
PN:PN	MOS/MSC	22-Jan-13	H/T	TSN 0				
SN:UNKNOWN	HRS	1779.7		TSN 0				
	AFL	3000		TSN 0				
PROC. REF: AMM 65-12-07PROC. REF: AMM 65-12-07								
651235 BLACK MAIN ROTOR CUFF ASSEMBLY Component ATA:65								
PN:76150-09601-041	MOS/MSC	13-Mar-02	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00									
651235	BLUE MAIN ROTOR CUFF ASSEMBLY							Component	ATA:65
PN:76150-09601-041	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00									
651235	RED MAIN ROTOR CUFF ASSEMBLY							Component	ATA:65
PN:76150-09601-041	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00									
651235	YELLOW MAIN ROTOR CUFF ASSEMBLY							Component	ATA:65
PN:76150-09601-041	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00									
651274	BLACK ELASTOMERIC BEARING							Component	ATA:65
PN:SB7003-102	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-12-05PROC. REF: AMM 65-12-05									
651274	BLUE ELASTOMERIC BEARING							Component	ATA:65
PN:SB7003-102	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-12-05PROC. REF: AMM 65-12-05									
651274	RED ELASTOMERIC BEARING							Component	ATA:65
PN:SB7003-102	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
PROC. REF: AMM 65-12-05PROC. REF: AMM 65-12-05									
651274	YELLOW ELASTOMERIC BEARING							Component	ATA:65
PN:SB7003-102	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-12-05PROC. REF: AMM 65-12-05									
651275	BLACK ELASTOMERIC BEARING							Component	ATA:65
PN:SB7004-103	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-12-05PROC. REF: AMM 65-12-05									
651275	BLUE ELASTOMERIC BEARING							Component	ATA:65
PN:SB7004-103	MOS/MSC	28-Apr-21	O/C	TSN 0					
SN:C013-10856	HRS	2641.6		TSN 0					
	AFL	4346		TSN 0					
PROC. REF: AMM 65-12-05PROC. REF: AMM 65-12-05									
651275	RED ELASTOMERIC BEARING							Component	ATA:65
PN:SB7004-103	MOS/MSC	28-Apr-21	O/C	TSN 0					
SN:C013-10854	HRS	2641.6		TSN 0					
	AFL	4346		TSN 0					
PROC. REF: AMM 65-12-05PROC. REF: AMM 65-12-05									
651275	YELLOW ELASTOMERIC BEARING							Component	ATA:65
PN:SB7004-103	MOS/MSC	23-Apr-21	O/C	TSN 0					
SN:C013-10594	HRS	2641.4		TSN 0					
	AFL	4345		TSN 0					
PROC. REF: AMM 65-12-05PROC. REF: AMM 65-12-05									
651276	BLACK HORN/PUSHROD BOLT							Component	ATA:65
PN:NAS6608D47	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 65 - TAIL ROTOR DRIVE								
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
651276 BLUE HORN/PUSHROD BOLT Component ATA:65								
PN:NAS6608D47	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
651276 RED HORN/PUSHROD BOLT Component ATA:65								
PN:NAS6608D47	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
651276 YELLOW HORN/PUSHROD BOLT Component ATA:65								
PN:NAS6608D47	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
651277 BLACK ROTATING SWASHPLATE/PUSHROD BOLT Component ATA:65								
PN:NAS464P8-42	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
651277 BLUE ROTATING SWASHPLATE/PUSHROD BOLT Component ATA:65								
PN:NAS464P8-42	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
651277 RED ROTATING SWASHPLATE/PUSHROD BOLT Component ATA:65								
PN:NAS464P8-42	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 65 - TAIL ROTOR DRIVE								
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
651277 YELLOW ROTATING SWASHPLATE/PUSHROD BOLT Component ATA:65								
PN:NAS464P8-42	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
651278 BLACK MAIN ROTOR DAMPER Component ATA:65								
PN:76106-08000-050	MOS/MSC	12-Dec-25	O/C	TSO 139, TSR 0				
SN:A061-01694	HRS	3239.4		TSO 1310.38, TSR 0				
	AFL	5193		TSO 1963, TSR 0				
PROC. REF: AMM 65-12-09PROC. REF: AMM 65-12-09								
651278 BLUE MAIN ROTOR DAMPER Component ATA:65								
PN:76106-08000-050	MOS/MSC	12-Dec-25	O/C	TSO 94, TSR 0				
SN:A061-05649	HRS	3239.4		TSO 906.5, TSR 0				
	AFL	5193		TSO 1325, TSR 0				
PROC. REF: AMM 65-12-09PROC. REF: AMM 65-12-09								
651278 RED MAIN ROTOR DAMPER Component ATA:65								
PN:76106-08000-050	MOS/MSC	12-Dec-25	O/C	TSO 139, TSR 0				
SN:A061-05359	HRS	3239.4		TSO 1310.38, TSR 0				
	AFL	5193		TSO 1963, TSR 0				
PROC. REF: AMM 65-12-09PROC. REF: AMM 65-12-09								
651278 YELLOW MAIN ROTOR DAMPER Component ATA:65								
PN:76106-08000-050	MOS/MSC	12-Dec-25	O/C	TSO 139, TSR 0				
SN:SKY-22599	HRS	3239.4		TSO 1310.38, TSR 0				
	AFL	5193		TSO 1963, TSR 0				
PROC. REF: AMM 65-12-09PROC. REF: AMM 65-12-09								
651281 BLACK MAIN ROTOR BLADE SPINDLE/CUFF Component ATA:65								
PN:76102-08001-045	MOS/MSC	12-Dec-25	H/T	TSN 285				
SN:A134-03992	HRS	3239.4		TSN 3239.4				
	AFL	5193		TSN 5193				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 65 - TAIL ROTOR DRIVE								
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00								
651281 BLUE MAIN ROTOR BLADE SPINDLE/CUFF Component ATA:65								
PN:76102-08001-045	MOS/MSC	12-Dec-25	H/T	TSN 285				
SN:A134-03864	HRS	3239.4		TSN 3239.4				
	AFL	5193		TSN 5193				
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00								
651281 RED MAIN ROTOR BLADE SPINDLE/CUFF Component ATA:65								
PN:76102-08001-045	MOS/MSC	12-Dec-25	H/T	TSN 285				
SN:A134-03827	HRS	3239.4		TSN 3239.4				
	AFL	5193		TSN 5193				
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00								
651281 YELLOW MAIN ROTOR BLADE SPINDLE/CUFF Component ATA:65								
PN:76102-08001-045	MOS/MSC	12-Dec-25	H/T	TSN 285				
SN:A134-03853	HRS	3239.4		TSN 3239.4				
	AFL	5193		TSN 5193				
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00								
651284A ^U NO.1 MAIN ROTOR BLADE DROOP STOP ASSEMBLY Component ATA:65								
PN:76105-08000-043	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
651284B ^U NO.2 MAIN ROTOR BLADE DROOP STOP ASSEMBLY Component ATA:65								
PN:76105-08000-043	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
651284C ^U NO.3 MAIN ROTOR BLADE DROOP STOP ASSEMBLY Component ATA:65								
PN:76105-08000-043	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
651284D ^U		NO.4 MAIN ROTOR BLADE DROOP STOP ASSEMBLY					Component	ATA:65	
PN:76105-08000-043	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
651285A		RED MAIN ROTOR SPINDLE DROOP STOP SUPPORT					Component	ATA:65	
PN:PN	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
651285B		BLUE MAIN ROTOR SPINDLE DROOP STOP SUPPORT					Component	ATA:65	
PN:PN	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
651285C		YELLOW MAIN ROTOR SPINDLE DROOP STOP SUPPORT					Component	ATA:65	
PN:PN	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
651285D		BLACK MAIN ROTOR SPINDLE DROOP STOP SUPPORT					Component	ATA:65	
PN:PN	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
651287		BLACK SPINDLE PRE-LOAD BOLT					Component	ATA:65	
PN:PN	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-12-02PROC. REF: AMM 65-12-02									

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
651287		BLUE SPINDLE PRE-LOAD BOLT					Component		ATA:65
PN:PN	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-12-02PROC. REF: AMM 65-12-02									
651287		RED SPINDLE PRE-LOAD BOLT					Component		ATA:65
PN:PN	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-12-02PROC. REF: AMM 65-12-02									
651287		YELLOW SPINDLE PRE-LOAD BOLT					Component		ATA:65
PN:PN	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-12-02PROC. REF: AMM 65-12-02									
651288A ^U		RED SPINDLE/BLADE ASSEMBLY					Component		ATA:65
PN:76102-08500-045	MOS/MSC	07-Jul-20	O/C	TSN 220					
SN:A134-03827	HRS	2527.2		TSN 2527.2					
	AFL	4206		TSN 4206					
651288B ^U		BLACK SPINDLE/BLADE ASSEMBLY					Component		ATA:65
PN:76102-08500-045	MOS/MSC	02-Jul-20	O/C	TSN 220					
SN:A134-03992	HRS	2527.2		TSN 2527.2					
	AFL	4206		TSN 4206					
651288C ^U		YELLOW SPINDLE/BLADE ASSEMBLY					Component		ATA:65
PN:76102-08500-046	MOS/MSC	07-Jul-20	O/C	TSN 220					
SN:A134-03853	HRS	2527.2		TSN 2527.2					
	AFL	4206		TSN 4206					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
651288D ^U BLUE SPINDLE/BLADE ASSEMBLY								Component	ATA:65
PN:76102-08500-045	MOS/MSC	07-Jul-20	O/C	TSN 220					
SN:A134-03864	HRS	2527.2		TSN 2527.2					
	AFL	4206		TSN 4206					
<hr/>									
651292 BLACK MAIN ROTOR BLADE SPINDLE NUT								Component	ATA:65
PN:76102-08003-103	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:D186-01774	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00									
<hr/>									
651292 BLUE MAIN ROTOR BLADE SPINDLE NUT								Component	ATA:65
PN:76102-08003-103	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:D186-01832	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00									
<hr/>									
651292 RED MAIN ROTOR BLADE SPINDLE NUT								Component	ATA:65
PN:76102-08003-103	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:D186-01788	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00									
<hr/>									
651292 YELLOW MAIN ROTOR BLADE SPINDLE NUT								Component	ATA:65
PN:76102-08003-103	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:D186-01746	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00									
<hr/>									
651293 BLACK MAIN ROTOR BLADE SPINDLE/LINER ASSEMBLY								Component	ATA:65
PN:PN	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 65 - TAIL ROTOR DRIVE								
651293 BLUE MAIN ROTOR BLADE SPINDLE/LINER ASSEMBLY								Component ATA:65
PN:PN	MOS/MSC	13-Mar-02	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00								
651293 RED MAIN ROTOR BLADE SPINDLE/LINER ASSEMBLY								Component ATA:65
PN:PN	MOS/MSC	13-Mar-02	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00								
651293 YELLOW MAIN ROTOR BLADE SPINDLE/LINER ASSEMBLY								Component ATA:65
PN:PN	MOS/MSC	13-Mar-02	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 65-11-00, AMM 65-11-00PROC. REF: AMM 65-11-00, AMM 65-11-00								
651300.01 LOWER BIFILAR SUPPORT ARM - LIFE LIMIT								Service ATA:65
PN:76107-08001-104	MOS	13-Mar-02						LIFE LIMIT
SN:A173-00756	HRS	0	29400		29400 (M)		26147	
	AFL	0						
PROC. REF: AMM 65-13-00PROC. REF: AMM 65-13-00								
651300.01 UPPER BIFILAR SUPPORT ARM - LIFE LIMIT								Service ATA:65
PN:76107-08001-104	MOS	13-Mar-02						LIFE LIMIT
SN:A173-00735	HRS	6.5	29400		29406.5 (M)		26153.5	
	AFL							
PROC. REF: AMM 65-13-00PROC. REF: AMM 65-13-00								
651300.02 LOWER NO. 1 BIFILAR WEIGHT - LIFE LIMIT								Service ATA:65
PN:76107-08004-057	MOS	09-Jul-02						LIFE LIMIT
SN:C187-00284	HRS	0	29400		29400 (M)		26147	
	AFL	0						
PROC. REF: AMM 65-13-00PROC. REF: AMM 65-13-00								

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 65 - TAIL ROTOR DRIVE								
651300.02 LOWER NO. 2 BIFILAR WEIGHT - LIFE LIMIT								
PN:76107-08004-057	MOS	09-Jul-02						Service ATA:65 LIFE LIMIT
SN:C187-00313	HRS	0	29400		29400 (M)		26147	
	AFL	0						
PROC. REF: AMM 65-13-00PROC. REF: AMM 65-13-00								
651300.02 LOWER NO. 3 BIFILAR WEIGHT - LIFE LIMIT								
PN:76107-08004-057	MOS	13-Mar-02						Service ATA:65 LIFE LIMIT
SN:C187-00325	HRS	0	29400		29400 (M)		26147	
	AFL	0						
PROC. REF: AMM 65-13-00PROC. REF: AMM 65-13-00								
651300.02 LOWER NO. 4 BIFILAR WEIGHT - LIFE LIMIT								
PN:76107-08004-057	MOS	13-Mar-02						Service ATA:65 LIFE LIMIT
SN:C187-00326	HRS	0	29400		29400 (M)		26147	
	AFL	0						
PROC. REF: AMM 65-13-00PROC. REF: AMM 65-13-00								
651300.02 UPPER NO. 1 BIFILAR WEIGHT - LIFE LIMIT								
PN:76107-08004-058	MOS	09-Jul-02						Service ATA:65 LIFE LIMIT
SN:D188-00041	HRS	6.5	29400		29406.5 (M)		26153.5	
	AFL	12						
PROC. REF: AMM 65-13-00PROC. REF: AMM 65-13-00								
651300.02 UPPER NO. 2 BIFILAR WEIGHT - LIFE LIMIT								
PN:76107-08004-058	MOS	09-Jul-02						Service ATA:65 LIFE LIMIT
SN:D188-00042	HRS	6.5	29400		29406.5 (M)		26153.5	
	AFL	12						
PROC. REF: AMM 65-13-00PROC. REF: AMM 65-13-00								
651300.02 UPPER NO. 3 BIFILAR WEIGHT - LIFE LIMIT								
PN:76107-08004-058	MOS	09-Jul-02						Service ATA:65 LIFE LIMIT
SN:D188-00043	HRS	6.5	29400		29406.5 (M)		26153.5	
	AFL	12						
PROC. REF: AMM 65-13-00PROC. REF: AMM 65-13-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
651300.02	UPPER NO. 4 BIFILAR WEIGHT - LIFE LIMIT							Service	ATA:65
PN:76107-08004-058	MOS	09-Jul-02						LIFE LIMIT	
SN:D188-00044	HRS	6.5	29400		29406.5 (M)		26153.5		
	AFL	12							
PROC. REF: AMM 65-13-00PROC. REF: AMM 65-13-00									
651301 ^S	INSPECT MAIN ROTOR BIFILAR SUPPORT ARMS							Service	ATA:65
	MOS	12-Dec-25							
	HRS	3239.4	300 (+10%)						
	AFL	5193							
PROC. REF: AMM 65-13-00PROC. REF: AMM 65-13-00									
651303	CONDITION CHECK FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF BIFILAR VIBRATION ABSORBER SUPPORT(S). CHECK LOWER SUPPORT TO HUB ATTACHMENT NUTS FOR SPECIFIED TORQUE. ON HELICOPTERS WITH 5P BIFILAR, ALSO CHECK UPPER AND LOWER SUPPORTS TO SPACER ATTACHMENT NUTS FOR SPECIFIED TORQUE.							Service	ATA:65
	MOS/MSC	22-Dec-25	A/R						
	HRS	3245							
	AFL	5198							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
651306 ^U	INSPECT MAIN ROTOR BIFILAR VIBRATION ABSORBER							Service	ATA:65
	MOS/MSC	22-Sep-11	-						
	HRS	1628.2							
	AFL								
651312 ^S	PERFORM FLUORESCENT PENETRANT INSPECTION FOR THE PRESENCE OF CRACKS ON BOTH UPPER AND LOWER SURFACES OF BIFILAR ATTACHMENT LUGS							Service	ATA:65
	MOS	12-Dec-25	36 (+10%)						
	HRS	3239.4	3000 (+10%)						
	AFL	5193							
PROC. REF: AMM 65-13-00PROC. REF: AMM 65-13-00									

PKG:5

PKG:16,18,22

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
651320	COMPLY WITH THE 50 HOUR LUBRICATION AND SERVICING SCHEDULE REQUIREMENTS.							Service	ATA:65
	MOS	12-Dec-25							
	HRS	3239.4	50 (+10%)		3289.4	3294.4	36.4 (+5)		
	AFL	5193							
PROC. REF: AMM REFER TO APPROPRIATE MANUAL PROC. REF: AMM REFER TO APPROPRIATE MANUAL									
651338 ^U UPPER (5P) BIFILAR ASSEMBLY									
PN:76107-08100-042	MOS/MSC	12-Dec-25	O/C	TSN 285				Component ATA:65	
SN:A173-00735	HRS	3239.4		TSN 3239.4					
	AFL	5193		TSN 5193					
651339 ^U LOWER (3P) BIFILAR ASSEMBLY									
PN:76107-08100-043	MOS/MSC	12-Dec-25	O/C	TSN 285				Component ATA:65	
SN:A173-00756	HRS	3239.4		TSN 3239.4					
	AFL	5193		TSN 5193					
651340 ^U LOWER BIFILAR SUPPORT ARM ASSEMBLY									
PN:76107-08001-045	MOS/MSC	13-Mar-02	O/C	TSN 0				Component ATA:65	
SN:A173-00756	HRS	0		TSN 0					
	AFL	0		TSN 0					
651341 ^U UPPER BIFILAR SUPPORT ARM ASSEMBLY									
PN:76107-08001-046	MOS/MSC	09-Jul-02	O/C					Component ATA:65	
SN:A173-00735	HRS	6.5							
	AFL	12							
651342 LOWER BIFILAR SUPPORT ARM									
PN:76107-08001-104	MOS/MSC	13-Mar-02	H/T	TSN 0				Component ATA:65	
SN:A173-00756	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-13-00 PROC. REF: AMM 65-13-00									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
651343		UPPER BIFILAR SUPPORT ARM					Component	ATA:65	
PN:76107-08001-104	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:A173-00735	HRS	6.5		TSN 0					
	AFL			TSN 0					
	ACH								
	EMH								
PROC. REF: AMM 65-13-00PROC. REF: AMM 65-13-00									
651344		LOWER NO. 1 BIFILAR WEIGHT					Component	ATA:65	
PN:76107-08004-057	MOS/MSC	09-Jul-02	H/T	TSN 0					
SN:C187-00284	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-13-00PROC. REF: AMM 65-13-00									
651345		UPPER NO. 1 BIFILAR WEIGHT					Component	ATA:65	
PN:76107-08004-058	MOS/MSC	09-Jul-02	H/T		TSN 0				
SN:D188-00041	HRS	6.5			TSN 0				
	AFL	12							
PROC. REF: AMM 65-13-00PROC. REF: AMM 65-13-00									
651346		LOWER NO. 2 BIFILAR WEIGHT					Component	ATA:65	
PN:76107-08004-057	MOS/MSC	09-Jul-02	H/T	TSN 0					
SN:C187-00313	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-13-00PROC. REF: AMM 65-13-00									
651347		UPPER NO. 2 BIFILAR WEIGHT					Component	ATA:65	
PN:76107-08004-058	MOS/MSC	09-Jul-02	H/T		TSN 0				
SN:D188-00042	HRS	6.5			TSN 0				
	AFL	12							
PROC. REF: AMM 65-13-00PROC. REF: AMM 65-13-00									
651348		LOWER NO. 3 BIFILAR WEIGHT					Component	ATA:65	
PN:76107-08004-057	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:C187-00325	HRS	0		TSN 0					
	AFL	0		TSN 0					

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
PROC. REF: AMM 65-13-00PROC. REF: AMM 65-13-00									
651349	UPPER NO. 3 BIFILAR WEIGHT							Component	ATA:65
PN:76107-08004-058	MOS/MSC	09-Jul-02	H/T	TSN 0					
SN:D188-00043	HRS	6.5		TSN 0					
	AFL	12		TSN 0					
PROC. REF: AMM 65-13-00PROC. REF: AMM 65-13-00									
651350	LOWER NO. 4 BIFILAR WEIGHT							Component	ATA:65
PN:76107-08004-057	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:C187-00326	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-13-00PROC. REF: AMM 65-13-00									
651351	UPPER NO. 4 BIFILAR WEIGHT							Component	ATA:65
PN:76107-08004-058	MOS/MSC	09-Jul-02	H/T	TSN 0					
SN:D188-00044	HRS	6.5		TSN 0					
	AFL	12		TSN 0					
PROC. REF: AMM 65-13-00PROC. REF: AMM 65-13-00									
651370	BIFILAR SPACER							Component	ATA:65
PN:76107-08008-102	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-13-00PROC. REF: AMM 65-13-00									
651400 ^S	SWASHPLATE ASSEMBLY - SWASHPLATE SHIELD FOR DAMAGE OR DISBONDING. CHECK ROTATIONAL (TANGENTIAL) PLAY BETWEEN ROTATING AND STATIONARY SWASHPLATE.							Service	ATA:65
PN:76104-08500-044	MOS	12-Dec-25							
SN:A238-00236	HRS	3239.4	50 (+10%)						
	AFL	5193							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									

PKG:2

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
651400.01	SWASHPLATE ASSEMBLY - LIFE LIMIT							Service	ATA:65
PN:76104-08500-044	MOS	13-Jul-20						LIFE LIMIT	
SN:A238-00236	HRS	2527.2	19200		19200 (M)		15947		
	AFL	4206							
PROC. REF: AMM 65-14-00PROC. REF: AMM 65-14-00									
651402 ^S	INSPECT SWASHPLATE SPHERICAL BEARING							Service	ATA:65
	MOS	12-Dec-25							
	HRS	3239.4	300 (+10%)						
	AFL	5193							
PROC. REF: AMM 65-14-00PROC. REF: AMM 65-14-00									
651404 ^S	INSPECT/CLEAN MAIN ROTOR SWASHPLATE ASSEMBLY							Service	ATA:65
	MOS	12-Dec-25	36 (+10%)						
	HRS	3239.4							
	AFL	5193							
PROC. REF: AMM 65-14-00PROC. REF: AMM 65-14-00									
651404A ^S	INSPECT MAIN ROTOR HEAD COMPONENTS AND BOLTS							Service	ATA:65
	MOS	12-Dec-25	36 (+10%)						
	HRS	3239.4							
	AFL	5193							
PROC. REF: AMM 65-12-00PROC. REF: AMM 65-12-00									
651406	CONDITION CHECK FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF SWASHPLATE SPHERICALBEARING.CHECK SWASHPLATE SPHERICAL BEARING OUTER RACE FORPROPER CLAMP-UP PER REMOVAL/INSTALLATION, 65-14-00. ALSO, IF NEW SB5007-102 SPHERICAL BEARING IS INSTALLED, CHECK AXIAL PLAY OF SPHERICAL BALL RELATIVE TO STATIONARY SWASHPLATE PER INSPECTION/CHECK,65-14-00.							Service	ATA:65
	MOS/MSC	02-Jan-26	A/R						
	HRS	3245							
	AFL	5198							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
651407	CONDITION CHECK FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF ROTATING SCISSORS OR SCISSOR BEARINGS. CHECK UPPER LINK TO HUB ATTACHMENT BOLT, UPPER LINK TO LOWER LINK ATTACHMENT BOLT AND LOWER LINK TO SWASHPLATE ATTACHMENT BOLT FOR PROPER TORQUE AND CLAMP UP.							Service	ATA:65
	MOS/MSC	22-Dec-25	A/R						
	HRS	3245							
	AFL	5198							
PROC. REF: AMM REFER TO APPROPRIATE MANUAL PROC. REF: AMM REFER TO APPROPRIATE MANUAL									
651413^S INSPECT ROTATING AND STATIONARY SCISSORS									
	MOS	12-Dec-25						Service ATA:65	
	HRS	3239.4	50 (+10%)						
	AFL	5193							
PROC. REF: AMM 65-14-01, AMM 65-14-02 PROC. REF: AMM 65-14-01, AMM 65-14-02									
651420 LUBRICATE SWASHPLATE									
	MOS	12-Dec-25	12 (+10%)		12-Dec-26	18-Jan-27	270 d (+37)	Service ATA:65	
	HRS	3239.4	600 (+10%)		3839.4	3899.4	586.4 (+60)		
	AFL	5193							
PROC. REF: AMM REFER TO APPROPRIATE MANUAL PROC. REF: AMM REFER TO APPROPRIATE MANUAL									
651431 ROTATING SCISSORS ASSEMBLY									
PN:76104-08520-041	MOS/MSC	12-Dec-25	O/C					Component ATA:65	
SN:A233-00290	HRS	3239.4							
	AFL	5193							
PROC. REF: AMM 65-14-01 PROC. REF: AMM 65-14-01									
651456 SWASHPLATE ASSEMBLY									
PN:76104-08500-044	MOS/MSC	12-Dec-25	H/T		TSN 285, TSR 0			Component ATA:65	
SN:A238-00236	HRS	3239.4			TSN 3239.4, TSR 0				
	AFL	5193			TSN 5193, TSR 0				
PROC. REF: AMM 65-14-00 PROC. REF: AMM 65-14-00									
651471 ROTATING SCISSORS/HUB BOLT									
PN:NAS1310-84DH	MOS/MSC	12-Dec-25	O/C		TSN 0			Component ATA:65	
SN:UNKNOWN	HRS	3239.4			TSN 0				
	AFL	5193			TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
PROC. REF: AMM 65-14-01PROC. REF: AMM 65-14-01									
651472	STATIONARY SCISSORS							Component	ATA:65
PN:76104-08040-042	MOS/MSC	12-Dec-25	O/C						
SN:A168-01445	HRS	3239.4							
	AFL	5193							
PROC. REF: AMM 65-14-02PROC. REF: AMM 65-14-02									
651480 ^U	SWASHPLATE SPHERICAL BEARING							Component	ATA:65
PN:SB5007-102	MOS/MSC	12-Dec-25	O/C	TSN 0					
SN:B3311-00123	HRS	3239.4		TSN 0					
	AFL	5193		TSN 0					
651482 ^U	ROTATING SCISSOR BEARING							Component	ATA:65
PN:SB5200-103	MOS/MSC	29-Jun-23	O/C	TSN 0					
SN:202458 202455 202476 2051	HRS	2938.4		TSN 0					
	AFL	4802		TSN 0					
651841 ^U	SWASHPLATE DUPLEX BEARING							Component	ATA:65
PN:SB1562-201	MOS/MSC	12-Dec-25	O/C	TSN 0					
SN:UNKNOWN	HRS	3239.4		TSN 0					
	AFL			TSN 0					
652001	PERFORM ULTRASONIC INSPECTION OF TAIL ROTOR BLADE SPARS THAT DO NOT HAVE EDGE WRAPS ("TACO WRAPS") AROUND ELLIPTICAL HOLE							Service	ATA:65
	MOS	13-Oct-23							
	HRS	2982	3000 (+10%)		5982	6282	2729 (+300)		
	AFL	4859							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									

PKG:13

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
652100.01	TAIL ROTOR BLADE OUTBOARD RETAINING PLATE - LIFE LIMIT							Service	ATA:65
PN:76102-05001-047	MOS	13-Mar-02						LIFE LIMIT	
SN:A131-00532	HRS	0	9100		9100 (M)		5847		
	AFL	0							
<hr/>									
652101 ^S	INSPECT TAIL ROTOR PITCH CONTROL RODS AND PITCH BEAM							Service	ATA:65
	MOS	12-Dec-25							
	HRS	3239.4	50 (+10%)						
	AFL	5193							
<hr/>									
PROC. REF: AMM 65-21-00PROC. REF: AMM 65-21-00									
<hr/>									
652101.01	INBOARD TAIL ROTOR - NO. 1 TAIL ROTOR BLADE HORN - LIFE LIMIT							Service	ATA:65
PN:76101-05006-042	MOS	12-Oct-23						LIFE LIMIT	
SN:B361-00669	HRS	2982	12000		13669.8 (M)		10416.8		
	AFL	4859							
<hr/>									
652101.01	INBOARD TAIL ROTOR - NO. 2 TAIL ROTOR BLADE HORN - LIFE LIMIT							Service	ATA:65
PN:76101-05006-042	MOS	12-Oct-23						LIFE LIMIT	
SN:B361-00725	HRS	2982	12000		13669.8 (M)		10416.8		
	AFL	4859							
<hr/>									
652101.01	OUTBOARD TAIL ROTOR - NO. 1 TAIL ROTOR BLADE HORN - LIFE LIMIT							Service	ATA:65
PN:76101-05006-042	MOS	12-Oct-23						LIFE LIMIT	
SN:A334-03537	HRS	2982	12000		12043.6 (M)		8790.6		
	AFL	4859							
<hr/>									
652101.01	OUTBOARD TAIL ROTOR - NO. 2 TAIL ROTOR BLADE HORN - LIFE LIMIT							Service	ATA:65
PN:76101-05006-042	MOS	12-Oct-23						LIFE LIMIT	
SN:A334-03538	HRS	2982	12000		12043.6 (M)		8790.6		
	AFL	4859							

PKG:2

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
652101.02	BLACK TAIL ROTOR BLADE - LIFE LIMIT							Service	ATA:65
PN:76101-05020-048	MOS	12-Oct-23						LIFE LIMIT	
SN:3538	HRS	2982	20000		20043.6 (M)		16790.6		
	AFL	4859							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
652101.02	BLUE TAIL ROTOR BLADE - LIFE LIMIT							Service	ATA:65
PN:76101-05020-048	MOS	12-Oct-23						LIFE LIMIT	
SN:3537	HRS	2982	20000		20043.6 (M)		16790.6		
	AFL	4859							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
652101.02	RED TAIL ROTOR BLADE - LIFE LIMIT							Service	ATA:65
PN:76101-05020-048	MOS	12-Oct-23						LIFE LIMIT	
SN:A334-04516	HRS	2982	20000		21669.8 (M)		18416.8		
	AFL	4859							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
652101.02	YELLOW TAIL ROTOR BLADE - LIFE LIMIT							Service	ATA:65
PN:76101-05020-048	MOS	12-Oct-23						LIFE LIMIT	
SN:A334-04514	HRS	2982	20000		21669.8 (M)		18416.8		
	AFL	4859							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
652102A ^S	INSPECT TAIL ROTOR (RED) BLADE AIRFOIL REGION (G)							Service	ATA:65
	MOS	12-Dec-25							
	HRS	3239.4	900 (+10%)						
	AFL	5193							
PROC. REF: AMM 65-21-01PROC. REF: AMM 65-21-01									
652102B ^S	INSPECT TAIL ROTOR (YELLOW) BLADE AIRFOIL REGION (G)							Service	ATA:65
	MOS	12-Dec-25							
	HRS	3239.4	900 (+10%)						
	AFL	5193							
PKG:10									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
PROC. REF: AMM 65-21-01PROC. REF: AMM 65-21-01									
652102C ^S	INSPECT TAIL ROTOR (BLACK) BLADE AIRFOIL REGION (G)							Service	ATA:65
	MOS	12-Dec-25							
	HRS	3239.4	900 (+10%)						
	AFL	5193							
PROC. REF: AMM 65-21-01PROC. REF: AMM 65-21-01									
652102D ^S	INSPECT TAIL ROTOR (BLUE) BLADE AIRFOIL REGION (G)							Service	ATA:65
	MOS	12-Dec-25							
	HRS	3239.4	900 (+10%)						
	AFL	5193							
PROC. REF: AMM 65-21-01PROC. REF: AMM 65-21-01									
652103 ^S	INSPECTION TAIL ROTOR, BLADES, PITCH CHANGE SHAFT, PITCH CONTROL ROD ATTACHMENT BOLTS AND RETAINING PLATE ATTACHMENT BOLTS							Service	ATA:65
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)						
	AFL	4363							
PROC. REF: AMM 65-21-00PROC. REF: AMM 65-21-00									
652104	FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF TAIL ROTOR BLADES							Service	ATA:65
	MOS/MSC	29-Jun-21	A/R						
	HRS	2657.9							
	AFL	4374							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
652111 ^S	INSPECT TAIL ROTOR BLADE SPAR							Service	ATA:65
	MOS	12-Dec-25							
	HRS	3239.4	25 (+10%)						
	AFL	5193							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
652112A ^S	INSPECTION OF TAIL ROTOR (RED) BLADE							Service	ATA:65
	MOS	12-Dec-25							
	HRS	3239.4	50 (+10%)						
	AFL	5193							
PROC. REF: AMM 65-21-01PROC. REF: AMM 65-21-01									
PKG:2									
652112B ^S	INSPECTION OF TAIL ROTOR (YELLOW) BLADE							Service	ATA:65
	MOS	12-Dec-25							
	HRS	3239.4	50 (+10%)						
	AFL	5193							
PROC. REF: AMM 65-21-01PROC. REF: AMM 65-21-01									
PKG:2									
652112C ^S	INSPECTION OF TAIL ROTOR (BLACK) BLADE							Service	ATA:65
	MOS	12-Dec-25							
	HRS	3239.4	50 (+10%)						
	AFL	5193							
PROC. REF: AMM 65-21-01PROC. REF: AMM 65-21-01									
PKG:2									
652112D ^S	INSPECTION OF TAIL ROTOR (BLUE) BLADE							Service	ATA:65
	MOS	12-Dec-25							
	HRS	3239.4	50 (+10%)						
	AFL	5193							
PROC. REF: AMM 65-21-01PROC. REF: AMM 65-21-01									
PKG:2									
652113 ^S	PERFORM A "LOW" TAIL ROTOR BALANCE CHECK							Service	ATA:65
	MOS	12-Dec-25	12 (+10%)						
	HRS	3239.4	300 (+10%)						
	AFL	5193							
PROC. REF: AMM 18-10-00PROC. REF: AMM 18-10-00									
PKG:5,20									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
652114 ^S	PERFORM LOW TAIL ROTOR BALANCE CHECK							Service	ATA:65
	MOS	12-Dec-25	12 (+10%)						
	HRS	3239.4	200 (+10%)						
	AFL								
PROC. REF: AMM 18-10-00PROC. REF: AMM 18-10-00									
PKG:20									
652115 ^S	INSPECT TAIL ROTOR PITCH CONTROL RODS							Service	ATA:65
	MOS	08-Jul-25							
	HRS	3218.7	100 (+10%)						
	AFL	5176							
PROC. REF: AMM 65-12-06PROC. REF: AMM 65-12-06									
PKG:3									
652116 ^S	INSPECT INBOARD TAIL ROTOR BLADE ASSEMBLY, COMPRISING: BLADE ASSEMBLY (ALL SURFACES) (A. AND B.)							Service	ATA:65
	MOS	12-Oct-23							
	HRS	2982	1500 (+10%)						
	AFL	4859							
PROC. REF: AMM 65-21-01PROC. REF: AMM 65-21-01									
PKG:14									
652116 ^S	INSPECT OUTBOARD TAIL ROTOR BLADE ASSEMBLY, COMPRISING: BLADE ASSEMBLY (ALL SURFACES) (A. AND B.)							Service	ATA:65
	MOS	12-Oct-23							
	HRS	2982	1500 (+10%)						
	AFL	4859							
PROC. REF: AMM 65-21-01PROC. REF: AMM 65-21-01									
PKG:14									
652118	INSPECT PIVOT (ELASTOMERIC) BEARINGS							Service	ATA:65
	MOS	17-Jun-21							
	HRS	2651.1	1500 (+10%)		4151.1	4301.1	898.1 (+150)		
	AFL	4363							
PROC. REF: AMM 65-12-05PROC. REF: AMM 65-12-05									

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 65 - TAIL ROTOR DRIVE									
652119	INSPECT INBOARD TAIL ROTOR BLADE SPAR							Service	ATA:65
	MOS	12-Oct-23							
	HRS	2982	500 (+10%)		3482	3532	229 (+50)		
	AFL	4859							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
652119	INSPECT OUTBOARD TAIL ROTOR BLADE SPAR							Service	ATA:65
	MOS	12-Oct-23							
	HRS	2982	500 (+10%)		3482	3532	229 (+50)		
	AFL	4859							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
652121	RED TAIL ROTOR BLADE							Component	ATA:65
PN:76101-05020-048	MOS/MSC	12-Oct-23	H/T						
SN:A334-04516	HRS	2982		TSN 1312.2					
	AFL	4859							
PROC. REF: AMM 65-21-01, AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM 65-21-01, AMM REFER TO APPROPRIATE MANUAL									
652122	YELLOW TAIL ROTOR BLADE							Component	ATA:65
PN:76101-05020-048	MOS/MSC	12-Oct-23	H/T						
SN:A334-04514	HRS	2982		TSN 1312.2					
	AFL	4859							
PROC. REF: AMM 65-21-01, AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM 65-21-01, AMM REFER TO APPROPRIATE MANUAL									
652123	BLACK TAIL ROTOR BLADE							Component	ATA:65
PN:76101-05020-048	MOS/MSC	12-Oct-23	H/T						
SN:3538	HRS	2982		TSN 2938.4					
	AFL	4859							
PROC. REF: AMM 65-21-01, AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM 65-21-01, AMM REFER TO APPROPRIATE MANUAL									
652124	BLUE TAIL ROTOR BLADE							Component	ATA:65
PN:76101-05020-048	MOS/MSC	12-Oct-23	H/T						
SN:3537	HRS	2982		TSN 2938.4					
	AFL	4859							
PROC. REF: AMM 65-21-01, AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM 65-21-01, AMM REFER TO APPROPRIATE MANUAL									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 65 - TAIL ROTOR DRIVE								
652151 TAIL ROTOR BLADE OUTBOARD RETAINING PLATE								Component ATA:65
PN:76102-05001-047	MOS/MSC	13-Mar-02	H/T	TSN 0				
SN:A131-00532	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
652170 INBOARD BLADE/SPAR FASTENERS NUT								Component ATA:65
PN:76101-05023-105	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
652170 OUTBOARD BLADE/SPAR FASTENERS NUT								Component ATA:65
PN:76101-05023-105	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
652171 INBOARD BLADE/SPAR FASTENERS WASHER								Component ATA:65
PN:76101-05023-107	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
652171 OUTBOARD BLADE/SPAR FASTENERS WASHER								Component ATA:65
PN:76101-05023-107	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
652172 INBOARD BLADE/SPAR FASTENERS BOLT								Component ATA:65
PN:76101-05023-108	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 65 - TAIL ROTOR DRIVE								
652172 OUTBOARD BLADE/SPAR FASTENERS BOLT								Component ATA:65
PN:76101-05023-108	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
652173 INBOARD BLADE/SPAR FASTENERS WASHER								Component ATA:65
PN:76101-05023-109	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
652173 OUTBOARD BLADE/SPAR FASTENERS WASHER								Component ATA:65
PN:76101-05023-109	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
652174 INBOARD SPAR								Component ATA:65
PN:76101-05017-045	MOS/MSC	12-Oct-23	O/C					
SN:A293-05487	HRS	2982		TSN 294.92				
	AFL	4859						
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
652174 OUTBOARD SPAR								Component ATA:65
PN:76101-05017-045	MOS/MSC	12-Oct-23	O/C					
SN:A293-05350	HRS	2982		TSN 1244				
	AFL	4859						
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
652175 INBOARD #1 SNUBBER BEARING								Component ATA:65
PN:SB7303-102	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 65 - TAIL ROTOR DRIVE								
652175 OUTBOARD #1 SNUBBER BEARING								Component ATA:65
PN:SB7303-102	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
652176 INBOARD #2 SNUBBER BEARING								Component ATA:65
PN:SB7303-102	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
652176 OUTBOARD #2 SNUBBER BEARING								Component ATA:65
PN:SB7303-102	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
652177 INBOARD #3 SNUBBER BEARING								Component ATA:65
PN:SB7303-102	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
652177 OUTBOARD #3 SNUBBER BEARING								Component ATA:65
PN:SB7303-102	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
652178 INBOARD #4 SNUBBER BEARING								Component ATA:65
PN:SB7303-102	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 65 - TAIL ROTOR DRIVE								
652178 OUTBOARD #4 SNUBBER BEARING								Component ATA:65
PN:SB7303-102	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
652180 ^U INBOARD TAIL ROTOR BLADE ASSEMBLY								Component ATA:65
PN:76101-05501-042	MOS/MSC	11-Oct-23	O/C	TSR 0				
SN:A245-00932	HRS	2982		TSN 1312.2, TSR 0				
	AFL	4859		TSR 0				
652181 OUTBOARD TAIL ROTOR - NO. 1 TAIL ROTOR BLADE HORN								
PN:76101-05006-042	MOS/MSC	12-Oct-23	H/T					Component ATA:65
SN:A334-03537	HRS	2982		TSN 2938.4				
	AFL	4859						
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
652181A ^U OUTBOARD TAIL ROTOR BLADE ASSEMBLY								Component ATA:65
PN:76101-05501-042	MOS/MSC	12-Oct-23	O/C	TSR 0				
SN:A245-00526	HRS	2982		TSR 0				
	AFL	4859		TSR 0				
652183A ^U OUTBOARD TAIL ROTOR BLADE BOOT								
PN:76101-05008-101	MOS/MSC	01-Jun-17	O/C					Component ATA:65
SN:NSN	HRS	2254.7						
	AFL							
652183B ^U OUTBOARD TAIL ROTOR BLADE BOOT								
PN:76101-05008-101	MOS/MSC	01-Jun-17	O/C					Component ATA:65
SN:NSN	HRS	2254.7						
	AFL							

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 65 - TAIL ROTOR DRIVE								
652183C ^U INBOARD TAIL ROTOR BLADE BOOT Component ATA:65								
PN:76101-05008-101	MOS/MSC	01-Jun-17	O/C					
SN:NSN	HRS							
	AFL							
652183D ^U INBOARD TAIL ROTOR BLADE BOOT Component ATA:65								
PN:76101-05008-101	MOS/MSC	01-Jun-17	O/C					
SN:NSN	HRS							
	AFL							
652186 INBOARD TAIL ROTOR - NO. 1 TAIL ROTOR BLADE HORN Component ATA:65								
PN:76101-05006-042	MOS/MSC	12-Oct-23	H/T					
SN:B361-00669	HRS	2982		TSN 1312.2				
	AFL	4859						
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
652191 OUTBOARD TAIL ROTOR - NO. 2 TAIL ROTOR BLADE HORN Component ATA:65								
PN:76101-05006-042	MOS/MSC	12-Oct-23	H/T					
SN:A334-03538	HRS	2982		TSN 2938.4				
	AFL	4859						
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
652196 INBOARD TAIL ROTOR - NO. 2 TAIL ROTOR BLADE HORN Component ATA:65								
PN:76101-05006-042	MOS/MSC	12-Oct-23	H/T					
SN:B361-00725	HRS	2982		TSN 1312.2				
	AFL	4859						
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
656180 ^U ROTOR SPEED SENSOR Component ATA:65								
PN:76450-01078-107	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 66 - FOLDING BLADES/PYLON								
661000.01 MAIN GEARBOX QUILL SHAFT - LIFE LIMIT Service ATA:66								
PN:76351-09628-101	MOS	12-Dec-25						LIFE LIMIT
SN:B212-00765	HRS	3239.4	9000		12239.4		8986.4	
	AFL	5193						
661000.02 MAIN GEAR BOX SPLINE/ADAPTER SHAFT - LIFE LIMIT Service ATA:66								
PN:76351-09626-104	MOS	12-Dec-25						LIFE LIMIT
SN:B211-00226	HRS	3239.4	37000		40239.4		36986.4	
	AFL	5193						
661000.04 MAIN ROTOR SHAFT - LIFE LIMIT Service ATA:66								
PN:76351-09630-041	MOS	12-Dec-25						LIFE LIMIT
SN:D213-01719	HRS	3239.4	4900		8139.4		4886.4	
	AFL	5193						
661000.05 SWASHPLATE GUIDE - LIFE LIMIT Service ATA:66								
PN:76351-09029-102	MOS	12-Dec-25						LIFE LIMIT
SN:A028-01026	HRS	3239.4	20000		23239.4		19986.4	
	AFL	5193						
661000.07 MAIN GEAR BOX UPPER HOUSING - LIFE LIMIT Service ATA:66								
PN:76351-09002-055	MOS	12-Dec-25						LIFE LIMIT
SN:C001-00611	HRS	3239.4	10400		13639.4		10386.4	
	AFL	5193						
PROC. REF: AMM REFER TO APPROPRIATE MANUAL PROC. REF: AMM REFER TO APPROPRIATE MANUAL								
661001^S INSPECT MAIN GEAR BOX Service ATA:66								
	MOS	10-Feb-25						
	HRS	3149	600 (+10%)					
	AFL	5104						
PROC. REF: AMM 66-10-00 PROC. REF: AMM 66-10-00								

PKG:8

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 66 - FOLDING BLADES/PYLON									
661002 ^S	DETAIL INSPECT MAIN GEAR BOX UPPER AND LOWER HOUSINGS							Service	ATA:66
	MOS	12-Dec-25	12 (+10%)						
	HRS								
	AFL								
PROC. REF: AMM 66-10-00PROC. REF: AMM 66-10-00								PKG:20	
661003 ^S	TORQUE CHECK MAIN GEAR BOX MOUNTING BOLTS							Service	ATA:66
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)						
	AFL	4363							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								PKG:16	
661004 ^U	FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF A MAIN GEAR BOX, OR AFTER MGB MOUNTING BOLTS HAVE BEEN LOOSENEED OR RETIGHTENED FOR ANY REASON.							Service	ATA:66
	MOS/MSC	19-Dec-25	O/C						
	HRS	3245							
	AFL	5198							
661008 ^S	INSPECT MAIN ROTOR SHAFT UPPER BEARING SHOULDER/BEARING INTERFACE FOR CORROSION							Service	ATA:66
	MOS	12-Dec-25	12 (+10%)						
	HRS								
	AFL								
PROC. REF: AMM 66-10-00PROC. REF: AMM 66-10-00								PKG:20	
661009	INSPECTION OF THE MAIN GEAR BOX LOWER HOUSING							Service	ATA:66
	MOS/MSC	12-Dec-25	BF/F						
	HRS	3239.4							
	AFL								
PROC. REF: AMM 66-10-00PROC. REF: AMM 66-10-00									

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 66 - FOLDING BLADES/PYLON									
661010	MAIN GEAR BOX INSPECT MAIN ROTOR SHAFTBEARING CONTACT SHOULDER/UPPER ROLLER BEARINGINTERFACE FOR POSSIBLE SEATING GAP AND MAINROTOR SHAFT SEAL LINER FOR INDICATIONS OF OIL LEAKAGE, CORROSION, AND/OR CRACKING INSPECT							Service	ATA:66
	MOS	09-Mar-26	3 (+10%)		09-Jun-26	18-Jun-26	84 d (+9)		
	HRS	3252	300 (+10%)		3552	3582	299 (+30)		
	AFL	5221							
PROC. REF: AMM 66-10-00PROC. REF: AMM 66-10-00									
661010A ^S	PERFORM MAIN GEAR BOX - MAIN ROTORSHAFT 300-HOUR INSPECTION							Service	ATA:66
	MOS	12-Dec-25	3 (+10%)						
	HRS	3239.4	300 (+10%)						
	AFL	5193							
PROC. REF: AMM 66-10-00PKG:5,27,30,33,36,39									
661011 ^S	PERFORM SOAP ANALYSIS OF MAIN GEAR BOX OIL							Service	ATA:66
	MOS	12-Dec-25							
	HRS	3239.4	300 (+10%)						
	AFL	5193							
PROC. REF: AMM 66-10-00PKG:5									
661012	SOAP CHECK OIL ANALYSIS IF NEW OR OVERHAULED MAIN GEARBOX IS INSTALLED							Service	ATA:66
	MOS/MSC	13-Mar-02	C/C						
	HRS	0			3539.4 (M)		286.4		
	AFL	0							
PROC. REF: AMM 66-10-00									
661013	SOAP CHECK WHEN PLACING HELICOPTER INTO SERVICE AFTER SHORT OR LONG TERM STORAGE							Service	ATA:66
	MOS/MSC	13-Mar-02	A/R						
	HRS	0							
	AFL	0							
PROC. REF: AMM REFER TO APPROPRIATE MANUAL									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 66 - FOLDING BLADES/PYLON									
661015	INSPECTION IS REQUIRED BEFORE FIRST FLIGHT OF THE DAY ON THE MAIN GEAR BOX (MGB) SWASHPLATE GUIDE AREA FOR INDICATION OF OIL LEAKING							Service	ATA:66
	MOS/MSC	12-Dec-25	BF/F						
	HRS	3239.4							
	AFL								
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
661020	SERVICE MAIN GEAR BOX							Service	ATA:66
	MOS/MSC	09-Jan-24	O/C						
	HRS	3002							
	AFL	4897							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
661021	CHANGE MAIN GEAR BOX - FLUID							Service	ATA:66
	MOS	12-Dec-25	12 (+10%)		12-Dec-26	18-Jan-27	270 d (+37)		
	HRS	3239.4	900 (+10%)		4139.4	4229.4	886.4 (+90)		
	AFL	5193							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
661034	MAIN GEAR BOX - OVERHAUL							Service	ATA:66
PN:76351-09600-049	MOS	12-Dec-25						OVERHAUL	
SN:A231-00438	HRS	3239.4	3250		6489.4		3236.4		
	AFL	5193							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
661056	MAIN ROTOR SHAFT							Component	ATA:66
PN:76351-09630-041	MOS/MSC	12-Dec-25	H/T		TSN 0				
SN:D213-01719	HRS	3239.4			TSN 0				
	AFL	5193			TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
661061	SWASHPLATE GUIDE							Component	ATA:66
PN:76351-09029-102	MOS/MSC	12-Dec-25	H/T						
SN:A028-01026	HRS	3239.4			TSN 9397.5				
	AFL	5193							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 66 - FOLDING BLADES/PYLON								
661070 LEFT MAIN GEAR BOX SHAFT AND SPUR PINION								Component ATA:66
PN:76351-09612-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
661070 RIGHT MAIN GEAR BOX SHAFT AND SPUR PINION								Component ATA:66
PN:76351-09612-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
661071 MAIN GEAR BOX LOWER HOUSING								Component ATA:66
PN:76351-09008-057	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 66-10-00PROC. REF: AMM 66-10-00								
661080A ^U MAIN GEAR BOX OIL PUMP								Component ATA:66
PN:76351-09081-103	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:B1834	HRS	0		TSN 0				
	AFL	0		TSN 0				
661080B ^U MAIN GEAR BOX OIL PUMP								Component ATA:66
PN:76351-09081-103	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:B1836	HRS	0		TSN 0				
	AFL	0		TSN 0				
661081 ^U MAIN GEAR BOX OIL COOLER								Component ATA:66
PN:76362-09202-103	MOS/MSC	12-Dec-25	O/C					
SN:9E000002	HRS							
	AFL							

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 66 - FOLDING BLADES/PYLON								
661086 ^U MAIN GEAR BOX OIL THERMOSTAT BYPASS VALVE Component ATA:66								
PN:8A860-009	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
661089A ^U GENERATOR DRIVE ASSEMBLY Component ATA:66								
PN:76351-09044-041	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
661089B ^U GENERATOR DRIVE ASSEMBLY Component ATA:66								
PN:76351-09044-041	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
661094 MAIN GEAR BOX Component ATA:66								
PN:76351-09600-049	MOS/MSC	12-Dec-25	H/T	TSO 0				
SN:A231-00438	HRS	3239.4		TSN 9397.5, TSO 0				
	AFL	5193		TSO 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
661095 MAIN GEAR BOX QUILL SHAFT Component ATA:66								
PN:76351-09628-101	MOS/MSC	12-Dec-25	H/T					
SN:B212-00765	HRS	3239.4		TSN 2232.8, TSO 0				
	AFL	5193		TSO 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
661096 MAIN GEAR BOX UPPER HOUSING Component ATA:66								
PN:76351-09002-055	MOS/MSC	12-Dec-25	H/T					
SN:C001-00611	HRS	3239.4						
	AFL	5193						
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 66 - FOLDING BLADES/PYLON									
661097	MAIN GEAR BOX SPLINE/ADAPTER SHAFT							Component	ATA:66
PN:76351-09626-104	MOS/MSC	12-Dec-25	H/T						
SN:B211-00226	HRS	3239.4		TSN 9397.5					
	AFL	5193							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
661101 ^S	INSPECT MAIN GEAR BOX OIL COOLER BLOWER AIR INLET							Service	ATA:66
	MOS	12-Dec-25							
	HRS	3239.4	300 (+10%)						
	AFL	5193						PKG:5	
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
661102 ^S	INSPECT MAIN GEAR BOX OIL COOLER INLET AND OUTLET HOSES							Service	ATA:66
	MOS	12-Dec-25							
	HRS	3239.4	300 (+10%)						
	AFL	5193						PKG:5	
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
661103	WHENEVER MAIN GEAR BOX OIL FILTER HOUSING IS REMOVED - INSPECT MAIN GEAR BOX OIL FILTER HOUSING MOUNTING STUDS FOR DAMAGE							Service	ATA:66
	MOS/MSC	23-Jul-25	A/R						
	HRS	3234.2							
	AFL	5187							
PROC. REF: AMM 66-11-02PROC. REF: AMM 66-11-02									
661150	REPLACE MAIN GEAR BOX OIL FILTER HOUSING TITANIUM STUDS							Service	ATA:66
	MOS/MSC	02-Jul-20	-						
	HRS	2527.2							
	AFL	4206							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
662001	INTERMEDIATE GEARBOX							Component	ATA:66
PN:76357-05600-041	MOS/MSC	13-Mar-02	H/T	TSN 0					
SN:A242-00237	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 66 - FOLDING BLADES/PYLON									
PROC. REF: AMM 66-20-00PROC. REF: AMM 66-20-00									
662002 ^S	CHECK INTERMEDIATE GEAR BOX HOUSING AND MATING FLANGES							Service	ATA:66
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)						
	AFL	4363							
PKG:14									
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
662004 ^S	INSPECT INTERMEDIATE GEAR BOX							Service	ATA:66
	MOS	12-Dec-25	12 (+10%)						
	HRS								
	AFL								
PKG:20									
PROC. REF: AMM 66-20-00PROC. REF: AMM 66-20-00									
662020	LUBRICATE INTERMEDIATE GEAR BOX INPUT FLANGE							Service	ATA:66
	MOS	12-Dec-25	12		12-Dec-26		270 d		
	HRS	3239.4							
	AFL	5193							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
662021	LUBRICATE INTERMEDIATE GEARBOX OUTPUT FLANGE							Service	ATA:66
	MOS	12-Dec-25	12 (+10%)		12-Dec-26	18-Jan-27	270 d (+37)		
	HRS	3239.4							
	AFL	5193							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
662022	CHANGE INTERMEDIATE GEAR BOX LUBRICANT							Service	ATA:66
	MOS	12-Dec-25	12 (+10%)		12-Dec-26	18-Jan-27	270 d (+37)		
	HRS	3239.4	900 (+10%)		4139.4	4229.4	886.4 (+90)		
	AFL	5193							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 66 - FOLDING BLADES/PYLON									
662030		OVERHAUL INTERMEDIATE GEAR BOX						Service	ATA:66
PN:76357-05600-041	MOS	13-Mar-02						OVERHAUL	
SN:A242-00237	HRS	0	4500		4500		1247		
	AFL	0							
PROC. REF: AMM REFER TO APPROPRIATE MANUAL PROC. REF: AMM REFER TO APPROPRIATE MANUAL									
663000.02		TAIL GEAR BOX OUTPUT SHAFT - LIFE LIMIT						Service	ATA:66
PN:76358-05124-042	MOS	13-Mar-02						LIFE LIMIT	
SN:A069-00667	HRS	0	9100		9100 (M)		5847		
	AFL	0							
PROC. REF: AMM 66-30-00 PROC. REF: AMM 66-30-00									
663000.03		TAIL GEAR BOX OUTPUT FLANGE - LIFE LIMIT						Service	ATA:66
PN:76358-05118-047	MOS	01-Aug-02						LIFE LIMIT	
SN:A070-00389	HRS	0	9100		9100 (M)		5847		
	AFL	0							
PROC. REF: AMM 66-30-00 PROC. REF: AMM 66-30-00									
663001		TAIL GEARBOX						Component	ATA:66
PN:76358-05600-041	MOS/MSC	01-Feb-02	H/T	TSN 0					
SN:A239-00235	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 66-30-00 PROC. REF: AMM 66-30-00									
663002		INSPECT TAIL GEAR BOX PITCH CHANGE SHAFT ASSEMBLY FOR ROTATIONAL PLAY						Service	ATA:66
	MOS	08-Jul-25							
	HRS	3218.7	100 (+10%)		3318.7	3328.7	65.7 (+10)		
	AFL	5176							
PROC. REF: AMM 66-30-00 PROC. REF: AMM 66-30-00									
663002A ^S		INSPECT TAIL GEAR BOX PITCH CHANGE SHAFT ASSEMBLY FOR AXIAL PLAY						Service	ATA:66
	MOS	08-Jul-25							
	HRS	3218.7	100 (+10%)						
	AFL	5176							
PROC. REF: AMM 66-30-00 PROC. REF: AMM 66-30-00									

PKG:3

PKG:3

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 66 - FOLDING BLADES/PYLON									
PROC. REF: AMM 66-30-00PROC. REF: AMM 66-30-00									
663003	^S	CHECK TAIL GEAR BOX HOUSING, MATING FLANGES, AND MOUNTING PADS FOR CRACKS, CORROSION, SECURITY, AND INDICATIONS OF OVERHEATING CONDITION					Service	ATA:66	
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)						
	AFL	4363							
								PKG:14	
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
663004	^S	TORQUE CHECK TAIL GEAR BOX MOUNTING BOLTS					Service	ATA:66	
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)						
	AFL	4363							
								PKG:14	
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
663007	^S	INSPECT TAIL GEAR BOX					Service	ATA:66	
	MOS	12-Dec-25	12 (+10%)						
	HRS								
	AFL								
								PKG:20	
PROC. REF: AMM 66-30-00PROC. REF: AMM 66-30-00									
663008		CHECK MOUNTING BOLTS FOR SPECIFIED TORQUE FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF A TAIL GEAR BOX, OR IF BOLTS HAVE BEEN LOOSENEED OR RETIGHTENED FOR ANY REASON.					Service	ATA:66	
	MOS/MSC	17-Feb-25	A/R						
	HRS	3154.1							
	AFL	5114							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
663010	^S	INSPECT TAIL GEAR BOX OUTPUT FLANGE AND TAIL ROTOR OUTBOARD RETAINING PLATE					Service	ATA:66	
	MOS	08-Jul-25							
	HRS	3218.7	100 (+10%)						
	AFL	5176							
								PKG:3	
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 66 - FOLDING BLADES/PYLON									
663011 ^S	INSPECT TAIL GEAR BOX OUTPUT SHAFT AT FLANGE 76358-05118, FOR AXIAL PLAY							Service	ATA:66
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
PROC. REF: AMM 66-30-00PROC. REF: AMM 66-30-00									
663020 SERVICE TAIL GEAR BOX									
	MOS/MSC	09-Jan-24	O/C					Service ATA:66	
	HRS	3002							
	AFL	4897							
PROC. REF: AMM 66-30-00PROC. REF: AMM 66-30-00									
663021 LUBRICATE TAIL GEAR BOX INPUT FLANGE									
	MOS	12-Dec-25	12 (+10%)		12-Dec-26	18-Jan-27	270 d (+37)	Service ATA:66	
	HRS	3239.4							
	AFL	5193							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
663022 CHANGE TAIL GEAR BOX LUBRICANT									
	MOS	12-Dec-25	12 (+10%)		12-Dec-26	18-Jan-27	270 d (+37)	Service ATA:66	
	HRS	3239.4	900 (+10%)		4139.4	4229.4	886.4 (+90)		
	AFL	5193							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
663030 OVERHAUL TAIL GEAR BOX									
PN:76358-05600-041	MOS	01-Feb-02						Service ATA:66	
SN:A239-00235	HRS	0	4000		4000		747	OVERHAUL	
	AFL	0							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
663041 TAIL GEAR BOX OUTPUT SHAFT									
PN:76358-05124-042	MOS/MSC	13-Mar-02	H/T	TSN 0				Component ATA:66	
SN:A069-00667	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 66-30-00PROC. REF: AMM 66-30-00									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 66 - FOLDING BLADES/PYLON									
663046	TAIL GEAR BOX OUTPUT FLANGE							Component	ATA:66
PN:76358-05118-047	MOS/MSC	01-Aug-02	H/T	TSN 0					
SN:A070-00389	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 66-30-00PROC. REF: AMM 66-30-00									
663080	TAIL GEAR BOX PITCH CONTROL SHAFT							Component	ATA:66
PN:76000-05100-046	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
664001 ^S	INSPECT ALL SECTIONS OF TAIL DRIVE SHAFT							Service	ATA:66
	MOS	12-Dec-25							
	HRS	3239.4	300 (+10%)						
	AFL	5193							
PROC. REF: AMM 66-40-00PROC. REF: AMM 66-40-00									
664002 ^S	INSPECT TAIL ROTOR DRIVE SHAFT SECTION I							Service	ATA:66
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
PROC. REF: AMM 66-40-00PROC. REF: AMM 66-40-00									
664003	INSPECT NUMBER V TAIL DRIVE FLEXIBLE COUPLING AT INTERMEDIATE GEAR BOX OUTPUT FLANGE							Service	ATA:66
	MOS	08-Jul-25							
	HRS	3218.7	100 (+10%)		3318.7	3328.7	65.7 (+10)		
	AFL	5176							
PROC. REF: AMM 66-40-00PROC. REF: AMM 66-40-00									

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 66 - FOLDING BLADES/PYLON									
664005	NO.1 TAIL ROTOR DRIVE SHAFT							Component	ATA:66
PN:PN-UNKNOWN	MOS/MSC	24-Mar-08	O/C						
SN:UNKNOWN	HRS	1209.1							
	AFL	2062							
PROC. REF: AMM 66-40-00PROC. REF: AMM 66-40-00									
664005A	FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF TAIL DRIVE SHAFT, OR IF BOLTS/ NUTS HAVE BEEN LOOSEMED ANDRETIGHTENED FOR ANY REASON.							Service	ATA:66
	MOS/MSC	25-Jan-21	A/R						
	HRS	2565.6							
	AFL	4271							
PROC. REF: AMM 66-40-00PROC. REF: AMM 66-40-00									
664005B ^S	NO. 2 TAIL ROTOR DRIVESHAFT - FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF TAIL DRIVE SHAFT, OR IF BOLTS/NUTS HAVE BEEN LOOSEMED AND RETIGHTENED FOR ANY REASON.							Service	ATA:66
	MOS/MSC	17-Jul-19	A/R						
	HRS	2456.9							
	AFL	4100							
PROC. REF: AMM 66-40-00PROC. REF: AMM 66-40-00									
664005C ^S	NO. 3, 4 AND 5 TAIL ROTOR DRIVESHAFTS - FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF TAIL DRIVE SHAFT, OR IF BOLTS/NUTS HAVE BEEN LOOSEMED AND RETIGHTENED FOR ANY REASON.							Service	ATA:66
	MOS/MSC	29-Jun-21	A/R						
	HRS	2657.9							
	AFL	4374							
PROC. REF: AMM 66-40-00PROC. REF: AMM 66-40-00									
664005E ^U	NO.5 TAIL ROTOR DRIVESHAFTS - FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF TAIL DRIVE SHAFT, OR IF BOLTS/NUTS HAVE BEEN LOOSEMED AND RETIGHTENED FOR ANY REASON.							Service	ATA:66
	MOS/MSC	02-Jan-26	O/C						
	HRS	3245							
	AFL	5198							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 66 - FOLDING BLADES/PYLON									
664007	NO.2 TAIL ROTOR DRIVE SHAFT							Component	ATA:66
PN:PN-UNKNOWN	MOS/MSC	12-May-14	O/C						
SN:A240-00689	HRS								
	AFL								
PROC. REF: AMM 66-40-00PROC. REF: AMM 66-40-00									
664011	NO.3 TAIL ROTOR DRIVE SHAFT							Component	ATA:66
PN:PN-UNKNOWN	MOS/MSC	07-May-14	O/C						
SN:A240-00694	HRS								
	AFL								
PROC. REF: AMM 66-40-00PROC. REF: AMM 66-40-00									
664012 ^S	INSPECT TAIL DRIVE SHAFT VISCOUS DAMPER BEARING SUPPORTS							Service	ATA:66
	MOS	08-Jul-25							
	HRS	3218.7	100 (+10%)						
	AFL	5176							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
664016	NO.4 TAIL ROTOR DRIVE SHAFT							Component	ATA:66
PN:PN-UNKNOWN	MOS/MSC	24-Mar-08	O/C						
SN:UNKNOWN	HRS	1209.1							
	AFL	2062							
PROC. REF: AMM 66-40-00PROC. REF: AMM 66-40-00									
664020	SERVICE TAIL ROTOR DRIVE SHAFT VISCOUS DAMPERS							Service	ATA:66
	MOS/MSC	13-Mar-02	O/C						
	HRS	0							
	AFL	0							
PROC. REF: AMM 66-40-00PROC. REF: AMM 66-40-00									
664021	NO.5 TAIL ROTOR DRIVE SHAFT							Component	ATA:66
PN:PN-UNKNOWN	MOS/MSC	21-May-14	O/C						
SN:A241-00311	HRS	1929.02							
	AFL	3230							
PROC. REF: AMM 66-40-00PROC. REF: AMM 66-40-00									

PKG:3

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 66 - FOLDING BLADES/PYLON								
664031 FORWARD TAIL DRIVE SHAFT BEARING SUPPORT								Component ATA:66
PN:76361-04007-042	MOS	13-Jun-24	60	TSO 0	13-Jun-29		1184 d	OVERHAUL
SN:ACSC-268	HRS	3047.7	3000	TSO 0	6047.7		2794.7	
	AFL	4975		TSO 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
664032 FORWARD TAIL DRIVE SHAFT VISCOUS DAMPER BEARING								Component ATA:66
PN:SB1138-102	MOS	13-Jun-24	60	TSN 0	13-Jun-29		1184 d	REPLACE
SN:G626-30237	HRS	3047.7	3000	TSN 0	6047.7		2794.7	
	AFL	4975		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
664033 MIDDLE TAIL DRIVE SHAFT VISCOUS DAMPER BEARING								Component ATA:66
PN:SB1138-102	MOS	13-Jun-24	60	TSN 0	13-Jun-29		1184 d	REPLACE
SN:G626-30748	HRS	3047.7	3000	TSN 0	6047.7		2794.7	
	AFL	4975		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
664034 AFT TAIL DRIVE SHAFT VISCOUS DAMPER BEARING								Component ATA:66
PN:SB1138-102	MOS	13-Jun-24	60	TSN 0	13-Jun-29		1184 d	REPLACE
SN:G626-30982	HRS	3047.7	3000	TSN 0	6047.7		2794.7	
	AFL	4975		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
664036 MIDDLE TAIL DRIVE SHAFT BEARING SUPPORT								Component ATA:66
PN:76361-04007-042	MOS	13-Jun-24	60	TSO 0	13-Jun-29		1184 d	OVERHAUL
SN:C348-00479	HRS	3047.7	3000	TSO 0	6047.7		2794.7	
	AFL	4975		TSO 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
664041 AFT TAIL DRIVE SHAFT BEARING SUPPORT								Component ATA:66
PN:76361-04007-042	MOS	05-Jun-24	60	TSO 0	05-Jun-29		1176 d	OVERHAUL
SN:C348-00508	HRS	3047.7	3000	TSO 0	6047.7		2794.7	
	AFL	4975		TSO 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 66 - FOLDING BLADES/PYLON								
664070 AFT TAIL DRIVE SHAFT FLEXIBLE I COUPLING								Component ATA:66
PN:76361-04008-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 66-40-00PROC. REF: AMM 66-40-00								
664070 FORWARD TAIL DRIVE SHAFT FLEXIBLE I COUPLING								Component ATA:66
PN:76361-04008-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 66-40-00PROC. REF: AMM 66-40-00								
664070 LOWER TAIL DRIVE SHAFT FLEXIBLE V COUPLING								Component ATA:66
PN:76361-04008-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 66-40-00PROC. REF: AMM 66-40-00								
664070 NO. 1 TAIL DRIVE SHAFT FLEXIBLE II COUPLING								Component ATA:66
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 66-40-00PROC. REF: AMM 66-40-00								
664070 NO. 2 TAIL DRIVE SHAFT FLEXIBLE II COUPLING								Component ATA:66
PN:76361-04008-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 66-40-00PROC. REF: AMM 66-40-00								
664070 NO. 3 TAIL DRIVE SHAFT FLEXIBLE III COUPLING								Component ATA:66
PN:76361-04008-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 66-40-00PROC. REF: AMM 66-40-00								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 66 - FOLDING BLADES/PYLON								
664070 NO. 4 TAIL DRIVE SHAFT FLEXIBLE IV COUPLING								Component ATA:66
PN:76361-04008-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 66-40-00PROC. REF: AMM 66-40-00								
664070 UPPER TAIL DRIVE SHAFT FLEXIBLE V COUPLING								Component ATA:66
PN:76361-04008-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 66-40-00PROC. REF: AMM 66-40-00								
665001 LEFT ROTOR BRAKE CYLINDER								Component ATA:66
PN:7636-09103-101	MOS/MSC	12-Dec-25	O/C	TSO 0				
SN:C207-01717	HRS	3239.4		TSO 0				
	AFL	5193		TSO 0				
PROC. REF: AMM 32-43-02PROC. REF: AMM 32-43-02								
665003^S INSPECT ROTOR BRAKE LININGS AND ROTOR BRAKE DISC								Service ATA:66
	MOS	10-Feb-25						
	HRS	3149	600 (+10%)					
	AFL	5104						
PROC. REF: AMM 66-50-01PROC. REF: AMM 66-50-01								
665006 RIGHT ROTOR BRAKE CYLINDER								Component ATA:66
PN:7636-09103-101	MOS/MSC	12-Dec-25	O/C	TSO 0				
SN:C207-00513	HRS	3239.4		TSO 0				
	AFL	5193		TSO 0				
PROC. REF: AMM 32-43-02PROC. REF: AMM 32-43-02								
665020 SERVICE ROTOR BRAKE RESERVOIR								Service ATA:66
	MOS/MSC	13-Mar-02	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM 66-50-00PROC. REF: AMM 66-50-00								

PKG:8

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 66 - FOLDING BLADES/PYLON								
665081 ^U ROTOR BRAKE DISC Component ATA:66								
PN:76363-09103-105	MOS/MSC	12-Dec-25	O/C	TSN 0				
SN:C207-51078	HRS	3239.4		TSN 0				
	AFL	5193		TSN 0				
665082 ^U ROTOR BRAKE HYDRAULIC MASTER CYLINDER Component ATA:66								
PN:76650-01901-101	MOS/MSC	02-Dec-09	O/C					
SN:B198-00289	HRS	1428.4						
	AFL	2457						
665083 ^U ROTOR BRAKE HYDRAULIC ACCUMULATOR RESERVOIR Component ATA:66								
PN:76650-09809-103	MOS/MSC	07-Apr-10	O/C					
SN:C197-00170	HRS	1450.8						
	AFL	2490						
665084 ^U ROTOR BRAKE HYDRAULIC POWER LOW PRESSURE SWITCH ASSEMBLY Component ATA:66								
PN:2233-14	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
665085 ^U ROTOR BRAKE HYDRAULIC POWER UNIT Component ATA:66								
PN:76650-09803-102	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
665087A ^U ROTOR BRAKE CARRIER AND LINING ASSEMBLY Component ATA:66								
PN:066-13400	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 66 - FOLDING BLADES/PYLON								
665087B ^U ROTOR BRAKE CARRIER AND LINING ASSEMBLY Component ATA:66								
PN:066-13400	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
<hr/>								
666001 MAIN GEAR BOX OIL PRESSURE INDICATOR Component ATA:66								
PN:76450-00907-103	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
<hr/>								
666011 MAIN GEAR BOX OIL PRESSURE TRANSMITTER Component ATA:66								
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
<hr/>								
666081 ^U MAIN GEARBOX OIL TEMPERATURE SENSOR Component ATA:66								
PN:MS28034-3	MOS/MSC	09-Jul-25	O/C	TSN 0				
SN:UNKNOWN	HRS	3219.3		TSN 0				
	AFL	5177		TSN 0				
<hr/>								
666082A1 ^U MAIN GEARBOX OIL PRESSURE TRANSMITTER Component ATA:66								
PN:76450-01078-128	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:6039-2-73	HRS	0		TSN 0				
	AFL	0		TSN 0				
<hr/>								
666083 ^U MAIN GEARBOX HI OIL TEMPERATURE WARNING SWITCH Component ATA:66								
PN:M2001-525	MOS/MSC	26-Jun-25	O/C	TSN 0				
SN:000439	HRS	3217.7		TSN 0				
	AFL	5175		TSN 0				

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 66 - FOLDING BLADES/PYLON								
666084 ^U MAIN GEARBOX OIL TEMPERATURE WARNING SWITCH Component ATA:66								
PN:70351-08091-101	MOS/MSC	08-Apr-23	O/C	TSN 0				
SN:16034	HRS	2910.6		TSN 0				
	AFL	4769		TSN 0				
<hr/>								
666085A MAIN GEARBOX CHIP DETECTOR FILTER Component ATA:66								
PN:76351-09082-104	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
<hr/>								
666085B MAIN GEARBOX CHIP DETECTOR FILTER Component ATA:66								
PN:76351-09082-104	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
<hr/>								
666086 INTERMEDIATE GEARBOX CHIP DETECTOR Component ATA:66								
PN:B538A3	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
<hr/>								
666087 TAIL ROTOR GEARBOX CHIP DETECTOR Component ATA:66								
PN:B538A3	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
<hr/>								
666088 ^U MAIN GEARBOX LOW OIL PRESSURE WARNING SWITCH Component ATA:66								
PN:76351-08091-101	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 66 - FOLDING BLADES/PYLON									
666401 ^S	OPERATIONAL TEST INTERMEDIATE GEAR BOX CHIP DETECTOR / TEMPERATURE SENSOR							Service	ATA:66
	MOS	12-Dec-25	12 (+10%)						
	HRS								
	AFL								
PROC. REF: AMM REFER TO APPROPRIATE MANUAL								PKG:20	
<hr/>									
666402 ^S	OPERATIONAL TEST TAIL GEAR BOX CHIP DETECTOR / TEMPERATURE SENSOR							Service	ATA:66
	MOS	12-Dec-25	12 (+10%)						
	HRS								
	AFL								
PROC. REF: AMM REFER TO APPROPRIATE MANUAL								PKG:20	
<hr/>									
666404 ^S	OPERATIONAL TEST MAIN GEARBOX CHIP DETECTOR WARNING SYSTEM							Service	ATA:66
	MOS	12-Dec-25	12 (+10%)						
	HRS								
	AFL								
PROC. REF: AMM REFER TO APPROPRIATE MANUAL								PKG:20	
<hr/>									
ATA 67 - ROTORS FLIGHT CONTROL									
670001 ^S	INSPECT FLIGHT CONTROLS UPPER DECK							Service	ATA:67
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
PROC. REF: AMM 67-14-00								PKG:8	
<hr/>									
670002 ^S	CHECK PITCH, ROLL AND COLLECTIVE FLIGHT CONTROL DAMPERS							Service	ATA:67
	MOS	12-Dec-25	36 (+10%)						
	HRS	3239.4							
	AFL	5193							
PROC. REF: AMM REFER TO APPROPRIATE MANUAL								PKG:22	

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 67 - ROTORS FLIGHT CONTROL									
670003 ^S	INSPECT ALL CONTROL RODS							Service	ATA:67
	MOS	12-Dec-25	24 (+10%)						
	HRS	3239.4							
	AFL	5193							
PROC. REF: AMM 67-00-00PROC. REF: AMM 67-00-00								PKG:20	
670004 ^S	CHECK BELLCRANKS, SUPPORT ASSEMBLIES, LEVERS, FITTINGS AND TORQUE SHAFTS							Service	ATA:67
	MOS	12-Dec-25	36 (+10%)						
	HRS	3239.4							
	AFL	5193							
PROC. REF: AMM 67-00-00PROC. REF: AMM 67-00-00								PKG:22	
670006 ^S	CHECK FLIGHT CONTROL BELLCRANKS, SUPPORTS, CONTROL RODS, LEVERS, AND FLIGHT CONTROL LINKAGES							Service	ATA:67
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)						
	AFL	4363							
PROC. REF: AMM 67-00-00PROC. REF: AMM 67-00-00								PKG:16	
670007 ^S	OPERATIONAL CHECK/INSPECT FLIGHT CONTROLS							Service	ATA:67
	MOS	12-Dec-25	12 (+10%)						
	HRS	3240	600 (+10%)						
	AFL								
PROC. REF: AMM 67-00-00PROC. REF: AMM 67-00-00								PKG:8,20	
670008 ^S	INSPECT COLLECTIVE PUSHROD FOR DAMAGE							Service	ATA:67
	MOS	12-Dec-25	12 (+10%)						
	HRS								
	AFL								
PROC. REF: AMM 67-00-00PROC. REF: AMM 67-00-00								PKG:20	

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 67 - ROTORS FLIGHT CONTROL								
671055B ^U MAIN ROTOR FORWARD SERVO ACTUATOR #2 PISTON Component ATA:67								
PN:783741-1	MOS/MSC	30-May-14	O/C	TSN 0				
SN:UNKNOWN	HRS	1929.02		TSN 0				
	AFL	3230		TSN 0				
671066 AFT MAIN ROTOR SERVO ACTUATOR Component ATA:67								
PN:782500-1	MOS/MSC	12-Dec-25	O/C	TSN 285, TSR 0				
SN:B345-00418	HRS	3239.4		TSN 3239.4, TSR 0				
	AFL	5193		TSN 5193, TSR 0				
PROC. REF: AMM 67-15-00PROC. REF: AMM 67-15-00								
671071B ^U MAIN ROTOR AFT SERVO ACTUATOR PISTON #2 Component ATA:67								
PN:RW783741-1	MOS/MSC	30-May-14	O/C	TSN 146				
SN:0855	HRS	1929.02		TSN 1929.02				
	AFL	3230		TSN 3230				
671080A ^U CYCLIC STICK GRIP Component ATA:67								
PN:76450-02010-103	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
671080B ^U CYCLIC STICK GRIP Component ATA:67								
PN:76450-02010-103	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
671081 LATERAL MAIN ROTOR SERVO ACTUATOR Component ATA:67								
PN:782500-1	MOS/MSC	12-Dec-25	O/C	TSN 286, TSR 11				
SN:B345-00417	HRS	3239.4		TSN 3239.4, TSR 90.4				
	AFL	5193		TSN 5193, TSR 89				
PROC. REF: AMM 67-15-00PROC. REF: AMM 67-15-00								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 67 - ROTORS FLIGHT CONTROL								
671081A1 ^U COLLECTIVE STICK GRIP Component ATA:67								
PN:76450-02011-105	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
671081B1 ^U COLLECTIVE STICK GRIP Component ATA:67								
PN:76450-02011-105	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
671082A ^U PITCH MAGNETIC BRAKE Component ATA:67								
PN:76900-01812-102	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
671083 ^U PITCH MAGNETIC BRAKE Component ATA:67								
PN:76900-01812-102	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
671084 ^U COLLECTIVE MAGNETIC BRAKE Component ATA:67								
PN:76900-01812-102	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
671085A ^U PITCH GRADIENT SPRING CYLINDER Component ATA:67								
PN:76400-03310-074	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 67 - ROTORS FLIGHT CONTROL								
671085B ^U LATERAL MAIN ROTOR SERVO ACTUATOR PISTON # 2 Component ATA:67								
PN:RW783741-1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
671086 ^U ROLL GRADIENT SPRING CYLINDER Component ATA:67								
PN:76400-03310-075	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
671087 ^U COLLECTIVE GRADIENT SPRING CYLINDER Component ATA:67								
PN:76400-03310-076	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
671088A ^U NO.1 SYSTEM MAIN ROTOR SERVO SWITCH Component ATA:67								
PN:2342	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
671088B ^U NO.1 SYSTEM MAIN ROTOR SERVO SWITCH Component ATA:67								
PN:84000282-001	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
671088C ^U NO.1 SYSTEM MAIN ROTOR SERVO SWITCH Component ATA:67								
PN:84000282-001	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 67 - ROTORS FLIGHT CONTROL								
671089A ^U NO.2 SYSTEM MAIN ROTOR SERVO (LAT) SWITCH Component ATA:67								
PN:2342	MOS/MSC	05-Sep-24	O/C	TSN 0				
SN:3480	HRS	3080.4		TSN 0				
	AFL	5009		TSN 0				
671089B ^U NO.2 SYSTEM MAIN ROTOR SERVO (AFT) SWITCH Component ATA:67								
PN:2342	MOS/MSC	05-Sep-24	O/C	TSN 0				
SN:3485	HRS	3080.4		TSN 0				
	AFL	5009		TSN 0				
671089C ^U NO.2 SYSTEM MAIN ROTOR SERVO (FWD) SWITCH Component ATA:67								
PN:2342	MOS/MSC	05-Sep-24	O/C	TSN 0				
SN:3498	HRS	3080.4		TSN 0				
	AFL	5009		TSN 0				
671101C ^S INSPECT PILOT AND COPILOT CYCLIC STICKS Service ATA:67								
	MOS	12-Dec-25	36 (+10%)					
	HRS	3239.4	1500 (+10%)					
	AFL	5193						
								PKG:12,22
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
671201C ^S INSPECT PILOT AND COPILOT COLLECTIVE STICKS Service ATA:67								
	MOS	12-Dec-25	36 (+10%)					
	HRS	3239.4	1500 (+10%)					
	AFL	5193						
								PKG:12,22
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
671202 INSPECT COLLECTIVE CONTROL STICK FOR CRACKS Service ATA:67								
	MOS	12-Dec-25	12 (+10%)		12-Dec-26	18-Jan-27	270 d (+37)	
	HRS	3239.4						
	AFL	5193						
PROC. REF: AMM 67-12-01PROC. REF: AMM 67-12-01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 67 - ROTORS FLIGHT CONTROL									
671301 ^S	INSPECT PITCH, ROLL AND COLLECTIVE GRADIENT SPRING CYLINDER OR LINKS, AND MAGNETIC BRAKES OR TRIM SERVOS							Service	ATA:67
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)						
	AFL	4363							
PKG:16									
PROC. REF: AMM REFER TO APPROPRIATE MANUAL PROC. REF: AMM REFER TO APPROPRIATE MANUAL									
671500.01	AFT MAIN ROTOR AFT SERVO ACTUATOR PISTON - LIFE LIMIT							Service	ATA:67
PN:783741-1	MOS	30-May-14						LIFE LIMIT	
SN:UNKNOWN	HRS	1929.02	37000		38929.02		35676		
	AFL	3230							
671500.01	AFT MAIN ROTOR SERVO ACTUATOR - NO. 2 PISTON - LIFE LIMIT							Service	ATA:67
PN:PN	MOS	30-May-14						LIFE LIMIT	
SN:UNKNOWN	HRS	1929.02	37000		38929.02		35676		
	AFL	3230							
671500.01	FORWARD MAIN ROTOR SERVO ACTUATOR PISTON - LIFE LIMIT							Service	ATA:67
PN:783741-1	MOS	30-May-14						LIFE LIMIT	
SN:UNKNOWN	HRS	1929.02	37000		38929.02		35676		
	AFL	3230							
671500.01	FORWARD MAIN ROTOR SERVO ACTUATOR PISTON - NO. 2 - LIFE LIMIT							Service	ATA:67
PN:PN	MOS	30-May-14						LIFE LIMIT	
SN:UNKNOWN	HRS	1929.02	37000		38929.02		35676		
	AFL	3230							
671500.01	LATERAL MAIN ROTOR SERVO ACTUATOR PISTON - LIFE LIMIT							Service	ATA:67
PN:RW783741-1	MOS	13-Mar-02						LIFE LIMIT	
SN:UNKNOWN	HRS	0	37000		37000		33747		
	AFL	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 67 - ROTORS FLIGHT CONTROL								
671500.01 LATERAL MAIN ROTOR SERVO ACTUATOR PISTON - NO. 2 - LIFE LIMIT Service ATA:67								
PN:PN	MOS	13-Mar-02						LIFE LIMIT
SN:UNKNOWN	HRS	0	37000		37000		33747	
	AFL	0						
671501A^S INSPECT MAIN ROTOR SERVOS Service ATA:67								
	MOS	12-Dec-25						
	HRS	3239.4	300 (+10%)					
	AFL	5193						
PROC. REF: AMM 67-15-00PROC. REF: AMM 67-15-00								
671502.01 AFT MAIN ROTOR SERVO INPUT CONTROL ROD - LIFE LIMIT Service ATA:67								
PN:76400-00034-059	MOS/MSC	13-Mar-02	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
671502.01 FORWARD MAIN ROTOR SERVO INPUT CONTROL ROD - LIFE LIMIT Service ATA:67								
PN:76400-00034-059	MOS/MSC	13-Mar-02	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
671502.01 LATERAL MAIN ROTOR SERVO INPUT CONTROL ROD - LIFE LIMIT Service ATA:67								
PN:76400-00034-059	MOS/MSC	13-Mar-02	O/C					
SN:UNKNOWN	HRS	0						
	AFL	0						
671504A^S TORQUE CHECK MAIN ROTOR SERVO EXPANDABLE PINS Service ATA:67								
	MOS	15-Jun-21						
	HRS	2651.1	1500 (+10%)					
	AFL	4363						
PROC. REF: AMM 67-15-00PROC. REF: AMM 67-15-00								

PKG:5

PKG:16

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 67 - ROTORS FLIGHT CONTROL									
671506A ^S	DO INTERNAL LEAKAGE TEST ON HYDRAULIC RESEARCH TEXTRON (HRT) MAIN ROTOR SERVO ACTUATORS							Service	ATA:67
	MOS/MSC	08-Jul-25	N/A					NOT APPLICABLE	
	HRS	3218.7							
	AFL	5176							
PKG:3									
PROC. REF: AMM 67-15-00PROC. REF: AMM 67-15-00									
671508A	WHENEVER MAIN ROTOR SERVO ACTUATORS ARE REMOVED. CHECK AFT MAIN ROTOR SERVO ACTUATOR LOWER MOUNT BUSHINGS AND BOLT FOR WEAR							Service	ATA:67
	MOS/MSC	12-Dec-25	A/R						
	HRS	3239.4							
	AFL								
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
671508F	WHENEVER MAIN ROTOR SERVO ACTUATORS ARE REMOVED. CHECK FORWARD MAIN ROTOR SERVO ACTUATOR LOWER MOUNT BUSHINGS AND BOLT FOR WEAR							Service	ATA:67
	MOS/MSC	12-Dec-25	A/R						
	HRS	3239.4							
	AFL								
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
671508L	WHENEVER MAIN ROTOR SERVO ACTUATORS ARE REMOVED. CHECK LATERAL MAIN ROTOR SERVO ACTUATOR LOWER MOUNT BUSHINGS AND BOLT FOR WEAR							Service	ATA:67
	MOS/MSC	12-Dec-25	A/R						
	HRS	3239.4							
	AFL								
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
671509A	CONDITION CHECK FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF MAIN ROTOR SERVO TO SWASHPLATEEXPANDABLE PINS. CHECK EXPANDABLE PINS FOR SPECIFIED TORQUE INTIGHTENING DIRECTION.							Service	ATA:67
	MOS/MSC	22-Dec-25	A/R						
	HRS	3245							
	AFL	5198							
PROC. REF: AMM 65-14-00, AMM 67-15-00PROC. REF: AMM 65-14-00, AMM 67-15-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 67 - ROTORS FLIGHT CONTROL									
671509F	FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF FORWARD MAIN ROTOR SERVO TO SWASHPLATE EXPANDABLE PINS							Service	ATA:67
	MOS/MSC	27-Jun-23	A/R						
	HRS	2938.4							
	AFL	4802							
PROC. REF: AMM 65-14-00, AMM 67-15-00PROC. REF: AMM 65-14-00, AMM 67-15-00									
671509L	FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF LATERAL MAIN ROTOR SERVO TO SWASHPLATE EXPANDABLE PINS							Service	ATA:67
	MOS/MSC	17-Feb-25	A/R						
	HRS	3154.1							
	AFL	5114							
PROC. REF: AMM 65-14-00, AMM 67-15-00PROC. REF: AMM 65-14-00, AMM 67-15-00									
671511 ^S	INSPECT MAIN ROTOR SERVO INPUT CONTROL RODS FOR SIGNS OF CORROSION							Service	ATA:67
	MOS	12-Dec-25	12 (+10%)						
	HRS								
	AFL								
PROC. REF: AMM 67-15-02PKG:20									
671515 ^{U S}	INSPECT MAIN ROTOR SERVOS AND SUPPORTS							Service	ATA:67
	MOS	10-Feb-25							
	HRS	3149	600						
	AFL	5104							
PROC. REF: AMM 67-15-02PKG:8									
671516 ^S	INSPECT FORWARD AND AFT SERVO INPUT CONTROL ROD DRAIN HOLES CLEAN AND FREE OF OBSTRUCTIONS							Service	ATA:67
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
PROC. REF: AMM 67-15-02PKG:8									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 67 - ROTORS FLIGHT CONTROL									
671517	CONDITIONAL MX CHECK: PERFORM JAMNUT TORQUE STRIPE INSPECTION WHENEVER MAIN ROTOR SERVO PUSHROD ASSY ARE REMOVED, REPLACED, INSTALLED OR ADJUSTED.							Service	ATA:67
	MOS/MSC	26-Dec-25	A/R						
	HRS	3245							
	AFL	5198							
PROC. REF: AMM 67-15-00PROC. REF: AMM 67-15-00									
671520 MAIN ROTOR SERVO PUSHROD ASSEMBLY Component ATA:67									
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 67-15-02PROC. REF: AMM 67-15-02									
671525 LATERAL MAIN ROTOR SERVO INPUT CONTROL ROD Component ATA:67									
PN:76400-00034-059	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 67-15-02PROC. REF: AMM 67-15-02									
671530 AFT MAIN ROTOR SERVO INPUT CONTROL ROD Component ATA:67									
PN:76400-00034-059	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 67-15-02PROC. REF: AMM 67-15-02									
671535 FORWARD MAIN ROTOR SERVO INPUT CONTROL ROD Component ATA:67									
PN:76400-00034-059	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 67-15-02PROC. REF: AMM 67-15-02									
671551 FORWARD MAIN ROTOR SERVO ACTUATOR Component ATA:67									
PN:782500-1	MOS/MSC	12-Dec-25	O/C	TSN 285, TSR 0					
SN:B345-00446	HRS	3239.4		TSN 3235.1, TSR 0					
	AFL	5193		TSN 5193, TSR 0					
PROC. REF: AMM 67-15-00PROC. REF: AMM 67-15-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 67 - ROTORS FLIGHT CONTROL								
671555 MAIN ROTOR FORWARD SERVO ACTUATOR PISTON #1 Component ATA:67								
PN:783741-1	MOS/MSC	30-May-14	H/T	TSN 0				
SN:UNKNOWN	HRS	1929.02		TSN 0				
	AFL	3230		TSN 0				
671556 FORWARD MAIN ROTOR SERVO ACTUATOR - NO. 2 PISTON Component ATA:67								
PN:PN	MOS/MSC	30-May-14	H/T	TSN 0				
SN:UNKNOWN	HRS	1929.02		TSN 0				
	AFL	3230		TSN 0				
671571 MAIN ROTOR AFT SERVO ACTUATOR PISTON #1 Component ATA:67								
PN:783741-1	MOS/MSC	30-May-14	H/T	TSN 0				
SN:UNKNOWN	HRS	1929.02		TSN 0				
	AFL	3230		TSN 0				
671572 AFT MAIN ROTOR SERVO ACTUATOR - NO. 2 PISTON Component ATA:67								
PN:PN	MOS/MSC	30-May-14	H/T	TSN 0				
SN:UNKNOWN	HRS	1929.02		TSN 0				
	AFL	3230		TSN 0				
671585 LATERAL MAIN ROTOR SERVO ACTUATOR PISTON # 1 Component ATA:67								
PN:RW783741-1	MOS/MSC	13-Mar-02	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
671586 LATERAL MAIN ROTOR SERVO ACTUATOR - NO. 2 PISTON Component ATA:67								
PN:PN	MOS/MSC	13-Mar-02	H/T	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 67 - ROTORS FLIGHT CONTROL									
672001 ^S	INSPECT TAIL ROTOR FLIGHT CONTROLS							Service	ATA:67
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
PROC. REF: AMM 67-20-00PROC. REF: AMM 67-20-00									
672002	COMPLY WITH INSPECTION OF ALL ACCESSIBLE AREAS OF THE INSTALLED TAIL ROTOR CABLES FOR FRAYING, CORROSION, AND WORN SPOTS							Service	ATA:67
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)		3749	3809	496 (+60)		
	AFL	5104							
PROC. REF: AMM 67-20-00PROC. REF: AMM 67-20-00									
672003	REMOVE AND INSPECT TAIL ROTOR CABLES							Service	ATA:67
	MOS/MS	09-Nov-12	N/A						
	HRS	1777.6							
	AFL	2995							
PROC. REF: AMM 67-20-00PROC. REF: AMM 67-20-00									
672004D	PERFORM MAGNETIC PARTICLE/FLUORESCENT PENETRANT INSPECTION OF YAW PEDAL SUPPORT ARM							Service	ATA:67
	MOS	13-Mar-02							
	HRS	0	T:5000 (+10%)		5000	5500	1747 (+500)		
	AFL	0							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
672005	REPLACE TAIL ROTOR CABLES							Service	ATA:67
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)		4151.1	4301.1	898.1 (+150)		
	AFL	4363							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									

PKG:8

PKG:8

PKG:13

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 67 - ROTORS FLIGHT CONTROL								
672006 ^S INSPECT TAIL ROTOR CABLES FOR CORROSION Service ATA:67								
	MOS	12-Dec-25	6 (+10%)					
	HRS	3239.4						
	AFL	5193						
PROC. REF: AMM 67-20-00PROC. REF: AMM 67-20-00								
672015 INSPECT TAIL ROTOR CABLES AND TAIL ROTOR SERVO INPUT LINK Service ATA:67								
	MOS	21-Jun-21						
	HRS	2651.1	1500 (+10%)		4151.1	4301.1	898.1 (+150)	
	AFL							
PROC. REF: AMM 67-20-00PROC. REF: AMM 67-20-00								
672016 PEDAL DAMPER Component ATA:67								
PN:76900-01810-117	MOS/MSC	04-Mar-21	O/C		TSO 6			
SN:953T	HRS	2598.1			TSO 0			
	AFL	4300			TSO 0			
PROC. REF: AMM 67-22-00PROC. REF: AMM 67-22-00								
672020 LUBRICATE FLIGHT CONTROLS (ZONE 1,3,5) Service ATA:67								
	MOS/MSC	13-Mar-02	O/C					
	HRS	0						
	AFL	0						
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
672020C LUBRICATE TAIL ROTOR CONTROL PEDAL AND SUPPORT ARM BEARINGS Service ATA:67								
	MOS	12-Dec-25	24 (+10%)		12-Dec-27	23-Feb-28	635 d (+73)	
	HRS	3239.4	1500 (+10%)		4739.4	4889.4	1486.4 (+150)	
	AFL							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
672021 LUBRICATE TAIL ROTOR CABLES Service ATA:67								
	MOS/MSC	01-Jun-17	O/C					
	HRS	2254.7						
	AFL	3734						
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 67 - ROTORS FLIGHT CONTROL								
672050 REPLACE TAIL ROTOR CABLES Service ATA:67								
	MOS	12-Dec-25	36 (+10%)		12-Dec-28	30-Mar-29	1001 d (+108)	
	HRS	3239.4	1500 (+10%)		4739.4	4889.4	1486.4 (+150)	
	AFL	5193						
PROC. REF: AMM REFER TO APPROPRIATE MANUAL PROC. REF: AMM REFER TO APPROPRIATE MANUAL								
672080A U TAIL ROTOR SERVO SWITCH Component ATA:67								
PN:783715-1	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
672080B U TAIL ROTOR SERVO (NO.2) SWITCH Component ATA:67								
PN:2342	MOS/MSC	05-Sep-24	O/C	TSN 0				
SN:3508	HRS	3080.4		TSN 0				
	AFL	5009		TSN 0				
672084A U TAIL ROTOR QUADRANT ASSEMBLY Component ATA:67								
PN:76403-25125-041	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
672084B U TAIL ROTOR QUADRANT ASSEMBLY Component ATA:67								
PN:76403-25125-042	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
672084C U TAIL ROTOR QUADRANT ASSEMBLY Component ATA:67								
PN:76403-25125-043	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 67 - ROTORS FLIGHT CONTROL									
672101 ^S	INSPECT TAIL ROTOR SERVO FOR EXTERNAL LEAKAGE; INPUT LINKAGE FOR CORROSION, CRACKS, SECURITY, BEARING PLAY, AND SECURITY OF ATTACHING HARDWARE. PRESSURE SWITCHES FOR CONDITION, ELECTRICAL CONNECTORS FOR SECURITY. HYDRAULIC LINES FOR LEAKAGE							Service	ATA:67
	MOS	12-Dec-25							
	HRS	3239.4	300 (+10%)						
	AFL	5193							
PROC. REF: AMM 67-21-00PROC. REF: AMM 67-21-00								PKG:5	
672254	TAIL ROTOR SERVO ACTUATOR							Component	ATA:67
PN:76650-05801-114	MOS	12-Dec-25		TSO 59				OVERHAUL	
SN:B346-00798	HRS	3239.4	2000	TSN 8527.1, TSO 680.6	4558.8		1305.8		
	AFL	5193		TSO 936					
PROC. REF: AMM 67-21-00PROC. REF: AMM 67-21-00									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 70 - STANDARD PRACTICES - ENGINES									
70-02-00-940-801	S	NO. 1 ENGINE - CHECK AND INSPECT OIL DILUTION						Service	ATA:70
	MOS	28-Apr-22							
	HRS	2717.8	1000 (+100)						
	ENC	3400							
PROC. REF: MM 70-02-00-940-801-A01								PKG:0,3	
<hr/>									
70-11-00-940-801	S	NO. 1 ENGINE - TIGHTENING CHECK OF EQUIPMENT SUPPORTS						Service	ATA:70
	MOS	10-Feb-25							
	HRS	3068.5	600 (+60)						
	ENC	3816							
PROC. REF: MM 70-41-00-940-801-A01								PKG:1,2	
<hr/>									
70-11-00-940-801	S	NO. 2 ENGINE - TIGHTENING CHECK OF EQUIPMENT SUPPORTS						Service	ATA:70
	MOS	15-Dec-25							
	HRS	5773.5	600 (+60)						
	ENC								
PROC. REF: MM 70-41-00-940-801-A01								PKG:1	
<hr/>									
70-40-02-940-803	S	NO. 1 ENGINE - INSPECT TUBES AND UNIONS						Service	ATA:70
	MOS	10-Feb-25							
	HRS	3068.5	600 (+60)						
	ENC	3816							
PROC. REF: MM 70-40-02-940-803-A01								PKG:1,2	
<hr/>									
70-40-02-940-803	S	NO. 2 ENGINE - INSPECT TUBES AND UNIONS						Service	ATA:70
	MOS	15-Dec-25							
	HRS	5773.5	600 (+60)						
	ENC								
PROC. REF: MM 70-40-02-940-803-A01								PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00-01-280-805	NO. 2 ENGINE - EXCEEDING THE MAX. OIL TEMPERATURE							Service	ATA:71
	MOS/MSC	01-Dec-02	A/R						
	HRS	0							
	ENC	0							
PROC. REF: MM 71-00-01-280-805-A01PROC. REF: MM 71-00-01-280-805-A01									
71-00-01-280-806	NO. 2 ENGINE - LOW OIL PRESSURE							Service	ATA:71
	MOS/MSC	01-Dec-02	A/R						
	HRS	0							
	ENC	0							
PROC. REF: MM 71-00-01-280-806-A01PROC. REF: MM 71-00-01-280-806-A01									
71-00-01-940-801	NO. 2 ENGINE - EXCEEDING OF ENGINE TORQUE							Service	ATA:71
	MOS/MSC	01-Dec-02	A/R						
	HRS	0							
	ENC	0							
PROC. REF: MM 71-00-01-940-801-A01PROC. REF: MM 71-00-01-940-801-A01									
71-00-01-940-801	NO. 2 ENGINE - EXCEEDING OF N1 SPEED							Service	ATA:71
	MOS/MSC	01-Dec-02	A/R						
	HRS	0							
	ENC	0							
PROC. REF: MM 71-00-01-940-801-A01PROC. REF: MM 71-00-01-940-801-A01									
71-00-01-940-801	NO. 2 ENGINE - EXCEEDING OF N2 SPEED							Service	ATA:71
	MOS/MSC	01-Dec-02	A/R						
	HRS	0							
	ENC	0							
PROC. REF: MM 71-00-01-940-801-A01PROC. REF: MM 71-00-01-940-801-A01									
71-00-01-940-801	NO. 2 ENGINE - EXCEEDING OF T4.5 TEMPERATURE							Service	ATA:71
	MOS/MSC	01-Dec-02	A/R						
	HRS	0							
	ENC	0							
PROC. REF: MM 71-00-01-940-801-A01PROC. REF: MM 71-00-01-940-801-A01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-00-01-940-801	NO. 2 ENGINE - REMOVE AND SEND TO THE REPAIR CENTER THE MODULE 03, THE MODULE 04 AND THE DIGITAL ENGINE CONTROL UNIT							Service	ATA:71
	MOS/MSC	01-Dec-02	A/R						
	HRS	0							
	ENC	0							
PROC. REF: MM 71-00-01-940-801-A01 PROC. REF: MM 71-00-01-940-801-A01									
71-00-06-813-801	NO. 2 ENGINE - TREATMENT OF AN ENGINE AFTER SURGE							Service	ATA:71
	MOS/MSC	01-Dec-02	A/R						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF PROC. REF: GENERIC NO REF									
71-00-06-814-808	NO. 2 ENGINE - PARAMETER INSTABILITY - OIL PRESSURE							Service	ATA:71
	MOS/MSC	01-Dec-02	A/R						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REF PROC. REF: GENERIC NO REF									
71-00-07-940-801	NO. 1 ENGINE - ACTIONS BEFORE/AFTER MAINTENANCE							Service	ATA:71
	MOS/MSC	02-Jul-01	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: MM 71-00-07-940-801-A01 PROC. REF: MM 71-00-07-940-801-A01									
71-00-07-940-801	NO. 2 ENGINE - ACTIONS BEFORE/AFTER MAINTENANCE							Service	ATA:71
	MOS/MSC	01-Dec-02	A/R					UNSCHEDULED MAINTENANCE CHECK	
	HRS	0							
	ENC	0							
PROC. REF: MM 71-00-07-940-801-A01 PROC. REF: MM 71-00-07-940-801-A01									
71-01-00-610-801	NO. 2 ENGINE - FREQUENCY OF CLEANING							Service	ATA:71
	MOS/MSC	01-Dec-02	A/R						
	HRS	0							
	ENC	0							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-01-03-610-801	NO. 1 ENGINE - ENGINE CLEAN (ROUTINE MAINTENANCE)							Service	ATA:71
	MOS	12-Dec-25							
	HRS	3158.9	100		(3258.9) 3339.4		86.4		
	ENC								
PROC. REF: MM 71-01-03-610-801-A01PROC. REF: MM 71-01-03-610-801-A01									
71-01-03-610-801	NO. 2 ENGINE - ENGINE CLEAN (ROUTINE MAINTENANCE)							Service	ATA:71
	MOS	15-Dec-25							
	HRS	5773.5	100		(5873.5) 3339.4		86.4		
	ENC								
PROC. REF: MM 71-01-03-610-801-A01PROC. REF: MM 71-01-03-610-801-A01									
71-02-01-280-801	NO. 2 ENGINE - TREATMENT FOLLOWING THE USE OF AN EXTINGUISHER ON A HOT TURBOSHAFT ENGINE							Service	ATA:71
	MOS/MSC	01-Dec-02	A/R						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-02-01-280-802	NO. 2 ENGINE - TREATMENT FOLLOWING THE USE OF AN EXTINGUISHER ON A COLD TURBOSHAFT ENGINE							Service	ATA:71
	MOS/MSC	01-Dec-02	A/R						
	HRS	0							
	ENC	0							
PROC. REF: MM 71-02-01-280-802-A01PROC. REF: MM 71-02-01-280-802-A01									
71-02-01-280-803	NO. 2 ENGINE - TREATMENT OF AN ENGINE AFTER A FIRE							Service	ATA:71
	MOS/MSC	01-Dec-02	A/R						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-02-01-280-804	NO. 2 ENGINE - TREATMENT OF AN ENGINE AFTER IMMERSION IN WATER							Service	ATA:71
	MOS/MSC	01-Dec-02	A/R						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-02-02-280-801	NO. 2 ENGINE - TREATMENT OF AN ACCIDENTALLY DROPPED ENGINE							Service	ATA:71
	MOS/MSC	01-Dec-02	A/R						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-02-03-280-801	NO. 2 ENGINE - TREATMENT OF AN ENGINE AFTER A FOREIGN OBJECT DAMAGE							Service	ATA:71
	MOS/MSC	01-Dec-02	A/R						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-02-04-280-801	NO. 2 ENGINE - TREATMENT OF AN ENGINE AFTER A LIGHTNING STRIKE							Service	ATA:71
	MOS/MSC	01-Dec-02	A/R						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-02-05-280-801	NO. 2 ENGINE - TREATMENT OF AN ENGINE AFTER A ROTOR DAMAGE							Service	ATA:71
	MOS/MSC	01-Dec-02	A/R						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-02-05-280-802	NO. 2 ENGINE - TREATMENT OF AN ENGINE AFTER RUPTURE OF THE ENGINE/MGB LINK							Service	ATA:71
	MOS/MSC	01-Dec-02	A/R						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-02-06-280-801	NO. 2 ENGINE - TREATMENT OF AN ENGINE AFTER A HARD LANDING							Service	ATA:71
	MOS/MSC	01-Dec-02	A/R						
	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-02-08-280-801	NO. 1 ENGINE - 50 HOUR ENGINE SOAP CHECK							Service	ATA:71
	MOS	12-Dec-25							
	HRS	3159.9	50 (+10%)		(3209.9) 3290.4	3214.9	37.4 (+5)		
	ENC	3894							
PROC. REF: MM 71-02-08-280-801-A01PROC. REF: MM 71-02-08-280-801-A01									
71-02-08-280-801	NO. 2 ENGINE - SOAP CHECK							Service	ATA:71
	MOS/MSC	15-Dec-25	A/R						
	HRS	5773.5							
	ENC								
PROC. REF: MM 71-02-08-280-801-A01PROC. REF: MM 71-02-08-280-801-A01									
71-02-16-280-801	NO. 1 ENGINE - REMOVE GAS GENERATOR (M03) MODULE AND SEND THE MODULE 03 TO A CERTIFIED MAINTNANCE CENTER FOR CALENDAR INSPECTION							Service	ATA:71
PN:70BM037700	MOS	26-Aug-16	180	TAC 0	26-Aug-31		1988 d		
SN:00669TEC	HRS	0							
	ENC	0							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
71-02-17-280-801	NO. 1 ENGINE - TREATMENT OF AN ENGINE AFTER A MICROBIOLOGICAL CONTAMINATION OF THE FUEL							Service	ATA:71
	MOS/MSC	02-Jul-01	A/R						
	HRS	0							
	ENC	0							
PROC. REF: MM 71-02-17-280-801-A01PROC. REF: MM 71-02-17-280-801-A01									
71-51-00-210-801 ^S	NO. 1 ENGINE - INSPECT CONTROL AND INDICATING HARNESS							Service	ATA:71
	MOS	10-Feb-25							
	HRS	3068.5	600 (+60)						
	ENC	3816							

PKG:1,2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
PROC. REF: MM 71-51-00-210-801 PROC. REF: MM 71-51-00-210-801-A01								
71-51-00-210-801	NO. 2 ENGINE - INSPECT CONTROL AND INDICATING HARNESS							Service ATA:71
	MOS	15-Dec-25						
	HRS	5773.5	600 (+60)					
	ENC							
PKG:1								
PROC. REF: MM 71-51-00-210-801 PROC. REF: MM 71-51-00-210-801-A01								
71-51-00-210-803	NO. 1 ENGINE - INSPECT P101 CONTROL HARNESS							Service ATA:71
	MOS	10-Feb-25						
	HRS	3068.5	600 (+60)					
	ENC	3816						
PKG:1,2								
PROC. REF: MM 71-51-00-210-803-A01 PROC. REF: MM 71-51-00-210-803-A01								
71-51-00-210-803	NO. 2 ENGINE - INSPECT P101 CONTROL HARNESS							Service ATA:71
	MOS	15-Dec-25						
	HRS	5773.5	600 (+60)					
	ENC							
PKG:1								
PROC. REF: MM 71-51-00-210-803-A01 PROC. REF: MM 71-51-00-210-803-A01								
71-51-00-210-804	NO. 1 ENGINE - INSPECT P103 CONTROL HARNESS							Service ATA:71
	MOS	10-Feb-25						
	HRS	3068.5	600 (+60)					
	ENC	3816						
PKG:1,2								
PROC. REF: MM 71-51-00-210-804-A01 PROC. REF: MM 71-51-00-210-804-A01								
71-51-00-210-804	NO. 2 ENGINE - INSPECT P103 CONTROL HARNESS							Service ATA:71
	MOS	15-Dec-25						
	HRS	5773.5	600 (+60)					
	ENC							
PKG:1								
PROC. REF: MM 71-51-00-210-804-A01 PROC. REF: MM 71-51-00-210-804-A01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
71-71-00-200-802	S	NO. 1 ENGINE - CHECK DRAIN CLUSTER						Service	ATA:71
	MOS	10-Feb-25						MANDATORY	
	HRS	3068.5	600 (+60)						
	ENC	3816							
PKG:1,2									
PROC. REF: MM 71-71-00-200-802-A01 PROC. REF: MM 71-71-00-200-802-A01									
71-71-00-200-802	S	NO. 2 ENGINE - CHECK DRAIN CLUSTER						Service	ATA:71
	MOS	15-Dec-25						MANDATORY	
	HRS	5773.5	600 (+60)						
	ENC								
PKG:1									
PROC. REF: MM 71-71-00-200-802-A01 PROC. REF: MM 71-71-00-200-802-A01									
71-71-00-700-801	S	NO. 1 ENGINE - TEST TURBINE-CASING DRAIN VALVE ASSEMBLY						Service	ATA:71
	MOS	28-Apr-22							
	HRS	2717.8	1000 (+100)						
	ENC	3400							
PKG:0,3									
PROC. REF: MM 71-71-00-700-801-A01 PROC. REF: MM 71-71-00-700-801-A01									
710002		WHENEVER MAIN GEAR BOX, ENGINE, ENGINE SUPPORT, OR ENGINE DRIVE SHAFT IS REMOVED/REPLACED/REINSTALLED						Service	ATA:71
	MOS/MSC	12-Dec-25	A/R						
	HRS	3239.4							
	AFL	5193							
PROC. REF: AMM 71-02-00 PROC. REF: AMM 71-02-00									
710005		NO. 2 ENGINE - DIGITAL ENGINE CONTROL UNIT						Component	ATA:71
PN:70BMA01120	MOS/MSC	12-Dec-25	O/C						
SN:775	HRS								
	ENC								
PROC. REF: MM 73-21-00-900-801-A01 PROC. REF: MM 73-21-00-900-801-A01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710007A1	FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF #1 ENGINE DRIVE SHAFT, OR IF BOLTS/NUTS HAVE BEEN LOOSEMED AND RETIGHTENED FOR ANY REASON							Service	ATA:71
	MOS/MSC	26-Dec-25	A/R						
	HRS	3245							
	AFL	5198							
PROC. REF: AMM 71-02-00PROC. REF: AMM 71-02-00									
710007B1	FIVE TO 15 FLIGHT HOURS AFTER INSTALLATION OF #2 ENGINE DRIVE SHAFT, OR IF BOLTS/NUTS HAVE BEEN LOOSEMED AND RETIGHTENED FOR ANY REASON							Service	ATA:71
	MOS/MSC	22-Dec-25	A/R						
	HRS	3245							
	AFL	5198							
PROC. REF: AMM 71-02-00PROC. REF: AMM 71-02-00									
710009A	WHENEVER ENGINE LUBRICATING OIL IS FOUND CONTAMINATED WITH METAL CHIPS OR FLAKES AS INDICATED BY ILLUMINATION OF #1 ENG CHIP WARNING LIGHTS							Service	ATA:71
	MOS/MSC		A/R						
	HRS								
	AFL								
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
710009B	WHENEVER ENGINE LUBRICATING OIL IS FOUND CONTAMINATED WITH METAL CHIPS OR FLAKES AS INDICATED BY ILLUMINATION OF #2 ENG CHIP WARNING LIGHTS							Service	ATA:71
	MOS/MSC		A/R						
	HRS								
	AFL								
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
710021A	SERVICE NO. 1 ENGINE LUBRICATING OIL							Service	ATA:71
	MOS/MSC	28-Apr-22	O/C						
	HRS	2798.1							
	AFL	4568							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
710021B SERVICE NO. 2 ENGINE LUBRICATING OIL Service ATA:71								
	MOS/MSC	28-Apr-22	O/C					
	HRS	2798.1						
	AFL	4568						
PROC. REF: AMM REFER TO APPROPRIATE MANUAL PROC. REF: AMM REFER TO APPROPRIATE MANUAL								
710036 NO. 1 ENGINE DRIVESHAFT Component ATA:71								
PN:0292907530	MOS/MSC	09-Sep-16	O/C	TSN 0				
SN:243B	HRS	2183.6		TSN 0				
	AFL							
PROC. REF: AMM 71-02-00 PROC. REF: AMM 71-02-00								
710041 NO. 2 ENGINE DRIVESHAFT Component ATA:71								
PN:0292907530	MOS/MSC	09-Sep-16	O/C	TSN 0				
SN:15	HRS	2183.6		TSN 0				
	AFL							
PROC. REF: AMM 71-02-00 PROC. REF: AMM 71-02-00								
710080A ^U ENGINE AIR INLET ASSEMBLY Component ATA:71								
PN:0401277880	MOS/MSC	28-Jun-16	O/C	TSN 171				
SN:UNKNOWN	HRS	2160.8		TSN 2160.8				
	AFL							
710082A ^U ENGINE EXHAUST DUCT Component ATA:71								
PN:76300-07663-041	MOS/MSC	28-Jun-16	O/C	TSN 171				
SN:UNKNOWN	HRS	2160.8		TSN 2160.8				
	AFL							
710082B ^U ENGINE EXHAUST DUCT Component ATA:71								
PN:76300-07663-042	MOS/MSC	28-Jun-16	O/C	TSN 171				
SN:UNKNOWN	HRS	2160.8		TSN 2160.8				
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710090	NO. 1 ENGINE - 25 HOUR CHECK ENGINE HEALTH							Service	ATA:71
	MOS	22-Jan-26						MANDATORY	
	HRS	3167.1	20 (+10%)		(3187.1) 3267.6	3189.1	14.6 (+2)		
	ENC	3907							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
710090	NO. 2 ENGINE - CHECK ENGINE HEALTH							Service	ATA:71
	MOS	22-Jan-26						MANDATORY	
	HRS	5781.7	20 (+10%)		(5801.7) 3267.6	5803.7	14.6 (+2)		
	ENC	10381							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
710201A ^S	INSPECT ENGINE DRIVE SHAFT AND COUPLINGS							Service	ATA:71
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
PROC. REF: AMM 71-02-01PROC. REF: AMM 71-02-01									
710202A ^S	INSPECTION NO. 1 DRIVE SHAFT FORWARD FLEXIBLE COUPLING							Service	ATA:71
	MOS	12-Dec-25							
	HRS	3239.4	900 (+10%)						
	AFL	5193							
PROC. REF: AMM 71-02-01PROC. REF: AMM 71-02-01									
710202B ^{U S}	INSPECTION NO. 2 DRIVE SHAFT FORWARD FLEXIBLE COUPLING							Service	ATA:71
	MOS	12-Dec-25							
	HRS	3239.4	900						
	AFL	5193							
PROC. REF: AMM 71-02-01PROC. REF: AMM 71-02-01									

PKG:8

PKG:10

PKG:10

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
710208-1 ^U	NO. 1 ENGINE - SOAP							Service	ATA:71
	MOS/MSC	25-Jan-22	-						
	HRS	2691.2							
	ENC	3371							
PROC. REF: AMM REFER TO APPROPRIATE MANUAL									
710220A	LUBRICATE NO. 1 ENGINE POWER OUTPUT FLANGE SPLINE							Service	ATA:71
	MOS	12-Dec-25							
	HRS	3239.4	900		4139.4		886.4		
	AFL								
PROC. REF: AMM REFER TO APPROPRIATE MANUAL									
710220B	LUBRICATE NO. 2 ENGINE POWER OUTPUT FLANGE SPLINE							Service	ATA:71
	MOS	12-Dec-25							
	HRS	3239.4	900		4139.4		886.4		
	AFL								
PROC. REF: AMM REFER TO APPROPRIATE MANUAL									
711020 ^S	NO. 1 ENGINE - FUNCTIONAL TEST IN THE MANUAL MODE							Service	ATA:71
	MOS	10-Feb-25						MANDATORY	
	HRS	3068.5	600 (+60)						
	ENC	3816							
PROC. REF: GENERIC NO REF									
711020 ^S	NO. 2 ENGINE - FUNCTIONAL TEST IN THE MANUAL MODE							Service	ATA:71
	MOS	15-Dec-25						MANDATORY	
	HRS	5773.5	600 (+60)						
	ENC								
PROC. REF: GENERIC NO REF									
711030 ^S	NO. 1 ENGINE - CHECK SHUTDOWN IN THE MANUAL MODE							Service	ATA:71
	MOS	10-Feb-25						MANDATORY	
	HRS	3068.5	600 (+60)						
	ENC	3816							
PROC. REF: GENERIC NO REF									

PKG:1,2

PKG:1

PKG:1,2

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
711030 ^S	NO. 2 ENGINE - CHECK SHUTDOWN IN THE MANUAL MODE							Service	ATA:71
	MOS	15-Dec-25						MANDATORY	
	HRS	5773.5	600 (+60)						
	ENC								
PKG:1									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
711050 ^S	NO. 1 ENGINE - CHECK TORQUE INDICATION							Service	ATA:71
	MOS	10-Feb-25						MANDATORY	
	HRS	3068.5	600 (+60)						
	ENC	3816							
PKG:1,2									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
711050 ^S	NO. 2 ENGINE - CHECK TORQUE INDICATION							Service	ATA:71
	MOS	15-Dec-25						MANDATORY	
	HRS	5773.5	600 (+60)						
	ENC								
PKG:1									
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
712001	NO. 1 ENGINE INBOARD BIPOD							Component	ATA:71
PN:0401277070	MOS/MSC	24-Jun-19	O/C						
SN:224SO	HRS	2450.3							
	AFL	4088							
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
712001A ^S	INSPECT ENGINE MOUNTS, TRUNNIONS, SUPPORT FITTINGS AND UNDER DECK SUPPORT STRUCTURE							Service	ATA:71
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
PKG:8									
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
712002A ^S	INSPECT ENGINE MOUNT-TO-SUPPORT FITTING BOLTHOLES FOR WEAR							Service	ATA:71
	MOS		10-Feb-25						
	HRS		3149		600 (+10%)				
	AFL		5104						
PKG:8									
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
712003A ^S	INSPECT NO. 1 ENGINE AFT SUPPORT STRUT, 0401277170, REMOVE ENGINE AFT SUPPORTS:INSPECT INSIDE AND OUTSIDE SURFACES OF SUPPORT TUBES FOR CRACKS, CORROSION, AND SERVICE-RELATED DAMAGE							Service	ATA:71
PN:0401277930	MOS		13-Mar-02		24 (+10%)				
SN:370SO	HRS		0		1500 (+10%)				
	AFL		0						
PKG:15,17,22,36									
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
712003A ^S	INSPECT NO. 2 ENGINE AFT SUPPORT STRUT, 0401277170, REMOVE ENGINE AFT SUPPORTS:INSPECT INSIDE AND OUTSIDE SURFACES OF SUPPORT TUBES FOR CRACKS, CORROSION, AND SERVICE-RELATED DAMAGE							Service	ATA:71
PN:0401277930	MOS		12-Dec-25		24 (+10%)				
SN:363SO	HRS		3239.4		1500 (+10%)				
	AFL								
PKG:15,17,22,36									
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
712004A ^U	INSPECT ENGINE SUPPORTS							Service	ATA:71
	MOS		12-Dec-25		48	12-Dec-29	1366 d		
	HRS		3239.4		3000	6239.4	2986.4		
	AFL		5193						
712004A ^S	INSPECT NO. 1 ENGINE AFT SUPPORT STRUT,REMOVE ENGINE SUPPORTS (INCLUDING AFT SUPPORT STRUT, 0401277930): INSPECT INSIDE ANDOUTSIDE SURFACES OF SUPPORT TUBES FOR CRACKS,CORROSION, AND SERVICE-RELATED DAMAGE							Service	ATA:71
PN:0401277930	MOS		29-Jun-23		48 (+10%)				
SN:370SO	HRS		2938.4		3000 (+10%)				
	AFL		4802						
PKG:13,15,17,36									
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
712004A ^S	INSPECT NO. 2 ENGINE AFT SUPPORT STRUT,REMOVE ENGINE SUPPORTS (INCLUDING AFT SUPPORT STRUT, 0401277930): INSPECT INSIDE ANDOUTSIDE SURFACES OF SUPPORT TUBES FOR CRACKS,CORROSION, AND SERVICE-RELATED DAMAGE							Service	ATA:71
PN:0401277930	MOS	12-Dec-25	48 (+10%)						
SN:363SO	HRS	3239.4	3000 (+10%)						
	AFL								
								PKG:13,15,17,36	
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00									
712004A1 ^S	INSPECT NO. 1 ENGINE DRAG STRUT MOUNT							Service	ATA:71
	MOS	29-Jun-23	48 (+10%)						
	HRS	2938.4	3000 (+10%)						
	AFL	4802							
								PKG:18,23	
PROC. REF: AMM 71-20-00, AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM 71-20-00, AMM REFER TO APPROPRIATE MANUAL									
712004A1 ^S	INSPECT NO. 1 ENGINE INBOARD BIPOD							Service	ATA:71
	MOS	29-Jun-23	48 (+10%)						
	HRS	2938.4	3000 (+10%)						
	AFL	4802							
								PKG:18,23	
PROC. REF: AMM 71-20-00, AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM 71-20-00, AMM REFER TO APPROPRIATE MANUAL									
712004A1 ^S	INSPECT NO. 1 ENGINE OUTBOARD TRIPOD							Service	ATA:71
	MOS	29-Jun-23	48 (+10%)						
	HRS	2938.4	3000 (+10%)						
	AFL	4802							
								PKG:18,23	
PROC. REF: AMM 71-20-00, AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM 71-20-00, AMM REFER TO APPROPRIATE MANUAL									
712004A1 ^S	INSPECT NO. 2 ENGINE DRAG STRUT MOUNT							Service	ATA:71
	MOS	12-Dec-25	48 (+10%)						
	HRS	3239.4	3000 (+10%)						
	AFL	5193							
								PKG:18,23	
PROC. REF: AMM 71-20-00, AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM 71-20-00, AMM REFER TO APPROPRIATE MANUAL									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
712004A1 ^S INSPECT NO. 2 ENGINE INBOARD BIPOD Service ATA:71								
	MOS	12-Dec-25	48 (+10%)					
	HRS	3239.4	3000 (+10%)					
	AFL	5193						
								PKG:18,23
PROC. REF: AMM 71-20-00, AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM 71-20-00, AMM REFER TO APPROPRIATE MANUAL								
712004A1 ^S INSPECT NO. 2 ENGINE OUTBOARD TRIPOD Service ATA:71								
	MOS	12-Dec-25	48 (+10%)					
	HRS	3239.4	3000 (+10%)					
	AFL	5193						
								PKG:18,23
PROC. REF: AMM 71-20-00, AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM 71-20-00, AMM REFER TO APPROPRIATE MANUAL								
712006 NO. 2 ENGINE INBOARD BIPOD Component ATA:71								
PN:0401277080	MOS/MSC	12-Dec-25	O/C					
SN:226SO	HRS	3239.4						
	AFL	5193						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
712011 NO. 1 ENGINE INBOARD DRAG STRUT Component ATA:71								
PN:0401277090	MOS/MSC	24-Jun-19	O/C					
SN:419SD	HRS	2450.3						
	AFL	4088						
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
712016 NO. 2 ENGINE DRAG STRUT Component ATA:71								
PN:0401277090	MOS/MSC	12-Dec-25	O/C					
SN:413SO	HRS	3239.4						
	AFL	5193						
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
712021 NO. 1 ENGINE OUTBOARD TRIPOD Component ATA:71								
PN:0401277050	MOS/MSC	24-Jun-19	O/C					
SN:328SO	HRS	2450.3						
	AFL	4088						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
712026 NO. 2 ENGINE OUTBOARD TRIPOD Component ATA:71								
PN:0401277060	MOS/MSC	12-Dec-25	O/C					
SN:238SO	HRS	3239.4						
	AFL	5193						
PROC. REF: AMM 71-20-00PROC. REF: AMM 71-20-00								
712031 NO. 1 ENGINE AFT STRUT Component ATA:71								
PN:0401277930	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:370SO	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
712036 NO. 2 ENGINE AFT STRUT Component ATA:71								
PN:0401277930	MOS/MSC	12-Dec-25	O/C	TSN 285				
SN:363SO	HRS							
	AFL							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
712080A ^U ENGINE AFT STRUT Component ATA:71								
PN:0401277930	MOS/MSC	24-Jun-19	O/C					
SN:370SO	HRS	2450.3						
	AFL	4088						
712080B ^U ENGINE AFT MOUNT STRUT Component ATA:71								
PN:0401277930	MOS/MSC	24-Jun-19	O/C					
SN:363SO	HRS	2450.3						
	AFL	4088						
712083A ^U ENGINE DRIVE SHAFT INPUT COUPLING Component ATA:71								
PN:76361-04008-103	MOS/MSC	28-Jun-16	O/C	TSN 171				
SN:UNKNOWN	HRS	2160.8		TSN 2160.8				
	AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 71 - POWER PLANT								
712083B ^U ENGINE DRIVE SHAFT INPUT COUPLING Component ATA:71								
PN:76361-04008-103	MOS/MSC	28-Jun-16	O/C	TSN 171				
SN:UNKNOWN	HRS	2160.8		TSN 2160.8				
	AFL							
715080A ^U CONTROL AND MONITORING HARNESS Component ATA:71								
PN:0.292.69.723.0	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:293B	HRS	0		TSN 0				
	AFL	0		TSN 0				
715080B ^U CONTROL AND MONITORING HARNESS Component ATA:71								
PN:0.292.69.723.0	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:294B	HRS	0		TSN 0				
	AFL	0		TSN 0				
715081A ^U P101 CONTROL HARNESS Component ATA:71								
PN:0.292.69.754.0	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:301B	HRS	0		TSN 0				
	AFL	0		TSN 0				
715081B ^U P101 CONTROL HARNESS Component ATA:71								
PN:0.292.69.754.0	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:298B	HRS	0		TSN 0				
	AFL	0		TSN 0				
715082A ^U P103 CONTROL HARNESS Component ATA:71								
PN:0.292.69.755.0	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:297B	HRS	0		TSN 0				
	AFL	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 71 - POWER PLANT									
715082B ^U	P103 CONTROL HARNESS							Component	ATA:71
PN:0.292.69.755.0	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:296B	HRS	0		TSN 0					
	AFL	0		TSN 0					
<hr/>									
717001	INSPECTION ALL FUEL, HYDRAULIC, VENT AND DRAIN LINES IN BAGGAGE COMPARTMENT							Service	ATA:71
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)		4151.1	4301.1	898.1 (+150)		
	AFL	4363							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
<hr/>									
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:0292005310	MOS/MSC	09-Sep-16	E/C						
SN:20592TEC	HRS	2183.6		TSN 2105.1, TSR 0					
	AFL	3618							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
<hr/>									
71EN2	NO. 2 ENGINE							Component	ATA:71
PN:0292005400	MOS/MSC	12-Dec-25	E/C						
SN:20561TEC	HRS	3239.4							
	AFL	5193							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
<hr/>									
ATA 72 - ENGINE									
72-00-32-200-801 ^S	NO. 1 ENGINE - CHECK AXIAL COMPRESSOR FOR EROSION							Service	ATA:72
	MOS	10-Feb-25							
	HRS	3068.5	600 (+60)						
	ENC	3816							
PROC. REF: MM 72-00-32-200-801-A01PROC. REF: MM 72-00-32-200-801-A01									

PKG:1,2

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-32-200-801	S	NO. 2 ENGINE - CHECK AXIAL COMPRESSOR FOR EROSION						Service	ATA:72
	MOS	15-Dec-25							
	HRS	5773.5	300 (+30)						
	ENC								
PKG:1,5									
PROC. REF: MM 72-00-32-200-801-A01 PROC. REF: MM 72-00-32-200-801-A01									
72-00-32-200-803	S	NO. 1 ENGINE - INSPECT AXIAL COMPRESSOR BLADES						Service	ATA:72
	MOS	10-Feb-25							
	HRS	3068.5	600 (+60)						
	ENC	3816							
PKG:1,2									
PROC. REF: MM 72-00-32-200-803-A01 PROC. REF: MM 72-00-32-200-803-A01									
72-00-32-200-803	S	NO. 2 ENGINE - INSPECT AXIAL COMPRESSOR BLADES						Service	ATA:72
	MOS	15-Dec-25							
	HRS	5773.5	300 (+30)						
	ENC								
PKG:1,5									
PROC. REF: MM 72-00-32-200-803-A01 PROC. REF: MM 72-00-32-200-803-A01									
72-00-43-200-801	S	NO. 1 ENGINE - PERMEABILITY INSPECTION INJECTION WHEEL						Service	ATA:72
PN:2 292 26 021 0	MOS	10-Feb-25						MANDATORY	
SN:1868XG	HRS	3068.5	600 (+60)						
	ENC	3816							
PKG:2									
PROC. REF: MM 72-00-43-200-801-A01 PROC. REF: MM 72-00-43-200-801-A01									
72-00-43-200-801	S	NO. 2 ENGINE - PERMEABILITY INSPECTION INJECTION WHEEL						Service	ATA:72
PN:PN	MOS	15-Dec-25						MANDATORY	
SN:UNKNOWN	HRS	5773.5	600 (+60)						
	ENC								
PKG:1									
PROC. REF: MM 72-00-43-200-801-A01 PROC. REF: MM 72-00-43-200-801-A01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-43-200-802	S	NO. 1 ENGINE - INSPECT COMBUSTION CHAMBER						Service	ATA:72
	MOS	10-Feb-25						MANDATORY	
	HRS	3068.5	600 (+60)						
	ENC	3816							
PROC. REF: MM 72-00-43-200-802-A01								PKG:1,2	
<hr/>									
72-00-43-200-802	S	NO. 2 ENGINE - INSPECT COMBUSTION CHAMBER						Service	ATA:72
	MOS	15-Dec-25						MANDATORY	
	HRS	5773.5	600 (+60)						
	ENC								
PROC. REF: MM 72-00-43-200-802-A01								PKG:1	
<hr/>									
72-00-43-200-803	S	NO. 1 ENGINE - INSPECT GAS GENERATOR TURBINE BLADES						Service	ATA:72
	MOS	10-Feb-25						MANDATORY	
	HRS	3068.5	600 (+60)						
	ENC	3816							
PROC. REF: MM 72-00-43-200-803-A01								PKG:1,2	
<hr/>									
72-00-43-200-803	S	NO. 2 ENGINE - INSPECT GAS GENERATOR TURBINE BLADES						Service	ATA:72
	MOS	15-Dec-25						MANDATORY	
	HRS	5773.5	600 (+60)						
	ENC								
PROC. REF: MM 72-00-43-200-803-A01								PKG:1	
<hr/>									
72-00-43-200-804	S	NO. 1 ENGINE - CHECK FUEL SYSTEM PURGE LINE COMPONENTS						Service	ATA:72
	MOS	10-Feb-25						MANDATORY	
	HRS	3068.5	600 (+60)						
	ENC	3816							
PROC. REF: MM 72-00-43-200-804-A01								PKG:1,2	

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-00-43-200-804 ^S	NO. 2 ENGINE - CHECK FUEL SYSTEM PURGE LINE COMPONENTS							Service	ATA:72
	MOS	15-Dec-25						MANDATORY	
	HRS	5773.5	600 (+60)						
	ENC								
PKG:1									
PROC. REF: MM 72-00-43-200-804-A01PROC. REF: MM 72-00-43-200-804-A01									
72-00-43-200-805	NO. 1 ENGINE - TEST CLOGGING OF MODULE 03 GAS GENERATOR REAR BEARING							Service	ATA:72
	MOS/MSC	05-Mar-14	N/A						
	HRS	1851.03							
	ENC								
PROC. REF: MM 72-00-43-200-805-A01PROC. REF: MM 72-00-43-200-805-A01									
72-00-43-200-805	NO. 2 ENGINE - TEST CLOGGING OF MODULE 03 GAS GENERATOR REAR BEARING							Service	ATA:72
	MOS	15-Dec-25							
	HRS	5773.5	100		(5873.5) 3339.4		86.4		
	ENC								
PROC. REF: MM 72-00-43-200-805-A01PROC. REF: MM 72-00-43-200-805-A01									
72-15-00-200-801 ^S	NO. 1 ENGINE - INSPECT SLEEVE COUPLING BETWEEN POWER TURBINE AND REDUCTION GEARBOX							Service	ATA:72
	MOS	10-Feb-25							
	HRS	3068.5	600 (+60)						
	ENC	3816							
PKG:1,2									
PROC. REF: MM 72-15-00-200-801-A01PROC. REF: MM 72-15-00-200-801-A01									
72-15-00-200-801 ^S	NO. 2 ENGINE - INSPECT SLEEVE COUPLING BETWEEN POWER TURBINE AND REDUCTION GEARBOX							Service	ATA:72
	MOS	15-Dec-25							
	HRS	5773.5	600 (+60)						
	ENC								
PKG:1									
PROC. REF: MM 72-15-00-200-801-A01PROC. REF: MM 72-15-00-200-801-A01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-15-00-700-801 ^S	NO. 1 ENGINE - MAGNETISM TEST MECHANICAL MAGNETIC PLUG OF THE MODULE 05							Service	ATA:72
	MOS	10-Feb-25						MANDATORY	
	HRS	3068.5	600 (+60)						
	ENC	3816							
PROC. REF: MM 72-15-00-700-801-A01PROC. REF: MM 72-15-00-700-801-A01								PKG:1,2	
72-15-00-700-801 ^S	NO. 2 ENGINE - MAGNETISM TEST MECHANICAL MAGNETIC PLUG OF THE MODULE 05							Service	ATA:72
	MOS	15-Dec-25						MANDATORY	
	HRS	5773.5	600 (+60)						
	ENC								
PROC. REF: MM 72-15-00-700-801-A01PROC. REF: MM 72-15-00-700-801-A01								PKG:1	
72-15-00-900-801	NO. 1 ENGINE - 30 HOUR CHECK MECHANICAL MAGNETIC PLUG OF THE MODULE 05							Service	ATA:72
	MOS	12-Dec-25							
	HRS	3159.9	30 (+10%)		(3189.9) 3270.4	3192.9	17.4 (+3)		
	ENC	3894							
PROC. REF: MM 72-15-00-900-801-A01PROC. REF: MM 72-15-00-900-801-A01									
72-15-00-900-801	NO. 2 ENGINE - CHECK MECHANICAL MAGNETIC PLUG OF THE MODULE 05							Service	ATA:72
	MOS	15-Dec-25							
	HRS	5773.5	30 (+10%)		(5803.5) 3269.4	5806.5	16.4 (+3)		
	ENC								
PROC. REF: MM 72-15-00-900-801-A01PROC. REF: MM 72-15-00-900-801-A01								PKG:4	
72-43-00-200-803 ^S	NO. 1 ENGINE - INSPECT IGNITER PLUGS							Service	ATA:72
	MOS	10-Feb-25							
	HRS	3068.5	600 (+60)						
	ENC	3816							
PROC. REF: MM 72-43-00-200-803-A01PROC. REF: MM 72-43-00-200-803-A01								PKG:1,2	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-43-00-200-803	S	NO. 2 ENGINE - INSPECT IGNITER PLUGS						Service	ATA:72
	MOS	15-Dec-25							
	HRS	5773.5	600 (+60)						
	ENC								
PROC. REF: MM 72-43-00-200-803-A01								PKG:1	
72-43-00-200-806	S	NO. 1 ENGINE - OPERATIONAL CHECK START SYSTEM						Service	ATA:72
	MOS	10-Feb-25							
	HRS	3068.5	600 (+60)						
	ENC	3816							
PROC. REF: MM 72-43-00-200-806-A01								PKG:1,2	
72-43-00-200-806	S	NO. 2 ENGINE - OPERATIONAL CHECK START SYSTEM						Service	ATA:72
	MOS	15-Dec-25							
	HRS	5773.5	600 (+60)						
	ENC								
PROC. REF: MM 72-43-00-200-806-A01								PKG:1	
72-43-00-700-801	S	NO. 1 ENGINE - TEST JET UNION						Service	ATA:72
	MOS	28-Apr-22							
	HRS	2717.8	1000 (+100)						
	ENC	3400							
PROC. REF: MM 72-43-00-700-801-A01								PKG:0,3	
72-43-00-900-806	S	NO. 1 ENGINE - REPLACE PREFORMED PACKINGS OF REAR BEARING DUCTS						Service	ATA:72
	MOS	10-Feb-25							
	HRS	3068.5	600 (+60)						
	ENC	3816							
PROC. REF: GENERIC NO REF								PKG:1,2	

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-43-00-900-806	S	NO. 2 ENGINE - REPLACE PREFORMED PACKINGS OF REAR BEARING DUCTS						Service	ATA:72
	MOS	15-Dec-25							
	HRS	5773.5	600 (+60)						
	ENC								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								PKG:1	
<hr/>									
72-61-00-200-805	S	NO. 1 ENGINE - INSPECT FRONT SUPPORT						Service	ATA:72
	MOS	28-Apr-22							
	HRS	2717.8	1000 (+10%)						
	ENC	3400							
PROC. REF: MM 72-61-00-200-805-A01PROC. REF: MM 72-61-00-200-805-A01								PKG:0.3	
<hr/>									
72-61-00-700-801	S	NO. 1 ENGINE - MAGNETISM TEST MECHANICAL MAGNETIC PLUG OF THE MODULE 01						Service	ATA:72
	MOS	10-Feb-25						MANDATORY	
	HRS	3068.5	600 (+60)						
	ENC	3816							
PROC. REF: MM 72-61-00-700-801-A01, MM 72-61-00-700-801-B01PROC. REF: MM 72-61-00-700-801-A01, MM 72-61-00-700-801-B01								PKG:1.2	
<hr/>									
72-61-00-700-801	S	NO. 2 ENGINE - MAGNETISM TEST MECHANICAL MAGNETIC PLUG OF THE MODULE 01						Service	ATA:72
	MOS	15-Dec-25						MANDATORY	
	HRS	5773.5	600 (+60)						
	ENC								
PROC. REF: MM 72-61-00-700-801-A01, MM 72-61-00-700-801-B01PROC. REF: MM 72-61-00-700-801-A01, MM 72-61-00-700-801-B01								PKG:1	
<hr/>									
72-61-00-750-801	S	NO. 1 ENGINE - TORQUE CONFORMATION BOX - TESTS (ELECTRICAL)						Service	ATA:72
	MOS/MSC	09-Mar-17	N/A						
	HRS								
	ENC								
PROC. REF: MM 72-61-00-750-801-A01PROC. REF: MM 72-61-00-750-801-A01								PKG:1	

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
72-61-00-750-801	S	NO. 2 ENGINE - TORQUE CONFORMATION BOX - TESTS (ELECTRICAL)						Service	ATA:72
	MOS	15-Dec-25							
	HRS	5773.5	600 (+60)						
	ENC								
PROC. REF: MM 72-61-00-750-801-A01								PKG:1	
72-61-00-900-803	S	NO. 1 ENGINE - REPLACE OIL FILTERING ELEMENT						Service	ATA:72
	MOS	10-Feb-25							
	HRS	3068.5	600 (+60)						
	ENC	3816							
PROC. REF: MM 72-61-00-900-803-A01								PKG:1,2	
72-61-00-900-803	S	NO. 2 ENGINE - REPLACE OIL FILTERING ELEMENT						Service	ATA:72
	MOS	15-Dec-25							
	HRS	5773.5	600 (+60)						
	ENC								
PROC. REF: MM 72-61-00-900-803-A01								PKG:1	
72-61-00-900-808		NO. 1 ENGINE - 30 HOUR CHECK MECHANICAL MAGNETIC PLUG OF THE MODULE 01						Service	ATA:72
	MOS	12-Dec-25							
	HRS	3159.9	30 (+10%)		(3189.9) 3270.4	3192.9	17.4 (+3)		
	ENC	3894							
PROC. REF: GENERIC NO REF									
72-61-00-900-808		NO. 2 ENGINE - CHECK MECHANICAL MAGNETIC PLUG OF THE MODULE 01						Service	ATA:72
	MOS	15-Dec-25							
	HRS	5773.5	30 (+10%)		(5803.5) 3269.4	5806.5	16.4 (+3)		
	ENC								
PROC. REF: GENERIC NO REF								PKG:4	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
72-70-00-200-801^S NO. 1 ENGINE - INSPECT EXHAUST PIPE Service ATA:72								
	MOS	10-Feb-25						
	HRS	3068.5	600 (+60)					
	ENC	3816						
PROC. REF: MM 72-70-00-200-801-A01 PROC. REF: MM 72-70-00-200-801-A01								
72-70-00-200-801^S NO. 2 ENGINE - INSPECT EXHAUST PIPE Service ATA:72								
	MOS	15-Dec-25						
	HRS	5773.5	600 (+60)					
	ENC							
PROC. REF: MM 72-70-00-200-801-A01 PROC. REF: MM 72-70-00-200-801-A01								
720100 NO. 1 ENGINE - HP-LP PUMP AND METERING ASSEMBLY UNIT Component ATA:72								
PN:0292862610	MOS	11-Nov-22	120	TSO 0	11-Nov-32		2431 d	OVERHAUL
SN:1293B	HRS	2804.1	3000	TSO 0	(5804.1) 5884.6		2631.6	
	ENC	3517		TSO 0				
PROC. REF: MM 73-23-00-900-801-A01, MM 73-23-00-900-801-B01 PROC. REF: MM 73-23-00-900-801-A01, MM 73-23-00-900-801-B01								
720100 NO. 2 ENGINE - HP-LP PUMP AND METERING ASSEMBLY UNIT Component ATA:72								
PN:0292862610	MOS	12-Dec-25	120	TSO 0	12-Dec-35		3557 d	OVERHAUL
SN:100	HRS	5773.4	3000	TSO 586.2	(8187.2) 5653.1		2400.1	
	ENC			TSO 0				
PROC. REF: MM 73-23-00-900-801-A01, MM 73-23-00-900-801-B01 PROC. REF: MM 73-23-00-900-801-A01, MM 73-23-00-900-801-B01								
720200 NO. 1 ENGINE - FUEL VALVE ASSEMBLY Component ATA:72								
PN:0.292.95.805.0	MOS/MSC	02-Jul-01	O/C					
SN:382M	HRS	0						
	ENC	0						
PROC. REF: GENERIC NO REF PROC. REF: GENERIC NO REF								

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
721010	NO. 1 ENGINE - ACCESSORY GEARBOX (M01) MODULE							Component	ATA:72
PN:70BM017710	MOS	17-May-22						OVERHAUL	
SN:00619TEC	HRS	2724.8	3500	TSN 2168.4, TSO 742.9	(5481.9) 5562.4		2309.4		
	ENC	3408							
PROC. REF: MM 72-00-61-900-801-A01PROC. REF: MM 72-00-61-900-801-A01									
721020	NO. 1 ENGINE - FLECTOR ASSEMBLY							Component	ATA:72
PN:0292907340	MOS	10-Jun-20		TSN 0				OVERHAUL	
SN:936	HRS	2448.7	3500	TSN 0	(5948.7) 6029.2		2776.2		
	ENC	3116		TSN 0					
PROC. REF: MM 83-11-00-900-802-A01PROC. REF: MM 83-11-00-900-802-A01									
721040	NO. 1 ENGINE - ACCESSORY GEARBOX (M01) MODULE BEARING							Component	ATA:72
PN:PN	MOS/MSC	02-Jul-01	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
721049A ^U	NO. 1 ENGINE - M05 - RGB TORQUEMETER BEARING							Component	ATA:72
PN:960 9 000 585	MOS	28-Feb-06							
SN:UNKNOWN	HRS	721.1	7000		(7149.7) 7230.2 (M)		3977.2		
	ENC	934							
721071	NO. 1 MAIN GEAR BOX ENGINE SHAFT							Component	ATA:72
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 66-10-00PROC. REF: AMM 66-10-00									
721086	NO. 2 MAIN GEAR BOX ENGINE SHAFT							Component	ATA:72
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
PROC. REF: AMM 66-10-00PROC. REF: AMM 66-10-00									
723010	NO. 1 ENGINE - AXIAL COMPRESSOR (M02) MODULE							Component	ATA:72
PN:70BM021700	MOS	26-Aug-16		TSO 0				OVERHAUL	
SN:00657TEC	HRS	2105.1	3500	TSN 2105.1, TSO 0	(5605.1) 5685.6		2432.6		
ENC									
PROC. REF: MM 72-00-32-900-801-A01PROC. REF: MM 72-00-32-900-801-A01									
723020	NO. 1 ENGINE - AXIAL COMPRESSOR WHEEL							Component	ATA:72
PN:2 292 15 327 0	MOS	02-Dec-06						LIFE LIMIT	
SN:5328FB	HRS	878.1							
	ENC	1144		TSN 0					
	C1C	1144	22000	TSN 0	23144		19231.9		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723030	NO. 1 ENGINE - AXIAL COMPRESSOR (M02) MODULE FRONT BEARING							Component	ATA:72
PN:9 609 00 048 6	MOS/MSC	08-Dec-06	O/C						
SN:UNKNOWN	HRS	878.1			(7000) 7080.5 (M)		3827.5		
	ENC	1144							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723035	NO. 1 ENGINE - AXIAL COMPRESSOR (M02) MODULE REAR BEARING							Component	ATA:72
PN:9 609 00 048 6	MOS/MSC	08-Dec-06	O/C	TSN 0					
SN:UNKNOWN	HRS	878.02		TSN 0	(7000) 7080.5 (M)		3827.5		
	ENC	1144		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
723040	NO. 1 ENGINE - AXIAL COMPRESSOR (M02) MODULE BEVEL GEAR BEARING							Component	ATA:72
PN:9 606 49 020 2	MOS/MSC	08-Dec-06	O/C	TSN 0					
SN:UNKNOWN	HRS	878.02		TSN 0	(7000) 7080.5 (M)		3827.5		
	ENC	1144		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
723080A^U NO. 1 ENGINE - LOWER ENGINE INJECTOR Component ATA:72								
PN:0.283.31.750.0	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:8587C	HRS	0		TSN 0				
	ENC	0		TSN 0				
<hr/>								
724010 NO. 1 ENGINE - GAS GENERATOR (M03) MODULE Component ATA:72								
PN:70BM037700	MOS	08-Dec-06						OVERHAUL
SN:00669TEC	HRS	878.1	3500	TSN 878.1	(3500) 3580.5		327.5	
	ENC							
PROC. REF: MM 72-00-43-900-801-A01PROC. REF: MM 72-00-43-900-801-A01								
<hr/>								
724015 NO. 1 ENGINE - GAS GENERATOR (M03) MODULE BEARING Component ATA:72								
PN:9 609 00 049 3	MOS/MSC	08-Dec-06	O/C					
SN:UNKNOWN	HRS	878.1						
	ENC							
PROC. REF: MM 72-43-10-900-801-A01PROC. REF: MM 72-43-10-900-801-A01								
<hr/>								
724020 NO. 1 ENGINE - CENTRIFUGAL IMPELLER Component ATA:72								
PN:0 292 26 001 0	MOS	08-Dec-06						LIFE LIMIT
SN:1211OTT	HRS	878.1						
	ENC	1144						
	C1C	1144	22000	TSN 1144	22000		18087.9	
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								
<hr/>								
724030 NO. 1 ENGINE - COMBUSTOR Component ATA:72								
PN:PN	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
	(AFL)							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
724040	NO. 1 ENGINE - HP TURBINE DISC							Component	ATA:72
PN:2 292 26 006 0	MOS	08-Dec-06						LIFE LIMIT	
SN:AZF3363UP	HRS	878.1							
	ENC	1144							
	C1C	1144	17000	TSN 1144	17000		13087.9		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
724045	NO. 1 ENGINE - GAS GENERATOR (M03) MODULE HP BLADES							Component	ATA:72
PN:2 292 26 A0A 0	MOS	08-Dec-06						LIFE LIMIT	
SN:UNKNOWN	HRS	878.1	6000	TSN 878.1	(6000) 6080.5		2827.5		
	ENC	1144							
	C1C	1144	10000	TSN 1144	10000		6087.9		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
724050	NO. 1 ENGINE - POWER TURBINE DISC							Component	ATA:72
PN:2 292 81 031 0	MOS	09-Sep-16						LIFE LIMIT	
SN:APJ1186XG	HRS	2105.1		TSO 2105.1					
	ENC								
	C2C	343	22000	TSN 0	22343		18679.5		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
724060	NO. 1 ENGINE - INJECTION WHEEL							Component	ATA:72
PN:2 292 26 021 0	MOS	08-Dec-06						LIFE LIMIT	
SN:1868XG	HRS	878.1							
	ENC	1144							
	C1C	1144	6500	TSN 1144	6500		2587.9		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
724070	NO. 1 ENGINE - POWER TURBINE (M04) MODULE							Component	ATA:72
PN:70BM041720	MOS	09-Sep-16						OVERHAUL	
SN:00650TEC	HRS	2105.1	3500	TSO 2105.1	(3500) 3580.5		327.5		
	ENC								
PROC. REF: MM 72-00-54-900-801-A01PROC. REF: MM 72-00-54-900-801-A01									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
724080	NO. 1 ENGINE - POWER TURBINE (M04) MODULE FRONT BEARING							Component	ATA:72
PN:9 609 00 016 6	MOS/MSC	09-Sep-16	O/C						
SN:UNKNOWN	HRS	2105.1		TSO 2105.1					
	ENC								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
724085	NO. 1 ENGINE - POWER TURBINE (M04) MODULE REAR BEARING							Component	ATA:72
PN:9 609 00 016 6	MOS/MSC	09-Sep-16	O/C						
SN:UNKNOWN	HRS	2105.1		TSN 2105.1					
	ENC								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
724090	NO. 1 ENGINE - POWER TURBINE (M04) MODULE PT BLADES							Component	ATA:72
PN:2 292 81 043 0	MOS	09-Sep-16						LIFE LIMIT	
SN:UNKNOWN	HRS	2105.1	7000	TSN 2105.1	(7000) 7080.5		3827.5		
	ENC								
	C2C	2537	10000	TSN 2537	10000		6336.5		
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
724095	NO. 1 ENGINE - POWER TURBINE (M04) MODULE PT NUT							Component	ATA:72
PN:0 292 81 045 0	MOS	09-Sep-16						LIFE LIMIT	
SN:UNKNOWN	HRS	2105.1	3500	TSN 0	(5605.1) 5685.6		2432.6		
	ENC								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
724340	NO. 1 ENGINE - OUTBD IGNITER							Component	ATA:72
PN:PN	MOS/MSC	02-Jul-01	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 72-43-00-900-805-A01PROC. REF: MM 72-43-00-900-805-A01									

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 72 - ENGINE								
724350 NO. 1 ENGINE - LOWER INJECTOR Component ATA:72								
PN:PN	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 72-43-00-900-804-A01PROC. REF: MM 72-43-00-900-804-A01								
724380 ^U NO. 1 ENGINE - UPPER ENGINE INJECTOR Component ATA:72								
PN:0.283.31.750.0	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:8579C	HRS	0		TSN 0				
	ENC	0		TSN 0				
724381 ^U NO. 1 ENGINE - AND T4.5 CONFORMATION JUNCTION BOX Component ATA:72								
PN:0.292.69.720.0	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:910B	HRS	0		TSN 0				
	ENC	0		TSN 0				
724382 ^U NO. 1 ENGINE - OUTBD ENGINE HIGH ENERGY IGNITER PLUGS Component ATA:72								
PN:9550168770	MOS/MSC	08-Jul-21	O/C	TSN 0				
SN:07066465	HRS	2579.4		TSN 0				
	ENC	3265		TSN 0				
724382A ^U NO. 1 ENGINE - INBD ENGINE HIGH ENERGY IGNITER PLUGS Component ATA:72								
PN:9550168770	MOS/MSC	06-Feb-25	O/C	TSN 0				
SN:15019140	HRS	3068.5		TSN 0				
	ENC	3816		TSN 0				
726010 NO. 1 ENGINE - MODULE 05 ASSY - REDUCTION GEAR Component ATA:72								
PN:70BM057700	MOS	28-Feb-06						OVERHAUL
SN:01015	HRS	721.1	3500	TSN 286	(3935.1) 4015.6		762.6	
	ENC	924						
PROC. REF: MM 72-00-15-900-801-A01PROC. REF: MM 72-00-15-900-801-A01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
726020	NO. 1 ENGINE - REDUCTION GEARBOX (M05) MODULE PISTON BEARING							Component	ATA:72
PN:9 609 00 058 5	MOS/MSC	28-Feb-06	O/C					LIFE LIMIT	
SN:UNKNOWN	HRS	721.1			(7149.12) 7229.62 (M)		3976.6		
	ENC	924							
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
726030	NO. 1 ENGINE - REDUCTION GEARBOX (M05) MODULE COUPLING SLEEVE							Component	ATA:72
PN:0 292 71 760 0	MOS	28-Feb-06						LIFE LIMIT	
SN:UNKNOWN	HRS	721.1	3500		(3649.7) 3730.2 (M)		477.2		
	ENC								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
726040	NO. 1 ENGINE - REDUCTION GEARBOX (M05) MODULE NUT							Component	ATA:72
PN:0 292 71 051 0	MOS	28-Feb-06						LIFE LIMIT	
SN:UNKNOWN	HRS	721.1	3500		(3649.7) 3730.2 (M)		477.2		
	ENC								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
726050	NO. 1 ENGINE - REDUCTION GEARBOX (M05) MODULE INTERMEDIATE GEAR FRONT BEARING							Component	ATA:72
PN:9 609 00 067 6	MOS/MSC	28-Feb-06	O/C	TSN 0					
SN:UNKNOWN	HRS	721.02		TSN 0	(3649.12) 3729.62 (M)		476.6		
	ENC	924		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
726055	NO. 1 ENGINE - REDUCTION GEARBOX (M05) MODULE INTERMEDIATE GEAR REAR BEARING							Component	ATA:72
PN:9 609 00 067 6	MOS/MSC	28-Feb-06	O/C	TSN 0					
SN:UNKNOWN	HRS	721.02		TSN 0	(3649.12) 3729.62 (M)		476.6		
	ENC	924		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
726060	NO. 1 ENGINE - REDUCTION GEARBOX (M05) MODULE OUTPUT GEAR FRONT BEARING							Component	ATA:72
PN:9 609 00 048 9	MOS/MSC	28-Feb-06	O/C	TSN 0					
SN:UNKNOWN	HRS	721.02		TSN 0	(7149.12) 7229.62 (M)		3976.6		
	ENC	924		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
726065	NO. 1 ENGINE - REDUCTION GEARBOX (M05) MODULE OUTPUT GEAR REAR BEARING							Component	ATA:72
PN:9 609 00 051 4	MOS/MSC	28-Feb-06	O/C	TSN 0					
SN:UNKNOWN	HRS	721.02		TSN 0	(7149.12) 7229.62 (M)		3976.6		
	ENC	924		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
726070	NO. 1 ENGINE - REDUCTION GEARBOX (M05) MODULE FRONT DRIVE GEAR BEARING							Component	ATA:72
PN:9 609 00 061 9	MOS/MSC	28-Feb-06	O/C	TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	721.02		TSN 0	(7149.12) 7229.62 (M)		3976.6		
	ENC	924		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
726075	NO. 1 ENGINE - REDUCTION GEARBOX (M05) MODULE REAR DRIVE GEAR BEARING							Component	ATA:72
PN:9 609 00 061 9	MOS/MSC	28-Feb-06	O/C	TSN 0				LIFE LIMIT	
SN:UNKNOWN	HRS	721.02		TSN 0	(7149.12) 7229.62 (M)		3976.6		
	ENC	924		TSN 0					
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
726080 ^U	NO. 1 ENGINE - BEVEL GEAR							Component	ATA:72
PN:292127870	MOS/MSC	02-Jul-01	O/C	TSN 0					
SN:173B	HRS	0		TSN 0					
	ENC	0		TSN 0					

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
726081 ^U	NO. 1 ENGINE - POWER SHAFT							Component	ATA:72
PN:PN-UNKNOWN	MOS/MSC	27-Feb-04	O/C						
SN:41B/01RA	HRS	338.1							
	ENC								
<hr/>									
727080 ^U	NO. 1 ENGINE - ENGINE EXHAUST DUCT							Component	ATA:72
PN:0.292.81.733.0	MOS/MSC	02-Jul-01	O/C	TSN 0					
SN:612EX	HRS	0		TSN 0					
	ENC	0		TSN 0					
<hr/>									
729110 ^S	NO. 1 ENGINE - INSPECT AXIAL COMPRESSOR CASING							Service	ATA:72
	MOS	10-Feb-25							
	HRS	3068.5	600 (+60)						
	ENC	3816							
PROC. REF: MM 72-00-32-200-802-A01								PKG:1,2	
<hr/>									
729110 ^S	NO. 2 ENGINE - INSPECT AXIAL COMPRESSOR CASING							Service	ATA:72
	MOS	15-Dec-25							
	HRS	5773.5	600 (+60)						
	ENC								
PROC. REF: MM 72-00-32-200-802-A01								PKG:1	
<hr/>									
729140 ^S	NO. 1 ENGINE - CHECK FOR LEAKS							Service	ATA:72
	MOS	10-Feb-25							
	HRS	3068.5	600 (+60)						
	ENC	3816							
PROC. REF: GENERIC NO REF								PKG:1,2	
<hr/>									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 72 - ENGINE									
729140 ^S	NO. 2 ENGINE - CHECK FOR LEAKS							Service	ATA:72
	MOS	15-Dec-25							
	HRS	5773.5	600 (+60)						
	ENC								
PROC. REF: GENERIC NO REFPROC. REF: GENERIC NO REF									
ATA 73 - ENGINE FUEL AND CONTROL									
73-21-00-900-801	NO. 2 ENGINE - REMOVE AND SEND TO THE REPAIR CENTER THE DIGITAL ENGINE CONTROL UNIT							Service	ATA:73
	MOS/MSC	01-Dec-02	A/R						
	HRS	0							
	ENC	0							
PROC. REF: MM 73-21-00-900-801-A01PROC. REF: MM 73-21-00-900-801-A01									
73-23-00-200-801 ^S	NO. 1 ENGINE - INSPECT PUMP AND METERING UNIT ASSEMBLY							Service	ATA:73
	MOS	10-Feb-25							
	HRS	3068.5	600 (+60)						
	ENC	3816							
PROC. REF: MM 73-23-00-200-801-A01, MM 73-23-00-200-802-A01PROC. REF: MM 73-23-00-200-801-A01, MM 73-23-00-200-802-A01									
73-23-00-200-801 ^S	NO. 2 ENGINE - INSPECT PUMP AND METERING UNIT ASSEMBLY							Service	ATA:73
	MOS	15-Dec-25							
	HRS	5773.5	600 (+60)						
	ENC								
PROC. REF: MM 73-23-00-200-801-A01, MM 73-23-00-200-802-A01PROC. REF: MM 73-23-00-200-801-A01, MM 73-23-00-200-802-A01									
73-23-01-750-801 ^S	NO. 1 ENGINE - TEST PRE-BLOCKAGE PRESSURE SWITCH OF THE FUEL FILTER							Service	ATA:73
	MOS	10-Feb-25						MANDATORY	
	HRS	3068.5	600 (+60)						
	ENC	3816							
PROC. REF: MM 73-23-01-750-801-A01PROC. REF: MM 73-23-01-750-801-A01									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
73-23-01-750-801 ^S	NO. 2 ENGINE - TEST PRE-BLOCKAGE PRESSURE SWITCH OF THE FUEL FILTER							Service	ATA:73
	MOS	15-Dec-25						MANDATORY	
	HRS	5773.5	600 (+60)						
	ENC								
PROC. REF: MM 73-23-01-750-801-A01								PKG:1	
73-23-01-750-802 ^S	NO. 1 ENGINE - TEST LOW-FUEL PRESSURE SWITCH							Service	ATA:73
	MOS	10-Feb-25						MANDATORY	
	HRS	3068.5	600 (+60)						
	ENC	3816							
PROC. REF: MM 73-23-01-750-802-A01								PKG:1,2	
73-23-01-750-802 ^S	NO. 2 ENGINE - TEST LOW-FUEL PRESSURE SWITCH							Service	ATA:73
	MOS	15-Dec-25						MANDATORY	
	HRS	5773.5	600 (+60)						
	ENC								
PROC. REF: MM 73-23-01-750-802-A01								PKG:1	
73-23-01-900-801 ^S	NO. 1 ENGINE - REPLACE FUEL FILTERING ELEMENT							Service	ATA:73
	MOS	10-Feb-25							
	HRS	3068.5	600 (+60)						
	ENC	3816							
PROC. REF: MM 73-23-01-900-801-A01								PKG:1,2	
73-23-01-900-801 ^S	NO. 2 ENGINE - REPLACE FUEL FILTERING ELEMENT							Service	ATA:73
	MOS	15-Dec-25							
	HRS	5773.5	600 (+60)						
	ENC								
PROC. REF: MM 73-23-01-900-801-A01								PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 73 - ENGINE FUEL AND CONTROL									
731081 ^U	NO. 1 ENGINE - ENGINE MAIN FUEL FILTER							Component	ATA:73
PN:N98PC-760522	MOS/MSC	02-Jul-01	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
<hr/>									
731480 ^U	NO. 1 ENGINE - ADJUSTED VALVE ASSY VALVE							Component	ATA:73
PN:0292958070	MOS/MSC	02-Jul-01	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
<hr/>									
732201 ^S	INSPECTION DIGITAL ENGINE CONTROL UNITS							Service	ATA:73
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)						
	AFL	4363							
PROC. REF: AMM REFER TO APPROPRIATE MANUAL PROC. REF: AMM REFER TO APPROPRIATE MANUAL									
<hr/>									
732202 ^S	INSPECTION IIDS ENGINE CONTROL UNITS							Service	ATA:73
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)						
	AFL	4363							
PROC. REF: AMM REFER TO APPROPRIATE MANUAL PROC. REF: AMM REFER TO APPROPRIATE MANUAL									
<hr/>									
732203A	INSPECT COLLECTIVE POSITION TRANSDUCER (CPT) TO DETERMINE IF TRACKING BETWEEN CHANNELS IS WITHIN TOLERANCE							Service	ATA:73
	MOS	12-Dec-25							
	HRS	3239.4	300 (+10%)		3539.4	3569.4	286.4 (+30)		
	AFL	5193							
PROC. REF: AMM 73-22-04 PROC. REF: AMM 73-22-04									

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
732204A ^S CPT BRACKET BONDING CHECK 300 HOUR INSPECTION Service ATA:73								
	MOS	12-Dec-25						
	HRS	3239.4	300 (+10%)					
	AFL	5193						
PROC. REF: AMM 73-22-04PROC. REF: AMM 73-22-04								
732204B ^S CPT TO DECU HARNESS ELECTRICAL BONDING Service ATA:73								
	MOS	12-Dec-25	12 (+10%)					
	HRS							
	AFL							
PROC. REF: AMM 73-22-04PROC. REF: AMM 73-22-04								
732204C ANYTIME 76900-01884-102 CPT IS REMOVED/REINSTALLED - CONDUCT CPT BRACKET BONDING CHECK 300 HOUR INSPECTION Service ATA:73								
	MOS/MSC	29-Jun-23	A/R					O/C - ON CONDITION
	HRS	2938.4						
	AFL	4802						
PROC. REF: AMM 73-22-04PROC. REF: AMM 73-22-04								
732282 ^U NO. 1 ENGINE - IIDS DISPLAY CONTROL Component ATA:73								
PN:7012977-734	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
732284 ^U NO. 1 ENGINE - ENGINE DIGITAL ELECTRONIC CONTROL UNIT Component ATA:73								
PN:70BMA01120	MOS/MSC	15-Jun-06	O/C					
SN:1217	HRS	800.2						
	ENC	1030						
732330 NO. 1 ENGINE - LOW-FUEL PRESSURE SWITCH Component ATA:73								
PN:PN	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 73-23-01-900-804-A01PROC. REF: MM 73-23-01-900-804-A01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 73 - ENGINE FUEL AND CONTROL								
733001 NO. 1 ENGINE FUEL FLOW TRANSMITTER Component ATA:73								
PN:1/2-2-81-301	MOS/MSC	16-Jun-14	O/C	TSN 147				
SN:515897	HRS	1938.32		TSN 1938.32				
	AFL	3246		TSN 3247				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
733006 NO. 2 ENGINE FUEL FLOW TRANSMITTER Component ATA:73								
PN:1/2-2-81-301	MOS/MSC	16-Jun-14	O/C	TSN 147				
SN:515888	HRS	1938.32		TSN 1938.32				
	AFL	3246		TSN 3247				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
733082 ^U ENGINE FUEL FLOW TOTALIZER INDICATOR Component ATA:73								
PN:AT-206-2	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
733083 ^U ENGINE FUEL FLOW SIGNAL UNIT Component ATA:73								
PN:PC-850-132	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
733084 ^U NO. 1 ENGINE - ENGINE FUEL LOW PRESSURE SWITCH Component ATA:73								
PN:9550179560	MOS/MSC	10-Nov-15	O/C					
SN:4895	HRS	2041.57						
	ENC	2649						
733280 ^U NO. 1 ENGINE - ENGINE FUEL LOW PRESSURE INDICATOR Component ATA:73								
PN:76450-01078-103	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 74 - IGNITION									
732301 ^U	NO. 1 ENGINE - FUEL FILTER PRE-BLOCKAGE PRESS SWITCH							Component	ATA:74
PN:9550172000	MOS/MSC	11-Nov-22	O/C						
SN:5417	HRS	2804.1							
	ENC	3517							
<hr/>									
740080 ^U	NO. 1 ENGINE - ENGINE START COUNTER							Component	ATA:74
PN:6894627-1B	MOS/MSC	02-Jul-01	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
<hr/>									
742081 ^U	NO. 1 ENGINE - HIGH ENERGY BOX							Component	ATA:74
PN:9550178070	MOS/MSC	20-Oct-20	O/C	TSN 0					
SN:645	HRS	2497.8		TSN 0					
	ENC	3139		TSN 0					
<hr/>									
ATA 75 - AIR									
75-31-00-200-801 ^S	NO. 1 ENGINE - INSPECT BLEED VALVE							Service	ATA:75
	MOS	10-Feb-25							
	HRS	3068.5	600 (+60)						
	ENC	3816							
								PKG:1,2	
PROC. REF: MM 75-31-00-200-801-A01 PROC. REF: MM 75-31-00-200-801-A01									
<hr/>									
75-31-00-200-801 ^S	NO. 2 ENGINE - INSPECT BLEED VALVE							Service	ATA:75
	MOS	15-Dec-25							
	HRS	5773.5	600 (+60)						
	ENC								
								PKG:1	
PROC. REF: MM 75-31-00-200-801-A01 PROC. REF: MM 75-31-00-200-801-A01									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
75-31-00-200-802	S	NO. 1 ENGINE - INSPECT BLEED VALVE FILTER						Service	ATA:75
	MOS	28-Apr-22							
	HRS	2717.8	1000 (+100)						
	ENC	3400							
PKG:0,3									
PROC. REF: MM 75-31-00-200-802-A01PROC. REF: MM 75-31-00-200-802-A01									
75-41-00-750-801	S	NO. 1 ENGINE - TEST P3 PRESSURE TRANSMITTER						Service	ATA:75
	MOS	28-Apr-22						MANDATORY	
	HRS	2717.8	1000 (+100)						
	ENC	3400							
PKG:0,3									
PROC. REF: MM 75-41-00-750-801-A01PROC. REF: MM 75-41-00-750-801-A01									
75-61-00-950-801	S	NO. 2 ENGINE - REPLACEMENT BLEED VALVE FILTERING KIT - FILTER ELEMENT						Service	ATA:75
	MOS	15-Dec-25							
	HRS	5773.5	600 (+60)						
	ENC								
PKG:1									
PROC. REF: MM 75-61-00-950-801-A01PROC. REF: MM 75-61-00-950-801-A01									
751001A	S	INSPECTION AIR INTAKE ANTI-ICING DUCT AND VALVE SUPPORT						Service	ATA:75
	MOS	12-Dec-25							
	HRS	3239.4	300 (+10%)						
	AFL	5193							
PKG:5									
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
751080	U	NO. 1 ENGINE - ENGINE ANTI-ICE VALVE						Component	ATA:75
PN:PYLB-50487	MOS/MSC	02-Jul-01	O/C		TSN 0				
SN:UNKNOWN	HRS	0			TSN 0				
	ENC	0			TSN 0				

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 75 - AIR								
751081 ^U NO. 1 ENGINE - ENGINE ANTI-ICE LOW PRESSURE SWITCH Component ATA:75								
PN:2820	MOS/MSC	29-Apr-15	O/C	TSN 0				
SN:3568	HRS	1988.37		TSN 0				
	ENC	2572		TSN 0				
753080 ^U NO. 1 ENGINE - BLEED VALVE Component ATA:75								
PN:9.550.16.495.0	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:1088	HRS	0		TSN 0				
	ENC	0		TSN 0				
754080 ^U NO. 1 ENGINE - P3 PRESSURE TRANSMITTER Component ATA:75								
PN:9.550.16.614.0	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:6454-5-58	HRS	0		TSN 0				
	ENC	0		TSN 0				
755080 ^U NO. 1 ENGINE - ENGINE EAPS SWITCH Component ATA:75								
PN:5122	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
755150A1 NO. 1 ENGINE REPLACE BARRIER FACE FILTER ELEMENT Component ATA:75								
PN:76302-07800-104	MOS	12-Dec-25						
SN:0010	HRS	3239.4	3000 (+10%)	TSN 1293	4946.4	5246.4	1693.4 (+300)	
	AFL	5193						
PROC. REF: AMM 75-51-01PROC. REF: AMM 75-51-01								
755150A2 ^U NO. 1 ENGINE REPLACE BARRIER MAIN FILTER ELEMENT Component ATA:75								
PN:76302-07800-103	MOS	12-Dec-25						
SN:0010	HRS	3239.4	3000	TSN 1293	4946.4		1693.4	
	AFL	5193						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
755150B1		NO. 2 ENGINE REPLACE BARRIER FACE FILTER ELEMENT						Component	ATA:75
PN:76302-07800-104	MOS	12-Dec-25							
SN:0126	HRS	3239.4	3000 (+10%)	TSO 1293	4946.4	5246.4	1693.4 (+300)		
	AFL	5193							
PROC. REF: AMM 75-51-01PROC. REF: AMM 75-51-01									
755150B2 ^U		NO. 2 ENGINE REPLACE BARRIER MAIN FILTER ELEMENT						Component	ATA:75
PN:76302-07800-103	MOS	12-Dec-25							
SN:0126	HRS	3239.4	3000	TSN 1293	4946.4		1693.4		
	AFL	5193							
755151A1 ^U		REPLACE DIFFERENTIAL PRESSURE TRANSDUCER FILTER						Component	ATA:75
PN:A590-1	MOS	15-Jun-21		TSN 0					
SN:UNKNOWN	HRS	2651.1	1500	TSN 0	4151.1		898.1		
	AFL	4363		TSN 0					
755151B1 ^U		REPLACE DIFFERENTIAL PRESSURE TRANSDUCER FILTER						Component	ATA:75
PN:A590-1	MOS	15-Jun-21		TSN 0					
SN:UNKNOWN	HRS	2651.1	1500	TSN 0	4151.1		898.1		
	AFL	4363		TSN 0					
755181 ^U		NO. 1 ENGINE - BARRIER FILTER PRESSURE TRANSDUCER						Component	ATA:75
PN:76302-07800-107	MOS/MSC	02-Jul-01	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
755181A ^U		BARRIER FILTER PRESSURE TRANSDUCER						Component	ATA:75
PN:76302-07800-107	MOS/MSC	O/C							
SN:UNKNOWN	HRS								
	AFL								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 75 - AIR									
755181B ^U	BARRIER FILTER PRESSURE TRANSDUCER							Component	ATA:75
PN:76302-07800-107	MOS/MSC		O/C						
SN:UNKNOWN	HRS								
	AFL								
ATA 76 - ENGINE CONTROLS									
760004 ^S	VISUALLY INSPECT ENGINE CONTROL QUADRANT							Service	ATA:76
	MOS	12-Dec-25	12 (+10%)						
	HRS								
	AFL								
PROC. REF: AMM 76-00-01PROC. REF: AMM 76-00-01								PKG:20	
761001A ^S	INSPECTION ENGINE AND / OR FUEL SELECTOR VALVE CONTROL CABLES FOR CHAFING. 1S1 ENGINE COLLECTIVE BIAS CONTROL CABLES FOR CHAFING. ALL CONTROL CABLE MOUNTING BRACKETS FOR SECURITY							Service	ATA:76
	MOS	12-Dec-25							
	HRS	3239.4	300 (+10%)						
	AFL	5193							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								PKG:5	
761080 ^U	NO. 1 ENGINE - K6/ENGINE TRIM SPEED RELAY							Component	ATA:76
PN:M83536/2-024L	MOS/MSC	02-Jul-01	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
761081 ^U	NO. 1 ENGINE - K1/COLLECTIVE BIAS RELAY							Component	ATA:76
PN:M83536/2-024L	MOS/MSC	02-Jul-01	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 76 - ENGINE CONTROLS								
761082 ^U NO. 1 ENGINE - ENGINE TRIM SPEED ACTUATOR Component ATA:76								
PN:76301-03901-101	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
761083A ^U ENGINE COLLECTIVE BIAS ACTUATOR Component ATA:76								
PN:76301-03901-102	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
761083B ^U ENGINE COLLECTIVE BIAS ACTUATOR Component ATA:76								
PN:76301-03901-102	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
761084A ^U DROOP COMPENSATOR AMPLIFIER Component ATA:76								
PN:76900-01880-106	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
761084B ^U DROOP COMPENSATOR AMPLIFIER Component ATA:76								
PN:76900-01880-106	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
761086A NO. 1 ENGINE DIGITAL ELECTRONIC CONTROL UNIT Component ATA:76								
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUAL PROC. REF: AMM REFER TO APPROPRIATE MANUAL								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 76 - ENGINE CONTROLS									
761102A ^S	INSPECTION ENG. COLLECTIVE BIAS CONTROL CABLE							Service	ATA:76
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)						
	AFL	4363							
PKG:13									
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
761102B ^S	INSPECTION ENG. COLLECTIVE BIAS CONTROL CABLE							Service	ATA:76
	MOS	15-Jun-21							
	HRS	2651.1	1500 (+10%)						
	AFL	4363							
PKG:13									
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
ATA 77 - ENGINE INDICATING									
77-21-00-210-801 ^S	NO. 1 ENGINE - INSPECT PYROMETRIC HARNESS							Service	ATA:77
	MOS	10-Feb-25						MANDATORY	
	HRS	3068.5	600 (+60)						
	ENC	3816							
PKG:1,2									
PROC. REF: MM 77-21-00-210-801-A01PROC. REF: MM 77-21-00-210-801-A01									
77-21-00-210-801 ^S	NO. 2 ENGINE - INSPECT PYROMETRIC HARNESS							Service	ATA:77
	MOS	15-Dec-25						MANDATORY	
	HRS	5773.5	600 (+60)						
	ENC								
PKG:1									
PROC. REF: MM 77-21-00-210-801-A01PROC. REF: MM 77-21-00-210-801-A01									
771002A	WHENEVER AN #1 ENGINE OR N1 INDICATOR IS REMOVED AND INSTALLED/REPLACED, AFTER MAINTENANCE OR INCIDENT OR AT PILOT OPTION							Service	ATA:77
	MOS/MSC		A/R						
	HRS								
	AFL								
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 77 - ENGINE INDICATING									
771002B	WHENEVER AN #2 ENGINE OR N2 INDICATOR IS REMOVED AND INSTALLED/REPLACED, AFTER MAINTENANCE OR INCIDENT OR AT PILOT OPTION							Service	ATA:77
	MOS/MSC		A/R						
	HRS								
	AFL								
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
771021	NO. 1 TRIPLE TACH INDICATOR							Component	ATA:77
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-61-00PROC. REF: AMM 65-61-00									
771026	NO. 2 TRIPLE TACH INDICATOR							Component	ATA:77
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM 65-61-00PROC. REF: AMM 65-61-00									
771041	PILOT DUAL TORQUE INDICATOR							Component	ATA:77
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
771046	COPILOT DUAL TORQUE INDICATOR							Component	ATA:77
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	AFL	0		TSN 0					
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
771081 ^U	NO. 1 ENGINE - TORQUEMETER CONFORMATION BOX							Component	ATA:77
PN:0177987130	MOS/MSC	27-May-09	O/C						
SN:377MA	HRS	1334.8							
	ENC								

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
771083 ^U NO. 1 ENGINE - ENGINE GAS GENERATOR TACH INDICATOR Component ATA:77								
PN:76450-01096-101	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
771085 ^U NO. 1 ENGINE - TORQUEMETER SENSOR Component ATA:77								
PN:9.550.16.576.0	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:4030	HRS	0		TSN 0				
	ENC	0		TSN 0				
771086 ^U NO. 1 ENGINE - N1 SPEED SENSOR Component ATA:77								
PN:9.550.16.576.0	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:4046	HRS	0		TSN 0				
	ENC	0		TSN 0				
771087 ^U NO. 1 ENGINE - N1 SPEED SENSOR Component ATA:77								
PN:9.550.16.576.0	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:3936	HRS	0		TSN 0				
	ENC	0		TSN 0				
771089 ^U NO. 1 ENGINE - N2 SPEED SENSOR Component ATA:77								
PN:9.550.17.736.0	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:0002	HRS	0		TSN 0				
	ENC	0		TSN 0				
771091 ^U NO. 1 ENGINE - N2 SPEED SENSOR Component ATA:77								
PN:9.550.17.736.0	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:0039	HRS	0		TSN 0				
	ENC	0		TSN 0				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
771093^U NO. 1 ENGINE - N2 SPEED SENSOR Component ATA:77								
PN:9.550.17.736.0	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:0050	HRS	0		TSN 0				
	ENC	0		TSN 0				
<hr/>								
771210 NO. 1 ENGINE - LEFT N2 SPEED SENSOR Component ATA:77								
PN:PN	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 77-12-00-900-801-A01PROC. REF: MM 77-12-00-900-801-A01								
<hr/>								
771215 NO. 1 ENGINE - RIGHT NO. 1 N2 SPEED SENSOR Component ATA:77								
PN:PN	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 77-12-00-900-801-A01PROC. REF: MM 77-12-00-900-801-A01								
<hr/>								
771220 NO. 1 ENGINE - RIGHT NO. 2 N2 SPEED SENSOR Component ATA:77								
PN:PN	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 77-12-00-900-801-A01PROC. REF: MM 77-12-00-900-801-A01								
<hr/>								
772001 NO. 1 ENGINE POWER TURBINE INLET TEMPERATURE (TIT) INDICATOR Component ATA:77								
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								
<hr/>								
772006 NO. 2 ENGINE POWER TURBINE INLET TEMPERATURE (TIT) INDICATOR Component ATA:77								
PN:PN	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
772080 ^U NO. 1 ENGINE - TEMPERATURE INDICATING HARNESS Component ATA:77								
PN:9.550.17.674.0	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:1264	HRS	0		TSN 0				
	ENC	0		TSN 0				
772080A ^U NO. 1 ENGINE - TEMPERATURE INDICATING HARNESS Component ATA:77								
PN:9.550.17.174.0	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:1246	HRS	0		TSN 0				
	ENC	0		TSN 0				
772083 ^U NO. 1 ENGINE - ENGINE POWER TURBINE PTIT INDICATOR Component ATA:77								
PN:76450-00706-104	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
772110 NO. 1 ENGINE - LEFT PYROMETRIC HARNESS Component ATA:77								
PN:PN	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 77-21-00-900-801-A01PROC. REF: MM 77-21-00-900-801-A01								
772120 NO. 1 ENGINE - RIGHT PYROMETRIC HARNESS Component ATA:77								
PN:9550178230	MOS/MSC	03-Aug-15	O/C	TSN 0				
SN:2296	HRS	2016.85		TSN 0				
	ENC	2610		TSN 0				
PROC. REF: MM 77-21-00-900-801-A01PROC. REF: MM 77-21-00-900-801-A01								
772280 ^U NO. 1 ENGINE - T4.5 CONFORMATION CARD Component ATA:77								
PN:0 292 69 753 0	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 77 - ENGINE INDICATING								
774001A ^S OPERATIONAL TEST OF ENGINE CHIP DETECTOR SYSTEM Service ATA:77								
	MOS	12-Dec-25	24 (+10%)					
	HRS	3239.4						
	AFL	5193						
PROC. REF: AMM REFER TO APPROPRIATE MANUAL								PKG:20
ATA 78 - EXHAUST								
781001A ^S ENGINE EXHAUST PROLONGATORS FOR CRACKS, GENERAL CONDITION AND SECURITY. ENGINE OIL VENT TUBE AND ATTACHMENT FOR CRACKS, GENERAL CONDITION, AND SECURITY Service ATA:78								
	MOS	08-Jul-25						
	HRS	3218.7	100 (+10%)					
	AFL	5176						
PROC. REF: AMM REFER TO APPROPRIATE MANUAL								PKG:3
781002A ^S INSPECT EXHAUST EJECTORS Service ATA:78								
	MOS	08-Jul-25						
	HRS	3218.7	100 (+10%)					
	AFL	5176						
PROC. REF: AMM REFER TO APPROPRIATE MANUAL								PKG:3
781081 ^U NO. 1 ENGINE - ENGINE EXHAUST PROLONGATOR Component ATA:78								
PN:0401287410	MOS/MSC	14-Mar-22	O/C		TSR 0			
SN:205G	HRS	2709.2			TSR 0			
	ENC	3388			TSR 0			
ATA 79 - OIL								
79-00-00-610-801 ^S NO. 1 ENGINE - DRAIN OIL SYSTEM Service ATA:79								
	MOS	10-Feb-25	24 (+2m)					
	HRS	3068.5	1000					
	ENC	3816						
PROC. REF: MM 79-00-00-610-801-A01								PKG:0

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
79-24-00-200-801	S	NO. 1 ENGINE - INSPECT OIL PUMP						Service ATA:79
	MOS	10-Feb-25						
	HRS	3068.5	600 (+60)					
	ENC	3816						
								PKG:1,2
PROC. REF: MM 79-24-00-200-801-A01PROC. REF: MM 79-24-00-200-801-A01								
79-24-00-200-801	S	NO. 2 ENGINE - INSPECT OIL PUMP						Service ATA:79
	MOS	15-Dec-25						
	HRS	5773.5	600 (+60)					
	ENC							
								PKG:1
PROC. REF: MM 79-24-00-200-801-A01PROC. REF: MM 79-24-00-200-801-A01								
79-38-00-110-801	S	NO. 1 ENGINE - INSPECT/CLEAN ELECTRICAL MAGNETIC PLUG						Service ATA:79
	MOS	08-Jul-25						
	HRS	3138.2	300 (+10%)					
	ENC	3871						
								PKG:4
PROC. REF: MM 79-38-00-110-801-A01, MM 79-38-00-210-801-A01PROC. REF: MM 79-38-00-110-801-A01, MM 79-38-00-210-801-A01								
79-38-00-110-801		NO. 2 ENGINE - INSPECT/CLEAN ELECTRICAL MAGNETIC PLUG						Service ATA:79
	MOS	15-Dec-25						
	HRS	5773.5	300 (+10%)		(6073.5) 3539.4	6103.5	286.4 (+30)	
	ENC							
								PKG:5
PROC. REF: MM 79-38-00-110-801-A01, MM 79-38-00-210-801-A01PROC. REF: MM 79-38-00-110-801-A01, MM 79-38-00-210-801-A01								
79-38-00-700-801	S	NO. 1 ENGINE - MAGNETISM TEST ELECTRICAL MAGNETIC PLUG						Service ATA:79
	MOS	10-Feb-25						MANDATORY
	HRS	3068.5	600 (+60)					
	ENC	3816						
								PKG:1,2
PROC. REF: MM 79-38-00-700-801-A01PROC. REF: MM 79-38-00-700-801-A01								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
79-38-00-700-801	S	NO. 2 ENGINE - MAGNETISM TEST ELECTRICAL MAGNETIC PLUG						Service	ATA:79
	MOS	15-Dec-25						MANDATORY	
	HRS	5773.5	600 (+60)						
	ENC								
PROC. REF: MM 79-38-00-700-801-A01								PKG:1	
PROC. REF: MM 79-38-00-700-801-A01									
79-38-00-750-801	S	NO. 1 ENGINE - TEST ELECTRICAL MAGNETIC PLUG						Service	ATA:79
	MOS	10-Feb-25						MANDATORY	
	HRS	3068.5	600 (+60)						
	ENC	3816							
PROC. REF: MM 79-38-00-750-801-A01								PKG:1,2	
PROC. REF: MM 79-38-00-750-801-A01									
79-38-00-750-801	S	NO. 2 ENGINE - TEST ELECTRICAL MAGNETIC PLUG						Service	ATA:79
	MOS	15-Dec-25						MANDATORY	
	HRS	5773.5	600 (+60)						
	ENC								
PROC. REF: MM 79-38-00-750-801-A01								PKG:1	
PROC. REF: MM 79-38-00-750-801-A01									
791003A	S	INSPECTION ENGINE OIL COOLER HEAT EXCHANGERS						Service	ATA:79
	MOS	12-Dec-25							
	HRS	3239.4	300 (+10%)						
	AFL	5193							
PROC. REF: AMM REFER TO APPROPRIATE MANUAL								PKG:5	
PROC. REF: AMM REFER TO APPROPRIATE MANUAL									
791003C	S	INSPECTION MAIN GEAR BOX OIL COOLER HEAT EXCHANGERS						Service	ATA:79
	MOS	12-Dec-25							
	HRS	3239.4	300 (+10%)						
	AFL	5193							
PROC. REF: AMM REFER TO APPROPRIATE MANUAL								PKG:5	
PROC. REF: AMM REFER TO APPROPRIATE MANUAL									

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
791004A ^S	INSPECT/CLEAN ENGINE OIL SYSTEM MAGNETIC DRAIN PLUG							Service	ATA:79
	MOS	10-Feb-25							
	HRS	3149	600 (+10%)						
	AFL	5104							
PKG:8									
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
791005A	WHENEVER #1 ENGINE LUBRICATING OIL IS CHANGED							Service	ATA:79
	MOS/MSC	29-Jun-23	A/R						
	HRS	2938.4							
	AFL	4802							
PROC. REF: AMM 79-10-01PROC. REF: AMM 79-10-01									
791005B	WHENEVER #2 ENGINE LUBRICATING OIL IS CHANGED							Service	ATA:79
	MOS/MSC	12-Dec-25	A/R						
	HRS	3239.4							
	AFL	5193							
PROC. REF: AMM 79-10-01PROC. REF: AMM 79-10-01									
791006A	WHENEVER #1 ENGINE LUBRICATING OIL IS CHANGED OR ADDED							Service	ATA:79
	MOS/MSC	12-Dec-25	A/R						
	HRS	3239.4							
	AFL	5193							
PROC. REF: AMM 79-10-01PROC. REF: AMM 79-10-01									
791006B	WHENEVER #2 ENGINE LUBRICATING OIL IS CHANGED OR ADDED							Service	ATA:79
	MOS/MSC	12-Dec-25	A/R						
	HRS	3239.4							
	AFL	5193							
PROC. REF: AMM 79-10-01PROC. REF: AMM 79-10-01									
791008A	WHENEVER #1 ENGINE LUBRICATING OIL IS FOUND CONTAMINATED WITH METAL OR CARBON DEPOSITS							Service	ATA:79
	MOS/MSC		A/R						
	HRS								
	AFL								
PROC. REF: AMM 79-10-01PROC. REF: AMM 79-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
791008B	WHENEVER #2 ENGINE LUBRICATING OIL IS FOUND CONTAMINATED WITH METAL OR CARBON DEPOSITS							Service	ATA:79
	MOS/MSC		A/R						
	HRS								
	AFL								
PROC. REF: AMM 79-10-01PROC. REF: AMM 79-10-01									
791009A ^S	INSPECT/LUBRICATE NO. 1 ENGINE OIL COOLER BLOWER DRIVESHAFT INTERNAL SHAFT SPLINES							Service	ATA:79
	MOS	12-Dec-25	12 (+10%)						
	HRS	3239.4	300 (+10%)						
	AFL	5193							
PROC. REF: AMM 79-10-02PROC. REF: AMM 79-10-02									
791009B ^S	INSPECT/LUBRICATE NO. 2 ENGINE OIL COOLER BLOWER DRIVESHAFT INTERNAL SHAFT SPLINES							Service	ATA:79
	MOS	12-Dec-25	12 (+10%)						
	HRS	3239.4	300 (+10%)						
	AFL	5193							
PROC. REF: AMM 79-10-02PROC. REF: AMM 79-10-02									
791010 ^S	VISUALLY INSPECT ENGINE OIL COOLER AFT RIGHT ELBOW DUCT FOR EVIDENCE OF DELAMINATION/DETERIORATION, COLLAPSE AND GENERAL CONDITION							Service	ATA:79
	MOS	12-Dec-25	12 (+10%)						
	HRS								
	AFL								
PROC. REF: AMM 79-10-03PROC. REF: AMM 79-10-03									
791012A ^S	NO. 1 ENGINE OIL COOLER BLOWER - INSPECT/LUBRICATE INTERNAL SHAFT SPLINES							Service	ATA:79
PN:9560156790 (VCT1518C)	MOS	12-Dec-25	12 (+10%)						
SN:00801	HRS	3239.4	300 (+10%)						
	AFL	5193							
PROC. REF: AMM 79-10-02PROC. REF: AMM 79-10-02									

PKG:5,20

PKG:5,20

PKG:20

PKG:5,20

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
791012B ^S	NO. 2 ENGINE OIL COOLER BLOWER - INSPECT/LUBRICATE INTERNAL SHAFT SPLINES							Service	ATA:79
PN:9560156790 (VCT1518C)	MOS	12-Dec-25	12 (+10%)						
SN:00770	HRS	3239.4	300 (+10%)						
	AFL	5193							
								PKG:5,20	
PROC. REF: AMM 79-10-02PROC. REF: AMM 79-10-02									
791031	NO. 1 ENGINE OIL COOLER BLOWER							Component	ATA:79
PN:9560156790 (VCT1518C)	MOS	10-Feb-25		TSO 25				OVERHAUL	
SN:00801	HRS	3149	3000	TSO 255.7	5893.3		2640.3		
	AFL	5104		TSO 375					
PROC. REF: AMM 66-11-07PROC. REF: AMM 66-11-07									
791036	NO. 2 ENGINE OIL COOLER BLOWER							Component	ATA:79
PN:9560156790 (VCT1518C)	MOS	10-Feb-25		TSO 25				OVERHAUL	
SN:00770	HRS	3149	3000	TSO 255.7	5893.3		2640.3		
	AFL	5104		TSO 375					
PROC. REF: AMM 66-11-07PROC. REF: AMM 66-11-07									
791052	REPLACE ARRIEL ENGINE OIL COOLER AFT RIGHT ELBOW DUCT, 0401272820							Service	ATA:79
	MOS	10-Feb-25	60 (+10%)		10-Feb-30	10-Aug-30	1426 d (+181)		
	HRS	3149							
	AFL	5104							
PROC. REF: AMM REFER TO APPROPRIATE MANUALPROC. REF: AMM REFER TO APPROPRIATE MANUAL									
791081A ^U	ENGINE OIL COOLER							Component	ATA:79
PN:76308-07901-106	MOS/MSC	10-Oct-02	O/C						
SN:173	HRS	24.5							
	AFL	36							

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
791081B ^U ENGINE OIL COOLER Component ATA:79								
PN:76308-07901-106	MOS/MSC	10-Oct-02	O/C					
SN:174	HRS	24.5						
	AFL	36						
791082A ^U ENGINE OIL RESERVOIR Component ATA:79								
PN:5F155-504	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
791082B ^U ENGINE OIL RESERVOIR Component ATA:79								
PN:5F155-504	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
792081 ^U NO. 1 ENGINE - OIL VALVE ASSEMBLY Component ATA:79								
PN:0.292.72.730.0	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:411M	HRS	0		TSN 0				
	ENC	0		TSN 0				
792410 NO. 1 ENGINE - OIL PUMP Component ATA:79								
PN:0.292.12.506.0	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:518M	HRS	0		TSN 0				
	ENC	0		TSN 0				
PROC. REF: MM 79-24-00-900-801-A01PROC. REF: MM 79-24-00-900-801-A01								
793001 NO. 1 ENGINE OIL TEMPERATURE INDICATOR Component ATA:79								
PN:76450-01078-126	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 79-30-01PROC. REF: AMM 79-30-01								

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition
ATA 79 - OIL								
793006 NO. 2 ENGINE OIL TEMPERATURE INDICATOR								Component ATA:79
PN:76450-01078-126	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 79-30-01PROC. REF: AMM 79-30-01								
793021 NO. 1 ENGINE OIL TRANSMITTER								Component ATA:79
PN:76450-01078-129	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:6445-1-144	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 79-30-01PROC. REF: AMM 79-30-01								
793026 NO. 2 ENGINE OIL TRANSMITTER								Component ATA:79
PN:76450-01078-129	MOS/MSC	13-Mar-02	O/C	TSN 0				
SN:6445-1-150	HRS	0		TSN 0				
	AFL	0		TSN 0				
PROC. REF: AMM 79-30-01PROC. REF: AMM 79-30-01								
793080 ^U NO. 1 ENGINE - ENGINE OIL RESERVOIR THERMOSTAT								Component ATA:79
PN:28E25-1	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:UNKNOWN	HRS	0		TSN 0				
	ENC	0		TSN 0				
793084 ^U NO. 1 ENGINE - ENGINE MINIMUM OIL PRESSURE SWITCH								Component ATA:79
PN:9.550.17.083.0	MOS/MSC	02-Jul-01	O/C	TSN 0				
SN:0702	HRS	0		TSN 0				
	ENC	0		TSN 0				
793085 ^U NO. 1 ENGINE - ENGINE OIL TEMP. BULB								Component ATA:79
PN:MS28034-3	MOS/MSC	20-Aug-02	O/C					
SN:UNKNOWN	HRS	6.5						
	ENC	12						

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 79 - OIL									
793086 ^U	NO. 1 ENGINE - M01- ENGINE OIL ELECTRICAL MAGNETIC PLUG							Component	ATA:79
PN:4920-2	MOS/MSC	02-Jul-01	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
ATA 79 - OIL									
793087 ^U	NO. 1 ENGINE - ENGINE OIL MECHANICAL MAGNETIC PLUG							Component	ATA:79
PN:JA00623A	MOS/MSC	02-Jul-01	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
ATA 79 - OIL									
793087A ^U	NO. 1 ENGINE - ENGINE OIL MECHANICAL MAGNETIC PLUG							Component	ATA:79
PN:OLVB6946	MOS/MSC	02-Jul-01	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
ATA 83 - ACCESSORY GEAR-BOXES									
83-11-00-200-801 ^S	NO. 1 ENGINE - INSPECT COUPLING SHAFT (INSTALLED)							Service	ATA:83
	MOS	10-Feb-25							
	HRS	3068.5	600 (+60)						
	ENC	3816							
PKG:1,2									
PROC. REF: MM 83-11-00-200-801-A01PROC. REF: MM 83-11-00-200-801-A01									
83-11-00-200-801 ^S	NO. 2 ENGINE - INSPECT COUPLING SHAFT (INSTALLED)							Service	ATA:83
	MOS	15-Dec-25							
	HRS	5773.5	600 (+60)						
	ENC								
PKG:1									
PROC. REF: MM 83-11-00-200-801-A01PROC. REF: MM 83-11-00-200-801-A01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 83 - ACCESSORY GEAR-BOXES									
83-11-00-200-802 ^S	NO. 1 ENGINE - INSPECT FLECTOR (INSTALLED)							Service	ATA:83
	MOS	10-Feb-25							
	HRS	3068.5	600 (+60)						
	ENC	3816							
PROC. REF: MM 83-11-00-200-802-A01								PKG:1,2	
83-11-00-200-802 ^S	NO. 2 ENGINE - INSPECT FLECTOR (INSTALLED)							Service	ATA:83
	MOS	15-Dec-25							
	HRS	5773.5	600 (+60)						
	ENC								
PROC. REF: MM 83-11-00-200-802-A01								PKG:1	
83-11-00-200-803 ^S	NO. 1 ENGINE - INSPECT ADAPTING FLANGE-FLECTOR ASSEMBLY (INSTALLED)							Service	ATA:83
	MOS	10-Feb-25							
	HRS	3068.5	600 (+60)						
	ENC	3816							
PROC. REF: MM 83-11-00-200-803-A01								PKG:1,2	
83-11-00-200-803 ^S	NO. 2 ENGINE - INSPECT ADAPTING FLANGE-FLECTOR ASSEMBLY (INSTALLED)							Service	ATA:83
	MOS	15-Dec-25							
	HRS	5773.5	600 (+60)						
	ENC								
PROC. REF: MM 83-11-00-200-803-A01								PKG:1	
83-11-00-200-804 ^S	NO. 1 ENGINE - INSPECT COUPLING SHAFT (REMOVED)							Service	ATA:83
	MOS	28-Apr-22							
	HRS	2717.8	1000 (+100)						
	ENC	3400							
PROC. REF: MM 83-11-00-200-801-A01								PKG:0,3	

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 83 - ACCESSORY GEAR-BOXES									
83-11-00-200-805 ^S	NO. 1 ENGINE - INSPECT FLECTOR (REMOVED)							Service	ATA:83
	MOS		28-Apr-22						
	HRS		2717.8	1000 (+100)					
	ENC		3400						
PKG:0,3									
PROC. REF: MM 83-11-00-200-802-A01 PROC. REF: MM 83-11-00-200-802-A01									
83-11-00-200-806 ^S	NO. 1 ENGINE - INSPECT ADAPTING FLANGE-FLECTOR ASSEMBLY (REMOVED)							Service	ATA:83
	MOS		28-Apr-22						
	HRS		2717.8	1000 (+100)					
	ENC		3400						
PKG:0,3									
PROC. REF: MM 83-11-00-200-803-A01 PROC. REF: MM 83-11-00-200-803-A01									
831080A ^U	ENGINE COUPLING DRIVESHAFT							Component	ATA:83
PN:PN-UNKNOWN	MOS/MSC		20-May-14	O/C					
SN:240B	HRS		1929.02						
	AFL		3230						
831080B ^U	ENGINE COUPLING DRIVESHAFT							Component	ATA:83
PN:0.292.90.753.0	MOS/MSC		13-Mar-02	O/C	TSN 0				
SN:240B	HRS		0		TSN 0				
	AFL		0		TSN 0				
831081A ^U	NO. 1 ENGINE - ENGINE LIAISON FLANGE							Component	ATA:83
PN:PN-UNKNOWN	MOS/MSC		20-May-14	O/C					
SN:575B	HRS		1882.6						
	ENC								
831082 ^U	NO. 1 ENGINE - ENGING COUPLING DRIVESHAFT							Component	ATA:83
PN:0.292.90.735.0	MOS/MSC		09-Sep-16	O/C					
SN:243B	HRS		2105.1						
	ENC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 83 - ACCESSORY GEAR-BOXES									
831110	NO. 1 ENGINE - COUPLING SHAFT							Component	ATA:83
PN:PN	MOS/MSC	02-Jul-01	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 83-11-00-900-801-A01PROC. REF: MM 83-11-00-900-801-A01									
831120	NO. 1 ENGINE - ADAPTING FLANGE							Component	ATA:83
PN:PN	MOS/MSC	02-Jul-01	O/C	TSN 0					
SN:UNKNOWN	HRS	0		TSN 0					
	ENC	0		TSN 0					
PROC. REF: MM 83-11-00-900-802-A01PROC. REF: MM 83-11-00-900-802-A01									
ATA 85 - FUEL CELL SYSTEMS									
850001 ^U	RENEWAL FAA REGISTRATION							Service	ATA:85
	MOS	28-Jul-25	36		31-Jul-29 (M)		1232 d		
	HRS								
	AFL								
850002 ^U	GARMIN GMX-200 DISPLAY/CONTROL UNIT MAP							Component	ATA:85
PN:011-01271-00	MOS/MSC	10-Oct-19	O/C					O/C - ON CONDITION	
SN:38300867	HRS	2488.6							
	AFL	4137							
850002A ^U	SUPPLEMENTAL INSPECTION STC - 12 MONTH/300 HOUR INSPECTION OF THE GARMIN GMX-200 INSTALLATION. ICA IC01357.							Service	ATA:85
	MOS	12-Dec-25	12		12-Dec-26		270 d	STC-SUPPLEMENTAL TYPE CERTIFICATE	
	HRS	3239.4	300		3539.4		286.4		
	AFL	5193							
850003 ^U	GARMIN GDL 69 WEATHER DATA RECEIVER RECEIVER							Component	ATA:85
PN:01100986-00	MOS/MSC	25-Jan-13	O/C					O/C - ON CONDITION	
SN:47705974	HRS	1779.7							
	AFL	3000							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 85 - FUEL CELL SYSTEMS									
850003A ^U	SUPPLEMENTAL INSPECTION STC - 12 MONTH INSPECTION OF THE GARMIN GDL 69 WEATHER RADAR RECEIVER SYSTEM. ICA IC01421							Service	ATA:85
	MOS	12-Dec-25	12		12-Dec-26		270 d	STC-SUPPLEMENTAL TYPE CERTIFICATE	
	HRS	3239.4							
	AFL	5193							
850004A ^U	SUPPLEMENTAL INSPECTION STC - ANNUAL INSPECTION OF THE KGS ELECTRONICS MODEL SS50 115 VAC INVERTER.							Service	ATA:85
	MOS	12-Dec-25	12		12-Dec-26		270 d	STC-SUPPLEMENTAL TYPE CERTIFICATE	
	HRS	3239.4							
	AFL	5193							
850007 ^U	SUPPLEMENTAL INSPECTION STC - 24 MONTH/300 HOUR INSPECTION OF THE RETRACTABLE BOARDING STEP INSTALLATION. ICA IC 00925.							Service	ATA:85
	MOS	10-Feb-25	24		10-Feb-27		330 d	STC-SUPPLEMENTAL TYPE CERTIFICATE	
	HRS	3149	300		3449		196		
	AFL	5104							
850008 ^U	SUPPLEMENTAL INSPECTION STC - ANNUAL/300 HOUR INSPECTION OF THE AIRCELL ST3100 SATELLITE PHONE. ICA IC00783.							Service	ATA:85
	MOS	12-Dec-25	12		12-Dec-26		270 d	STC-SUPPLEMENTAL TYPE CERTIFICATE	
	HRS	3239.4	300		3539.4		286.4		
	AFL	5193							
850009 ^U	STC - REPLACE ELT BATTERY WITHIN 5 YEARS OF THE DATE IT SHIPPED FROM ARTEX. BATTERY ELT							Component	ATA:85
PN:452-0133	MOS	16-Jan-24	60	TSN 0	16-Jan-29		1036 d	STC-SUPPLEMENTAL TYPE CERTIFICATE	
SN:1006601-001	HRS	3002		TSN 0					
	AFL	4897		TSN 0					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 85 - FUEL CELL SYSTEMS									
850010 ^U	SUPPLEMENTAL INSPECTION STC - MONTHLY INSPECTION OF THE ARTEX C406-N EMERGENCY LOCATOR TRANSMITTER. STC SR01605NY-D/ ICA IC 00761 REV C, 10.4 MONTHLY INSPECTION.							Service	ATA:85
	MOS	02-Mar-26	1		02-Apr-26		16 d	STC-SUPPLEMENTAL TYPE CERTIFICATE	
	HRS	3250.7							
	AFL	5219							
850011 ^U	SUPPLEMENTAL INSPECTION #1 STC - LEFT - 100 HOUR INSPECTION OF THE FDC/AEROFILTER INLET BARRIER FILTER INSTALLATION. ICA IC 1076-SERIES-ICA-1.							Service	ATA:85
	MOS/MSC	27-Jan-14	T:N/A					STC-SUPPLEMENTAL TYPE CERTIFICATE	
	HRS	1902.28							
	AFL	3190							
850012 ^U	SUPPLEMENTAL INSPECTION STC - LEFT - ANNUAL/300 HOUR INSPECTION OF THE FDC/AEROFILTER INLET BARRIER FILTER INSTALLATION. ICA IC 1076-SERIES-ICA-1.							Service	ATA:85
	MOS	12-Dec-25	12		12-Dec-26		270 d	STC-SUPPLEMENTAL TYPE CERTIFICATE	
	HRS	3239.4	300		3539.4		286.4		
	AFL	5193							
850013 ^U	SUPPLEMENTAL INSPECTION #2 STC - RIGHT - 100 HOUR INSPECTION OF THE FDC/AEROFILTER INLET BARRIER FILTER INSTALLATION. ICA IC 1076-SERIES-ICA-1.							Service	ATA:85
	MOS/MSC	27-Jan-14	N/A					STC-SUPPLEMENTAL TYPE CERTIFICATE	
	HRS	1902.28							
	AFL	3190							
850014 ^U	SUPPLEMENTAL INSPECTION STC - RIGHT - ANNUAL/300 HOUR INSPECTION OF THE FDC/AEROFILTER INLET BARRIER FILTER INSTALLATION. ICA IC 1076-SERIES-ICA-1.							Service	ATA:85
	MOS	12-Dec-25	12		12-Dec-26		270 d	STC-SUPPLEMENTAL TYPE CERTIFICATE	
	HRS	3239.4	300		3539.4		286.4		
	AFL	5193							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 85 - FUEL CELL SYSTEMS									
850015 ^U	SUPPLEMENTAL INSPECTION STC - COMPLY WITH DOOR PIN 24 MONTH/300 HOUR INSPECTION IN ACCORDANCE WITH STC SR01113NY-D ICA IC00278.							Service	ATA:85
	MOS	10-Feb-25	24		10-Feb-27		330 d	STC-SUPPLEMENTAL TYPE CERTIFICATE	
	HRS	3149	300		3449		196		
	AFL	5104							
850016 ^U	SUPPLEMENTAL INSPECTION STC - COMPLY WITH DRAIN CUP 12 MONTH INSPECTION IN ACCORDANCE WITH STC SR00533 ICA REPORT NUMBER IM96-39.							Service	ATA:85
	MOS	12-Dec-25	12		12-Dec-26		270 d	STC-SUPPLEMENTAL TYPE CERTIFICATE	
	HRS	3239.4							
	AFL	5193							
850017 ^U	SUPPLEMENTAL INSPECTION STC - COMPLY WITH TAIL ROTOR PEDAL GREASE FITTING 300 HOUR LUBRICATION. STC SR00033NY ICA REPORT NUMBER IM93-32.							Service	ATA:85
	MOS	12-Dec-25						STC-SUPPLEMENTAL TYPE CERTIFICATE	
	HRS	3239.4	300		3539.4		286.4		
	AFL								
850018 ^U	SUPPLEMENTAL INSPECTION STC - COMPLY WITH TAIL ROTOR PEDAL GREASE FITTING 1500 HOUR/12 MONTH LUBRICATION AND INSPECTION. STC SR00033NY. ICA REPORT NUMBER IM93-32.							Service	ATA:85
	MOS	12-Dec-25	12		12-Dec-26		270 d	STC-SUPPLEMENTAL TYPE CERTIFICATE	
	HRS	3239.4	1500		4739.4		1486.4		
	AFL	5193							
850020 ^U	SUPPLEMENTAL INSPECTION STC - COMPLY WITH 500 HOUR BAGGAGE LINER INSPECTION. STC SR00836NY ICA REPORT NUMBER MM00081.							Service	ATA:85
	MOS	10-Feb-25						STC-SUPPLEMENTAL TYPE CERTIFICATE	
	HRS	3149	500		3649		396		
	AFL	5104							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 85 - FUEL CELL SYSTEMS									
850024 ^U	CAPACITY CHECK - STC - COMPLY WITH CAPACITY CHECK OF THE MAIN SHIP BATTERY PART NUMBER RG380E/44. STC SR09050RC. CONCORDE MAINTENANCE MANUAL 24-30-71.							Service	ATA:85
PN:RG-380E/44	MOS	12-Dec-25	6		12-Jun-26		87 d	STC-SUPPLEMENTAL TYPE CERTIFICATE	
SN:41097047	HRS	3239.4							
	AFL	5193							
<hr/>									
850025 ^U	SUPPLEMENTAL INSPECTION STC - ANNUAL INSPECTION OF THE ARTEX C406-N EMERGENCY LOCATOR TRANSMITTER. ICA IC 00761.							Service	ATA:85
	MOS	12-Dec-25	12		12-Dec-26		270 d	STC-SUPPLEMENTAL TYPE CERTIFICATE	
	HRS	3239.4							
	AFL	5193							
<hr/>									
850026 ^U	SUPPLEMENTAL INSPECTION STC-COMPLY WITH ANNUAL USB AND CIGARETTE POWER PORTS INSPECTION. ICA DOC# 760522-USB-ICA							Service	ATA:85
	MOS	12-Dec-25	12		12-Dec-26		270 d		
	HRS	3239.4							
	AFL	5193							
<hr/>									
850027 ^U	SUPPLEMENTAL INSPECTION STC - COMPLY WITH BLUE SKY NETWORK IRIDIUM/GPS ANTENNA 600 HOURS/12 MONTH INSPECTION ICA DOC# 760522-IRIDIUM-ICA							Service	ATA:85
	MOS	12-Dec-25	12		12-Dec-26		270 d		
	HRS	3239.4	600		3839.4		586.4		
	AFL								
<hr/>									
850029 ^U	GSS CAMERA 1000 HR: INSULATOR INSPECTION IAW ICA REPORT NO. AA-S76-512EX, REV 5 28-APR-2022							Service	ATA:85
	MOS	28-Apr-22							
	HRS	2798.1	1000		3798.1		545.1		
	AFL								
<hr/>									
850030 ^U	SUPPLEMENTAL INSPECTION STC- BLUE SKY GNSS/IRIDIUM SYSTEM INSPECTION PER ICA DOCUMENT 230116001 REV A							Service	ATA:85
	MOS	27-Jan-23	72		27-Jan-29		1047 d		
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task

Status Report

Model: S-76C+ Serial: 760522 RegNo: N98PC HRS: 3253 AFL: 5222 As Of: 17-Mar-2026

17-Mar-2026 11:45 AM

PN & SN	Unit	C/W	Interval	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Disposition	
ATA 85 - FUEL CELL SYSTEMS									
850031	U	SUPPLEMENTAL INSPECTION STC: INSPECT FABRICATED CONSOLE MOUNT TO ENSURE ELECTRICAL CONNECTIONS AND FASTENERS ARE SECURE. REF FAA FORM 337 DATED 13-JUL-2023							Service ATA:85
	MOS	03-Jul-25	12		03-Jul-26		108 d		
	HRS	3218.7							
	AFL	5176							
850032	U	SUPPLEMENTAL INSPECTION STC: INSPECT HEADSET JACK EXTENSION, USB AUX PWR MODULES AND TRUE BLUE 115 VAC OUTLETS IAW FAA FORM 337, DATED 13-JUL-23 AND ICA, INITIAL RELEASE							Service ATA:85
	MOS	03-Jul-25	12		03-Jul-26		108 d		
	HRS	3218.7							
	AFL	5176							
ATA 94 - --									
947101A	U	NO. 1 ENGINE - PERFORM ENGINE RINSE (ROUTINE MAINTENANCE)							Service ATA:94
	MOS	12-Dec-25							
	HRS	3159.9	50		(3209.9) 3290.4		37.4		
	ENC								
947101A	U	NO. 2 ENGINE - PERFORM ENGINE RINSE (ROUTINE MAINTENANCE)							Service ATA:94
	MOS	12-Dec-25							
	HRS	5773.5	50		(5823.5) 3289.4		36.4		
	ENC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task